















































































## How to Use This Catalog

Each lens in this catalog is labeled with a sequential number (Item Number), shown in the right hand corner of the lens entry. In each index, symbols and lens characteristics are listed along with their relevant lens item numbers. To find a lens in the catalog, locate the item number(s) in one of the indexes below and then simply flip to the section containing the relevant item numbers.

## Index by Symbol

Symbol	Item #	Symbol	Item #	Symbol	Item #
*	70, 79, 82, 85-87, 90, 92-94, 96		106		450-454, 459-465
—	172		315, 317		444
	178-179		308		517
^	40, 52, 54-55, 58, 304		523		441
	298-301		105		315, 331, 336, 340, 344, 347, 424-425
	311		123-124		333, 339, 345, 352
	521		483-484		358
○	1-2, 5-8, 10-11, 15, 23-24, 45, 47, 63-64, 73-74, 76-77, 98-110, 113-118, 120-121, 123-124, 126-158, 160-219, 222-232, 243-256, 261-267, 302-306, 308-314, 318-326, 328-329, 332, 334, 337-338, 342, 346, 348, 350-351, 353-355, 361, 364-399, 401-409, 421-423, 433, 435-437, 440-444, 446-448, 466-468, 495, 500, 502, 504-517, 519		463		400
			449-450		172, 187, 192
			180		160, 171, 182, 188-190
			411-420		133, 469-484, 499, 501
			177		427, 429-430
			475, 477		312, 431
			472-473		257-260
			191		410, 432
			135		115, 145-147
			192		134
			193-195		27
			120		27, 159, 435, 503
			121, 169-170		20-22, 25-26, 28-35, 60, 65-72, 75, 78-96
			160, 171-172		41, 488
			161-162, 164-168, 178-180		495
			181-183		307, 316
			173-175, 177, 184-186		355-359
			187		11-14
			163		520
			452		451
			176		220-221, 472-474
			337		198, 252
			116-117, 151-152, 154		216-217
			118, 156-158		411-413, 415, 426, 437
			503		364-366
			487		370-371
			524		372-373
			442		
			449, 455		
					
					
					
					
					

Symbol

Item #  
137, 139


Symbol

Item #  
360



440

Symbol	Item #	Symbol	Item #	Symbol	Item #
2N	31	CC	402	ES	46, 207, 209, 461
2S50	367-369	CD	263-264	ESP	228
2S59	374-377	CE	18	ET	214
2S60	378-381	CH	65, 403	EUS	229
2S67	382-385	CHD	220	EV	19, 48, 242
3	243-249, 251, 253-267	CHS	221	EW	49-50
3	20, 360, 386, 445	CHV	40	E <u>W</u>	167, 185
3V60	388-390	C <sub>J</sub>	471	EWP	230
3V	32	CL	426	EXC	208
4D	194	CN	217	F	10, 17-19, 39-42, 44, 46, 48, 50-59, 61-62, 195, 255-262, 485, 487-488
5	424-425	CP	16, 66	FF	198, 453
6	47, 113-115, 118, 121, 123-124, 127-128, 130-131, 136-137, 141, 143-147, 154-158, 161-165, 169-170, 173-181, 183, 420, 426-427, 430-431, 479, 517	CS	404	FFC	459
7	9, 416-419	C <sub>U</sub>	469	FFO	454
15	449	CU	43, 485	FFW	465
16	401-409, 455, 496-498, 507-516	C <sub>V</sub>	470	F <u>W</u>	168, 186
50	21, 245, 248, 264, 266, 447	CV	67	G4	393
60	22, 26, 28-34, 43, 65-72, 78-96, 98-106, 391-400, 410-415, 421-423, 432, 436-437, 443, 445-446, 448	CW	405	G	252
67	75, 116-117, 126, 129, 132-134, 138-139, 142, 150-153	CX	427	H53	212-213
100	85	D3	132-133	H60	364-390
200	86	D	68, 113-114, 130-131, 202	H	5, 36-37, 109, 201-202, 259-260, 416, 490
360°	387	DS	69	h	315, 317
400	87	DEM	72	I2	79
A <sub>3</sub>	455	DLS	216-217	I	78, 255, 356
A	36, 125-126, 129, 215, 243-245, 496	DNA	204	/	26
a	33-34	DSI	70	IB	237
A	30	E	108, 222, 233, 460	III6	112
ABC	105-106	e	231	IS	310
AC	38-39	EA	42, 223, 240	K <sub>+</sub>	474-475
AF	216	EBA	224, 232	K	478
AO+	6	EDR	225, 234-236	KB	302-303, 306
AO	3	EH	75	K <sub>DRO</sub>	480
AOB	7	EK	215, 218-219	K <sub>DSII</sub>	481
AOT	8	EI	298	Ks	476-477
AS	246-248, 355, 453	EIP 1	301	K <sub>U</sub>	479
B	21-22, 412, 422	EIP 5	299	L3v	82
B	15, 64	EIP 7	300	L	256-261, 430
bA	1	EL	206	LD	80-81
BIQ	318	ELC	205	LX	410
BPS	196	EM	44	M	49, 200, 204-208, 210-214, 262, 298-301, 418, 478
C	45, 220-221, 257-258, 433	EN	241	MK	83
c	361	EOH	238	MKI	84
CA	401	EP	227	N3	353-354
CAO2	62	EPC	226	N4	425
CAOC	61	ER	210	N8A	424

Symbol	Item #	Symbol	Item #	Symbol	Item #
<b>N</b>	394, 482	<b>PX</b>	432, 507	<b>UHV</b>	56
<i>Nb</i>	349-350	<b>Q</b>	499	<b>V</b>	318, 406
<i>NC</i>	343-345, 347, 352	<b>QS</b>	399	<b>VCP</b>	407
<b>NE</b>	148	<b>QU</b>	398	<b>Ve</b>	511
<i>NM</i>	341-342	<i>R</i>	410-411, 414-421, 424-431	<b>VEL</b>	506
no symbol	2, 45, 107-110, 120, 125, 159, 222-232, 476, 483	<b>RD</b>	27	<b>VG</b>	489
<b>NS</b>	149, 326	<b>RNA</b>	211	<b>VI</b>	510
<b>NX</b>	150	<b>ROL</b>	391-399	<b>Vo1</b>	513
<b>O</b>	357, 484	<b>S</b>	28, 63, 107, 114, 129, 131, 159, 183, 239, 359, 420, 438-439, 445, 447, 466, 468, 484	<b>Vo5</b>	514
<b>ODC</b>	500		17-19, 38, 41, 486-489, 491-492	<b>Vm</b>	512
<b>OFF</b>	392	<b>SA</b>	98	<b>Vp</b>	515
<b>ONM</b>	102	<b>SB</b>	99	<b>Vw</b>	516
<b>OOM</b>	103	<b>SC</b>	100, 501	<b>VW</b>	408
<b>OPM</b>	104	<b>SD</b>	101	<b>VX</b>	203
<b>OS</b>	85-87	<b>SE</b>	17	<b>W</b>	244, 247, 249, 251, 253, 336, 344-345, 438, 448 439, 473, 498
<b>p2</b>	88	<b>SH</b>	53	<b>W</b>	166, 184
<b>P2</b>	89	<b>SIG</b>	400	<b>WG</b>	57
<b>P</b>	12, 97, 135, 148-149, 191, 204-211, 214, 219, 326, 362-363, 413, 423, 429	<b>SIN</b>	93	<b>WO</b>	58
<i>p</i>	3-4	<b>SL</b>	446	<b>WR</b>	59
<b>PC</b>	434, 494	<b>SP3</b>	256, 261, 414	<b>WR</b>	139
<b>PE</b>	2	<b>SP</b>	265-266, 309, 339-340	<b>X</b>	11, 13-14, 201, 250
<b>PE</b>	10	<b>SPL</b>	94	<b>X/H</b>	417
<b>PEM</b>	71	<b>SPP</b>	338, 354	<b>XL</b>	491
<b>PF</b>	396	<b>SPU</b>	95	<b>XLG</b>	492
<b>PH</b>	51, 395	<b>SSB</b>	96	<b>X/M</b>	419
<b>PL</b>	90	<b>STY</b>	192	<b>XP</b>	409
<b>PM</b>	320, 363	<b>SW</b>	478	<b>XPV</b>	212
<b>PN</b>	397	<b>T</b>	8, 29, 200, 254, 267	<b>XS</b>	76
<b>PP</b>	353	<b>TLX</b>	324	<b>XSV</b>	213
<b>PRO</b>	4	<b>TTX</b>	467	<b>Y</b>	244, 247, 249, 251, 267, 322, 522
<b>PS</b>	92, 319, 362	<b>U</b>	497	<b>Z</b>	110
<b>PU</b>	91	<b>UH</b>	54		
<b>PW</b>	509	<b>UHC</b>	55		

## Index by Lens Name

Lens Name	Company Name	Item #	Lens Name	Company Name	Item #
Acclaim OEM PAL #1 and #2**	Walman - Soderberg	517	Ce-Tru Normal Corridor	L.B.I.	307
Accolade	Essilor of America, Inc.	123	Ce-Tru Polarized	L.B.I.	308
Accolade Freedom	Essilor of America, Inc.	124	Progressive		
Acuity 9/11/13	PFO Global	355	Ce-Tru Short Corridor	L.B.I.	309
Adage	Younger Optics	521	Ce-Tru Short Corridor	L.B.I.	310
Adaptar	Essilor Canada	111	Photochr		
Adaptar	Essilor of America, Inc.	125	Ce-Tru SunSensor	L.B.I.	311
Adaptar Digital	Essilor of America, Inc.	126	Channel 14 Plastic II	Landon Lens	312
Adaptar DS	Essilor Canada	112	Channel 14 Poly II	Landon Lens	313
Adaptar DS (Canada)	Essilor of America, Inc.	127	Channel 14 Variations Gray	Landon Lens	314
Adaptar DS Short (Canada)	Essilor of America, Inc.	128	& B		
Adaptar Short Digital	Essilor of America, Inc.	129	Channel 14 Variations Poly	Landon Lens	315
Advanced HD	US Optical	496	Pho		
AF2	Seiko Optical Products	433	Clarlet Business	Carl Zeiss Vision	15
Amplitude	Hoya Vision Care	243	ClassicLife Free XS. M or L	Rodenstock Canada	410
Amplitude BKS	Hoya Vision Care	244	CLEARi Absolute-W 12	CLEARi	98
Amplitude iQ	Hoya Vision Care	245	CLEARi DED 14	CLEARi	99
Amplitude Mini	Hoya Vision Care	246	CLEARi DED 16	CLEARi	100
Amplitude Mini BKS	Hoya Vision Care	247	CLEARi DED 19	CLEARi	101
Amplitude Mini iQ	Hoya Vision Care	248	CLEARi OFFICE BOOK	CLEARi	102
AO b'Active		1	CLEARi OFFICE	CLEARi	103
AO Easy		2	COMPUTER		
AO Easy	American Optical	9	CLEARi OFFICE ROOM	CLEARi	104
AO Easy HD	American Optical	10	Compact ULTRA HD	SOLA Optical	485
AO Force 55		3	Computer	Shamir Insight Inc.	459
AO Pro 15		4	Constitution HD	FEA Industries, Inc.	220
AO Pro 16		5	Constitution Short HD	FEA Industries, Inc.	221
APEX	Classic Optical Laboratories, Inc.	97	Continual Focus Lens (CFL)	Vision Dynamics Lab/Optical Dynamics	499
Array	Hoya Vision Care	249	Continuum	Carl Zeiss Vision	16
Array 2	Hoya Vision Care	250	COZE ADL ADVANCED	Robertson Optical Laboratories, Inc.	401
Array Wrap	Hoya Vision Care	251	COZE CASATA	Robertson Optical Laboratories, Inc.	402
Attitude III Fashion 15	Shamir Insight Inc.	449	COZE HDW	Robertson Optical Laboratories, Inc.	403
Attitude III Fashion 18	Shamir Insight Inc.	450	COZE SOFT	Robertson Optical Laboratories, Inc.	404
Attitude III Sport	Shamir Insight Inc.	451	COZE WRAP	Robertson Optical Laboratories, Inc.	405
Augen HD Trinity Spacia SF	Augen Optics	11	Crossbows Custom U	Signet Armormlite, Inc.	469
AugenSol HD Trinity 13/17	Augen Optics	12	Crossbows Custom V	Signet Armormlite, Inc.	470
Autograph II -Fixed & Var. Des	Shamir Insight Inc.	452	Crossbows Junior	Signet Armormlite, Inc.	471
Autograph II Attitude	Shamir Insight Inc.	453	DC mini	Seiko Optical Products	434
Autograph II Office	Shamir Insight Inc.	454	Definity	Essilor Canada	113
Autograph III Fixed & VAR.	Shamir Insight Inc.	455	Definity Short	Essilor of America, Inc.	130
Autograph Intelligence Fixed & VARI.	Shamir Insight Inc.	456	Definity Short	Essilor Canada	114
Autograph II+ Fixed & VARI.	Shamir Insight Inc.	457	Definity 3	Essilor of America, Inc.	131
Autograph Relax	Shamir Insight Inc.	458	Definity 3 Plus	Essilor of America, Inc.	132
Balance Digital 12	Nikon Optical Canada	327	DirecTek	Signet Armormlite, Inc.	472
Balance Digital 14	Nikon Optical Canada	328	DirecTek Short	Signet Armormlite, Inc.	473
Blue IQ Variable Progressive	Lenscrafters	318	DLS Advanced PAL	Eye Kraft Optical, Inc.	215
Camber Steady Plus Progressive	IOT	272	DLS Anti-Fatigue	Eye Kraft Optical, Inc.	216
Camber Steady Plus Progressive	IOT	273	DLS Camber Near	Eye Kraft Optical, Inc.	217
Distance Vision			DLS PAL	Eye Kraft Optical, Inc.	218
Camber Steady Plus Progressive	IOT	274	DLS Pro PAL	Eye Kraft Optical, Inc.	219
Intermediate Vision			Eagle	FEA Industries, Inc.	222
Camber Steady Plus Progressive   Near Vision	IOT	275	Eagle Apprentice	FEA Industries, Inc.	223
			Eagle Balance	FEA Industries, Inc.	224
			Eagle Driver	FEA Industries, Inc.	225

<u>Lens Name</u>	<u>Company Name</u>	<u>Item #</u>	<u>Lens Name</u>	<u>Company Name</u>	<u>Item #</u>
Eagle PC	FEA Industries, Inc.	226	Essilor Ideal Advanced Fit	Essilor of America, Inc.	138
Eagle Precision	FEA Industries, Inc.	227	Essilor Ideal Advanced Wrap	Essilor of America, Inc.	139
Eagle Sport	FEA Industries, Inc.	228	Essilor Ideal Computer	Essilor of America, Inc.	140
Eagle Ultra Short	FEA Industries, Inc.	229	Essilor Ideal Driving	Essilor of America, Inc.	141
Eagle Workplace	FEA Industries, Inc.	230	Essilor Ideal Fit	Essilor of America, Inc.	142
Eaglet	FEA Industries, Inc.	231	Essilor Ideal Short	Essilor of America, Inc.	143
Eaglet Balance	FEA Industries, Inc.	232	Essilor Ideal Sport	Essilor of America, Inc.	144
EasyLux	Dehlawi Optical Industries	105	Essilor Natural	Essilor of America, Inc.	145
			Essilor Natural / Natural DS	Essilor Canada	115
Elan HD	Carl Zeiss Vision	17	Essilor Natural Digital	Essilor of America, Inc.	146
Elan HD Short	Carl Zeiss Vision	18	Executive/ ShoreView ES	Shore Lens Company	466
Elan HDV	Carl Zeiss Vision	19	Expert DNA™	Expert Optics	204
Element	Shamir Insight Inc.	460	Expert Elite C™	Expert Optics	205
Element Short	Shamir Insight Inc.	461	Expert Elite™	Expert Optics	206
Endless Anti-fatigue Single Vision   0.50 D	IOT	276	Expert Essential®	Expert Optics	207
			Expert Extreme C™	Expert Optics	208
Endless Anti-fatigue Single Vision   0.75 D	IOT	277	Expert Extreme™	Expert Optics	209
			Expert Relief™ 50 and 75	Expert Optics	210
Endless Anti-fatigue Single Vision   1.00 D	IOT	278	Expert RNA™	Expert Optics	211
			Expert Sport Wrap XPV™	Expert Optics	212
Endless Bifocal	IOT	279	(progressive)		
Endless Drive Progressive	IOT	280	Expert Sport Wrap XSV™ (single vision)	Expert Optics	213
Endless Drive Single Vision	IOT	281			
Endless Office	IOT	282	Expert Tween™ 1.3; 2.0; 4.0	Expert Optics	214
Endless Office   1.3 m	IOT	283	EZ View Mini	SOMO Optical	493
Endless Office   2 m	IOT	284	EZ View Std	SOMO Optical	494
Endless Office   4 m	IOT	285	First PAL	Shamir Insight Inc.	462
Endless Pilot Progressive	IOT	286	Freedom ID	X-CEL Optical	518-520
Endless Single Vision	IOT	287	Futureise	Polycore Optical	362
Endless Sport Progressive	IOT	288	Geo-FORM 11	Rite-Style Optical Company, Inc.	364
Endless Steady Progressive	IOT	289			
Endless Steady Progressive   Distance Vision	IOT	290	Geo-FORM 13	Rite-Style Optical Company, Inc.	365
Endless Steady Progressive   Intermediate Vision	IOT	291	Geo-FORM 15	Rite-Style Optical Company, Inc.	366
Endless Steady Progressive   Near Vision	IOT	292	Geo-FORM AW 10	Rite-Style Optical Company, Inc.	367
EOS	KBco, Inc.	302			
EOS Wrap	KBco, Inc.	303	Geo-FORM AW 12	Rite-Style Optical Company, Inc.	368
epik Day 13/15/17/19/21	GSRx	233			
epik DRV 110/110 N+D4	GSRx	234	Geo-FORM AW 14	Rite-Style Optical Company, Inc.	369
epik DRV 50/50 N+D4	GSRx	235			
epik DRV 80/80 N+D4	GSRx	236	Geo-FORM EZ 13	Rite-Style Optical Company, Inc.	370
epik iBifocal	GSRx	237			
epik Office UltraHD, Book/Room/Desk	GSRx	238	Geo-FORM EZ 15	Rite-Style Optical Company, Inc.	371
epik Standard 14/17	GSRx	239			
epik Variable Active/Active N+D4	GSRx	240	Geo-FORM EZ S 11	Rite-Style Optical Company, Inc.	372
epik Variable Device/Device N+D4	GSRx	241			
epik Variable/Variable N+D4	GSRx	242	Geo-FORM EZ S 13	Rite-Style Optical Company, Inc.	373
Essential Steady Progressive	IOT	293			
Essential Steady Progressive   Distance Vision	IOT	294	Golf	Shamir Insight Inc.	463
			Gradal 3	Carl Zeiss Vision	20
Essential Steady Progressive   Intermediate Vision	IOT	295	Gradal Brevis 1.5	Carl Zeiss Vision	21
			Gradal Brevis 1.6	Carl Zeiss Vision	22
Essential Steady Progressive   Near Vision	IOT	296	Gradal Brevity 1.59	Carl Zeiss Vision	23
			Gradal Brevity 1.67	Carl Zeiss Vision	24
Essilor Anti-Fatigue	Essilor of America, Inc.	134	Gradal HS (All)	Carl Zeiss Vision	25
			Gradal Individual	Carl Zeiss Vision	26
Essilor Computer	Essilor of America, Inc.	135	Gradal RD	Carl Zeiss Vision	27
			Gradal Shorti	Carl Zeiss Vision	28
Essilor Ideal	Essilor of America, Inc.	136	Gradal Top	Carl Zeiss Vision	29
			GT2	Carl Zeiss Vision	30
Essilor Ideal Advanced	Essilor of America, Inc.	137	GT2 3D	Carl Zeiss Vision	31

<b>Lens Name</b>	<b>Company Name</b>	<b>Item #</b>	<b>Lens Name</b>	<b>Company Name</b>	<b>Item #</b>
GT2 3D 3DV	Carl Zeiss Vision	32	Kodak Unique	Signet Armorlite, Inc.	479
GT2 3D Short	Carl Zeiss Vision	33	KODAK Unique DRO	Signet Armorlite, Inc.	480
GT2 Short	Carl Zeiss Vision	34	KODAK Unique DRO HD	Signet Armorlite, Inc.	481
HD Trinity 13/17 SF	Augen Optics	13	Maui Passport Progressive	Maui Jim	321
HD Trinity 8/12 SF	Augen Optics	14	Melibrad Progressive	Melibrad	322
Hoyalux GP	Hoya Vision Care	252	Micro	Polycore Optical	363
Hoyalux GPW	Hoya Vision Care	253	MOVE	Nikon Optical Canada	329
Hoyalux Tact (EP40 and 60)	Hoya Vision Care	254	Move Digital 13	Nikon Optical USA	341
HyperPro	PFO Optima LLC	360	Move Digital 15	Nikon Optical USA	342
ID InStyle	Hoya Vision Care	255	MOVE Short	Nikon Optical Canada	330
ID Lifestyle	Hoya Vision Care	256	Multigressiv MyView 2 XS,	Rodenstock Canada	421
iD LifeStyle 2 Clarity	Hoya Vision Care	257	M, L		
ID LifeStyle 2 Clarity cd	Hoya Vision Care	258	Mvp Platinum Plastic II	Landon Lens	316
ID LifeStyle 2 Harmony	Hoya Vision Care	259	MyView Ergo 2 Book	Rodenstock Canada	422
ID LifeStyle 2 Harmony cd	Hoya Vision Care	260	MyView Ergo 2 PC or Room	Rodenstock Canada	423
ID Lifestyle cd	Hoya Vision Care	261	Nalco Progressive	Nassau Lens Company	325
ID Mystyle	Hoya Vision Care	262	Natural DS (Canada)	Essilor of America, Inc.	147
identity home 9/11/13	PFO Global	356	Navigator FBS	Signet Armorlite, Inc.	482
identity play 9/11/13	PFO Global	357	Navigator Precision	Signet Armorlite, Inc.	483
identity pro	PFO Global	358	Navigator Short	Signet Armorlite, Inc.	484
identity smart 9/11/13	PFO Global	359	Nexyma Computer (80)	Rodenstock Canada	424
Illumina	Vision-Ease Lens, Inc.	503	Nexyma Reading (40)	Rodenstock Canada	425
Image	Younger Optics	522	Nikon Eyes Advanced	Essilor of America, Inc.	148
Image	Younger Optics	523	Nikon Eyes Advanced Short	Essilor of America, Inc.	149
Impression 2 XS, M, or L	Rodenstock Canada	411	Nikon Eyes Customized	Essilor of America, Inc.	150
Impression Ergo 2 Book	Rodenstock Canada	412	Nikon Go	Nikon Optical Canada	331
Impression Ergo 2 PC or Room	Rodenstock Canada	413	Nikon Go Digital	Nikon Optical Canada	332
Impression Ergo FreeSign 2	Rodenstock Canada	414	Nikon i	Nikon Optical Canada	333
Impression FreeSign 2	Rodenstock Canada	415	Nikon i Digital	Nikon Optical Canada	334
Impression Hyperop	Rodenstock Canada	416	Nikon Online	Nikon Optical Canada	335
Impression Hyperop XS	Rodenstock Canada	417	Nikon Online	Nikon Optical USA	343
Impression Myop	Rodenstock Canada	418	Nikon W	Nikon Optical Canada	336
Impression Myop XS	Rodenstock Canada	419	Nikon W	Nikon Optical USA	344
Impression Sport 2	Rodenstock Canada	420	Nikon W Short	Nikon Optical USA	345
inMotion	IOT	297	Novel	Vision-Ease Lens, Inc.	504
Intellego 3	Interstate Optical	268	Novella Short Corridor	Vision-Ease Lens, Inc.	505
Intellego 3 14	Interstate Optical	269	Outlook	Vision-Ease Lens, Inc.	506
Intellego 3 16	Interstate Optical	270	Ovation	Essilor Canada	116
Intellego 3 18	Interstate Optical	271	Ovation	Essilor of America, Inc.	151
IOT Endless	IOT	298	Ovation ADS	Essilor Canada	117
IOT Endless Plus 0.50D	IOT	299	Ovation ADS (Canada)	Essilor of America, Inc.	152
IOT Endless Plus 0.75D	IOT	300	Ovation ADS Short	Essilor of America, Inc.	153
IOT Endless Plus 1.00D	IOT	301	(Canada)		
iRx Pro	KBco, Inc.	304	Ovation Digital	Essilor of America, Inc.	154
iRx Short	KBco, Inc.	305	Ovation DS (Canada)	Essilor of America, Inc.	155
Kodak Precise	Signet Armorlite, Inc.	474	Overture	Sutherlin Optical, Inc.	495
KODAK Precise PB	Signet Armorlite, Inc.	475	Paradigm Progressive	Vision Dynamics Lab/Optical Dynamics	500
Kodak Precise Short	Signet Armorlite, Inc.	476			
KODAK Precise Short PB	Signet Armorlite, Inc.	477	Paradigm Short Corridor	Vision Dynamics Lab/Optical Dynamics	501
KODAK SoftWear	Signet Armorlite, Inc.	478			
			PCWide	Seiko Optical Products	435
			Percepta	SOLA Optical	486
			Perfas Premier II	Seiko Optical Products	436
			Perfas Prominent	Seiko Optical Products	437

<u>Lens Name</u>	<u>Company Name</u>	<u>Item #</u>	<u>Lens Name</u>	<u>Company Name</u>	<u>Item #</u>
Persona	Riverside Opticalab Ltd.	391	SmallFit / SmallFit DS	Essilor Canada	118
Persona Office	Riverside Opticalab Ltd.	392	SmallFit Digital	Essilor of America, Inc.	157
Persona G4	Riverside Opticalab Ltd.	393	Smallfit DS (Canada)	Essilor of America, Inc.	158
Persona Novice	Riverside Opticalab Ltd.	394	SOLA HDV	SOLA Optical	487
Persona Phd	Riverside Opticalab Ltd.	395	SOLAMAX	Carl Zeiss Vision	36
Persona Phd Distance	Riverside Opticalab Ltd.	396	SOLAOne HD	SOLA Optical	488
Persona Phd Near	Riverside Opticalab Ltd.	397	Spectrum	Shamir Insight Inc.	464
Persona Quattro	Riverside Opticalab Ltd.	398	Stealth 15	Vision Warehouse	502
Persona Quattro Sport	Riverside Opticalab Ltd.	399	Succeed	Seiko Optical Products	440
Polar-Ray Progressive	Melibrad	323-324	Succeed WS	Seiko Optical Products	441
PolySensus	MacLens Optical	319	Summit cd	Hoya Vision Care	263
Presio Digital i Short	Nikon Optical USA	346	Summit cd iQ	Hoya Vision Care	264
Presio i	Nikon Optical USA	347	Summit ecp	Hoya Vision Care	265
Presio i Digital	Nikon Optical USA	348	Summit ecp iQ	Hoya Vision Care	266
Presio i Digital 12	Nikon Optical USA	349	Super No-Line	Essilor Canada	119
Presio i Digital 14	Nikon Optical USA	350	Super No-Line	Essilor of America, Inc.	159
Presio i Digital Short	Nikon Optical USA	351	Supercede	Seiko Optical Products	442
Presio i Short	Nikon Optical USA	352	Supercede II	Seiko Optical Products	443
Presio Power 12/13/14	Nikon Optical Canada	337	Supercede WS	Seiko Optical Products	444
Presio Power 12/13/14	Nikon Optical USA	353	Superior	Seiko Optical Products	445
Privo Advance	Dehlawi Optical Industries	106	Supernal	Seiko Optical Products	446
Pro-Freedom	Excelite, Inc.	196	Surmount	Seiko Optical Products	447
Pro-Freedom Plus	Excelite, Inc.	197	Surmount Ws	Seiko Optical Products	448
Pro-Freedom Solace	Excelite, Inc.	198	Synchrony	Carl Zeiss Vision	37
Pro-Freedom Sports	Excelite, Inc.	199	synchrony Access	Carl Zeiss Vision	38
Proceed II Short	Seiko Optical Products	438	synchrony Access HD (075, 125, 175)	Carl Zeiss Vision	39
Proceed III Super Short	Seiko Optical Products	439	synchrony Curves HDC	Carl Zeiss Vision	40
Progressiv ClassicLife	Rodenstock Canada	426	synchrony Easy Adapt	Carl Zeiss Vision	41
Progressiv ClassicLife XS	Rodenstock Canada	427	synchrony Easy Adapt HD	Carl Zeiss Vision	42
Progressiv Life 2	Rodenstock Canada	428	synchrony Easy M	Carl Zeiss Vision	43
Progressiv Life 2 XS	Rodenstock Canada	429	synchrony Easy M HD	Carl Zeiss Vision	44
Progressiv Purelife	Rodenstock Canada	430	synchrony Easy S	Carl Zeiss Vision	45
Progressiv Purelife XS	Rodenstock Canada	431	synchrony Easy S HD	Carl Zeiss Vision	46
ProgressivPureLife Free XS,M,L	Rodenstock Canada	432	synchrony Easy View	Carl Zeiss Vision	47
Promult	MacLens Optical	320	synchrony Easy View HD	Carl Zeiss Vision	48
Proprius DS	Nexus Vision Group	326	synchrony Easy Wear	Carl Zeiss Vision	49
Punktal Gradal HS	Carl Zeiss Vision	35	synchrony Easy Wear HD	Carl Zeiss Vision	50
PureSite Easy Fit	Diversified Ophthalmics, Inc.	107	synchrony Performance HD (13, 15, 17, 19)	Carl Zeiss Vision	51
PureSite Enhanced	Diversified Ophthalmics, Inc.	108	synchrony Performance HDV	Carl Zeiss Vision	52
PureSite Premier	Diversified Ophthalmics, Inc.	109	synchrony Starter HD	Carl Zeiss Vision	53
PureSite Ultima	Diversified Ophthalmics, Inc.	110	synchrony Ultra HD (13, 15, 17, 19, 21)	Carl Zeiss Vision	54
Resolution Response	PFO Optima LLC	361	synchrony Ultra HDC	Carl Zeiss Vision	55
SeeMax Power 12/13/14	Nikon Optical Canada	338	synchrony Ultra HDV	Carl Zeiss Vision	56
SeeMax Power 12/13/14	Nikon Optical USA	354	synchrony Work & Go HD	Carl Zeiss Vision	57
SeeMaxProgressive 12	Nikon Optical Canada	339	synchrony Work & Office HD	Carl Zeiss Vision	58
SeeMaxProgressive 14	Nikon Optical Canada	340	synchrony Work & Read HD	Carl Zeiss Vision	59
ShoreView / Shoreview Mini	Shore Lens Company	467	TACT 40 BKS and TACT 60 BKS	Hoya Vision Care	267
Shoreview Mini ES	Shore Lens Company	468	TR1-Far AW 14	Rite-Style Optical Company, Inc.	374
Signature HD	Riverside Opticalab Ltd.	400	TR1-Far AW 16	Rite-Style Optical Company, Inc.	375
Smallfit	Essilor of America, Inc.	156	TR1-Far AW 18	Rite-Style Optical Company, Inc.	376



<u>Lens Name</u>	<u>Company Name</u>	<u>Item #</u>	<u>Lens Name</u>	<u>Company Name</u>	<u>Item #</u>
TR1-Far AW 20	Rite-Style Optical Company, Inc.	377	Varilux Physio Enhanced	Essilor of America, Inc.	176
			Varilux Physio Enhanced Azio	Essilor of America, Inc.	177
TR2-Basic 14	Rite-Style Optical Company, Inc.	378	Varilux Physio Enhanced eyecode	Essilor of America, Inc.	178
TR2-Basic 16	Rite-Style Optical Company, Inc.	379	Varilux Physio Enhanced Fit	Essilor of America, Inc.	179
			Varilux Physio Enhanced India	Essilor of America, Inc.	180
TR2-Basic 18	Rite-Style Optical Company, Inc.	380	Varilux Physio Short	Essilor of America, Inc.	181
			Varilux Physio Short 360°	Essilor of America, Inc.	182
TR2-Basic 20	Rite-Style Optical Company, Inc.	381	Varilux Physio Short DRx	Essilor of America, Inc.	183
			Varilux Physio W3+	Essilor of America, Inc.	184
TR3-Demand AW 14	Rite-Style Optical Company, Inc.	382	Varilux Physio W3+ eyecode	Essilor of America, Inc.	185
			Varilux Physio W3+ Fit	Essilor of America, Inc.	186
TR3-Demand AW 16	Rite-Style Optical Company, Inc.	383	Varilux S 4D	Essilor of America, Inc.	187
			Varilux S Design	Essilor of America, Inc.	188
TR3-Demand AW 18	Rite-Style Optical Company, Inc.	384	Varilux S Design Short	Essilor of America, Inc.	189
			Varilux S Fit	Essilor of America, Inc.	190
TR3-Demand AW 20	Rite-Style Optical Company, Inc.	385	Varilux Sport	Essilor Canada	122
			Varilux Sport	Essilor of America, Inc.	191
TR4-Highway AW	Rite-Style Optical Company, Inc.	386	Varilux Stylistic	Essilor of America, Inc.	192
			Varilux X	Essilor of America, Inc.	193
TR5-Zone 13	Rite-Style Optical Company, Inc.	387	Varilux X 4D	Essilor of America, Inc.	194
			Varilux X Fit	Essilor of America, Inc.	195
TR8-Active AW 15	Rite-Style Optical Company, Inc.	388	VIP	Carl Zeiss Vision	63
			VIP Gold	SOLA Optical	489
TR8-Active AW 17	Rite-Style Optical Company, Inc.	389	Vista	Robertson Optical Laboratories, Inc.	406
TR8-Active AW 19	Rite-Style Optical Company, Inc.	390	VISTA CP	Robertson Optical Laboratories, Inc.	407
TruVision		6	VISTA WS	Robertson Optical Laboratories, Inc.	408
TruVision Omni		7			
TruVision Technica		8	Visuality	SOLA Optical	490
Ultimate HD	US Optical	497	WorkSpace	Shamir Insight Inc.	465
Umbramatic SR Gradal HS	Carl Zeiss Vision	60	Wrap HD	US Optical	498
UNITY PLx	VSP	507	X-Pro Discovery	Excelite, Inc.	200
UNITY PLxtra	VSP	508	X-Pro Discovery Plus	Excelite, Inc.	201
Unity PLxtreme	VSP	509	X-Pro Discovery Xtra	Excelite, Inc.	202
Unity Via	VSP	510	X-Pro Maxima Plus	Excelite, Inc.	203
Unity Via Elite	VSP	511	XL	SOLA Optical	491
Unity Via Mobile	VSP	512	XL Gold	SOLA Optical	492
Unity Via OfficePro 10ft	VSP	513	XP HD	Robertson Optical Laboratories, Inc.	409
Unity Via OfficePro 5ft	VSP	514			
Unity Via Plus	VSP	515	Xplore	KBco, Inc.	306
Unity Via Wrap	VSP	516	Zeal Digital Progressive	Zeal Optics	524
Universa HD Office (075, 125, 175)	Carl Zeiss Vision	61	ZEISS Business	Carl Zeiss Vision	64
			ZEISS Choice (13, 15, 17, 19)	Carl Zeiss Vision	65
Universa2 HD	Carl Zeiss Vision	62	ZEISS Choice Plus (13, 15, 17, 19, 21)	Carl Zeiss Vision	66
Variations	Landon Lens	317			
Varilux Ipseo IV	Essilor of America, Inc.	160	ZEISS Choice Plus V	Carl Zeiss Vision	67
Varilux Comfort	Essilor of America, Inc.	161	ZEISS Digital Lens	Carl Zeiss Vision	68
Varilux Comfort / Comfort DSx	Essilor Canada	120	ZEISS DriveSafe	Carl Zeiss Vision	69
Varilux Comfort Drx	Essilor of America, Inc.	162	ZEISS DriveSafe Individual	Carl Zeiss Vision	70
Varilux Comfort Enhanced	Essilor of America, Inc.	163	ZEISS EnergizeMe (14, 16, 18)	Carl Zeiss Vision	71
Varilux Comfort Short	Essilor of America, Inc.	164	ZEISS EnergizeMe Digital	Carl Zeiss Vision	72
Varilux Comfort Short DRx	Essilor of America, Inc.	165	ZEISS Experience	Carl Zeiss Vision	73-74
Varilux Comfort W3+	Essilor of America, Inc.	166	ZEISS Experience HD2	Carl Zeiss Vision	75
Varilux Comfort W3+ eyecode	Essilor of America, Inc.	167	ZEISS Experience Short	Carl Zeiss Vision	76-77
Varilux Comfort W3+ Fit	Essilor of America, Inc.	168			
Varilux Ellipse	Essilor of America, Inc.	169			
Varilux Ellipse / Ellipse 360	Essilor Canada	121			
Varilux Ellipse 360°	Essilor of America, Inc.	170			
Varilux Ipseo IV	Essilor of America, Inc.	171			
Varilux Ipseo IV eyecode	Essilor of America, Inc.	172			
Varilux Physio	Essilor of America, Inc.	173			
Varilux Physio 360°	Essilor of America, Inc.	174			
Varilux Physio DRx	Essilor of America, Inc.	175			

<b>Lens Name</b>	<b>Company Name</b>	<b>Item #</b>	<b>Lens Name</b>	<b>Company Name</b>	<b>Item #</b>
ZEISS Individual	Carl Zeiss Vision	78	ZEISS Plus 2 Short Sport	Carl Zeiss Vision	88
ZEISS Individual 2	Carl Zeiss Vision	79	ZEISS Plus 2 Sport	Carl Zeiss Vision	89
ZEISS Light D (14, 18)	Carl Zeiss Vision	80	ZEISS Precision Plus	Carl Zeiss Vision	90
ZEISS Light H (14, 16, 18)	Carl Zeiss Vision	81	ZEISS Precision Pure (13, 15, 17, 19, 21)	Carl Zeiss Vision	91
ZEISS Light V	Carl Zeiss Vision	82	ZEISS Precision Superb	Carl Zeiss Vision	92
ZEISS MyoKids Pro	Carl Zeiss Vision	83	ZEISS SmartLife Individual	Carl Zeiss Vision	93
ZEISS MyoKids Pro Individual	Carl Zeiss Vision	84	ZEISS SmartLife Plus	Carl Zeiss Vision	94
ZEISS Officelens Book	Carl Zeiss Vision	85	ZEISS SmartLife Pure (S, M, L)	Carl Zeiss Vision	95
ZEISS Officelens Desk	Carl Zeiss Vision	86	ZEISS SmartLife Superb	Carl Zeiss Vision	96
ZEISS Officelens Room	Carl Zeiss Vision	87			

## Extended ADD Range Index

ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #
to 0.50	Acuity 9/11/13	355	to 0.50	Persona Phd Near	397	to	Advanced HD	496
	CLEARi Absolute-W 12	98		Persona Quattro	398	0.75		
	CLEARi DED 14	99		Persona Quattro Sport	399		Amplitude	243
	CLEARi DED 16	100		Privo Advance	106		Amplitude BKS	244
	CLEARi DED 19	101		Proceed II Short	438		Amplitude iQ	245
	CLEARi OFFICE BOOK	102		Proceed III Super Short	439		Amplitude Mini	246
	CLEARi OFFICE COMPUTER	103		Signature HD	400		Amplitude Mini BKS	247
	CLEARi OFFICE ROOM	104		Smallfit DS (Canada)	158		Amplitude Mini iQ	248
	COZE ADL ADVANCED	401		Succeed	440		AO Easy	2
	COZE CASATA	402		Succeed WS	441		AO Easy HD	10
	COZE HDW	403		Summit ecp	265		AO Force 55	3
	COZE SOFT	404		Summit ecp iQ	266		Array	249
	COZE WRAP	405		Supercede	442		Array 2	250
	DLS Anti-Fatigue	216		Supercede II	443		Array Wrap	251
	DLS Camber Near	217		Supercede WS	444		Attitude III Fashion 15	449
	Eagle	222		Superior	445		Attitude III Fashion 18	450
	Eagle Apprentice	223		Supernal	446		Attitude III Sport	451
	Eagle Balance	224		Surmount	447		Augen HD Trinity Spacia SF	11
	Eagle Driver	225		Surmount Ws	448		Autograph II -Fixed & Var. Des	452
	Eagle Precision	227		synchrony Starter HD	53		Autograph II Attitude	453
	Eagle Sport	228		TR1-Far AW 14	374		Autograph II Office	454
	Eagle Ultra Short	229		TR1-Far AW 16	375		Autograph III Fixed & VAR.	455
	Eagle Workplace	230		TR1-Far AW 18	376		Autograph Intelligence Fixed & VARI.	456
	Eaglet	231		TR1-Far AW 20	377			
	Eaglet Balance	232		TR2-Basic 14	378		Autograph II+ Fixed & VARI.	457
	EasyLux	105		TR2-Basic 16	379		Balance Digital 12	327
	epik DRV 110/110 N+D4	234		TR2-Basic 18	380		Balance Digital 14	328
	epik DRV 50/50 N+D4	235		TR2-Basic 20	381		Ce-Tru Normal Corridor	307
	epik DRV 80/80 N+D4	236		TR3-Demand AW 14	382		ClassicLife Free XS, M or L	410
	Expert Elite™	206		TR3-Demand AW 16	383		Compact ULTRA HD	485
	Expert Essential®	207		TR3-Demand AW 18	384		Computer	459
	Expert Extreme™	209		TR3-Demand AW 20	385		Constitution HD	220
	Expert Relief™ 50 and 75	210		TR4-Highway AW	386		Constitution Short HD	221
	Expert Tween™ 1.3; 2.0; 4.0	214		TR5-Zone 13	387		Crossbows Custom U	469
	Geo-FORM 11	364		TR8-Active AW 15	388		Crossbows Custom V	470
	Geo-FORM 13	365		TR8-Active AW 17	389		Crossbows Junior	471
	Geo-FORM 15	366		TR8-Active AW 19	390		DirecTek	472
	Geo-FORM AW 10	367		Unity Via	510		DirecTek Short	473
	Geo-FORM AW 12	368		Unity Via Elite	511		DLS Advanced PAL	215
	Geo-FORM AW 14	369		Unity Via Mobile	512		DLS PAL	218
	Geo-FORM EZ 13	370		Unity Via Plus	515		DLS Pro PAL	219
	Geo-FORM EZ 15	371		Unity Via Wrap	516		Elan HD	17
	Geo-FORM EZ S 11	372		Vista	406		Elan HD Short	18
	Geo-FORM EZ S 13	373		VISTA CP	407		Elan HDV	19
	identity home 9/11/13	356		VISTA WS	408		Element	460
	identity play 9/11/13	357		XP HD	409		Element Short	461
	identity smart 9/11/13	359	to 0.75	Accolade	123		epik Day 13/15/17/19/21	233
	Perfas Premier II	436		Accolade Freedom	124		epik iBifocal	237
	Perfas Prominent	437		Adage	521		epik Standard 14/17	239
	Persona	391		Adaptar	125		epik Variable Active/Active N+D4	240
	Persona Office	392		Adaptar Digital	126			
	Persona G4	393		Adaptar DS	112		epik Variable Device/Device N+D4	241
	Persona Novice	394		Adaptar DS (Canada)	127			
	Persona Phd	395		Adaptar DS Short (Canada)	128		epik Variable/Variable N+D4	242
	Persona Phd Distance	396		Adaptar Short Digital	129		Essilor Ideal	136
							Essilor Ideal Advanced	137
							Essilor Ideal Advanced Fit	138
							Essilor Ideal Advanced Wrap	139
							Essilor Ideal Computer	140

ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #
to 0.75	Essilor Ideal Driving	141	to	Move Digital 15	342	to	SmallFit / SmallFit DS	118
	Essilor Ideal Fit	142	0.75			0.75		
	Essilor Ideal Short	143		MOVE Short	330		SmallFit Digital	157
	Essilor Ideal Sport	144		Multigressiv MyView 2 XS, M, L	421		SOLA HDV	487
	Essilor Natural	145		MyView Ergo 2 Book	422		SOLAOne HD	488
	Essilor Natural / Natural DS	115		MyView Ergo 2 PC or Room	423		Spectrum	464
	Essilor Natural Digital	146		Natural DS (Canada)	147		Summit cd	263
	Executive/ ShoreView ES	466		Navigator FBS	482		Summit cd iQ	264
	Expert DNA™	204		Nikon Eyes Advanced	148		Super No-Line	159
	Expert Elite C™	205		Nikon Eyes Advanced Short	149		synchrony Access HD (075, 125, 175)	39
	Expert Extreme C™	208		Nikon Eyes Customized	150		synchrony Curves HDC	40
	Expert RNA™	211		Nikon Go	331		synchrony Easy Adapt HD	42
	First PAL	462		Nikon Go Digital	332		synchrony Easy M	43
	Golf	463		Nikon i	333		synchrony Easy M HD	44
	Gradal Individual	26		Nikon i Digital	334		synchrony Easy S	45
	Gradal Shorti	28		Nikon W	336		synchrony Easy S HD	46
	Gradal Top	29		Nikon W	344		synchrony Easy View	47
	GT2	30		Nikon W Short	345		synchrony Easy View HD	48
	GT2 3D	31		Novel	504		synchrony Easy Wear HD	50
	GT2 3D Short	33		Outlook	506		synchrony Performance HD (13, 15, 17, 19)	51
	GT2 Short	34		Ovation	116		synchrony Performance HDV	52
	Hoyalux GP	252		Ovation	151		synchrony Ultra HD (13, 15, 17, 19, 21)	54
	Hoyalux GPW	253		Ovation ADS	117		synchrony Ultra HDC	55
	HyperPro	360		Ovation ADS (Canada)	152		synchrony Ultra HDV	56
	ID InStyle	255		Ovation ADS Short (Canada)	153		synchrony Work & Go HD	57
	ID Lifestyle	256		Ovation Digital	154		synchrony Work & Office HD	58
	iD LifeStyle 2 Clarity	257		Ovation DS (Canada)	155		synchrony Work & Read HD	59
	ID LifeStyle 2 Clarity cd	258		Percepta	486		TACT 40 BKS and TACT 60 BKS	267
	ID LifeStyle 2 Harmony	259		Presio Digital i Short	346		Ultimate HD	497
	ID LifeStyle 2 Harmony cd	260		Presio i	347		Umbramatic SR Gradal HS	60
	ID Lifestyle cd	261		Presio i Digital	348		UNITY PLx	507
	ID Mystyle	262		Presio i Digital 12	349		UNITY PLxtra	508
	identity pro	358		Presio i Digital 14	350		Unity PLxtreme	509
	Illumina	503		Presio i Digital Short	351		Universa HD Office (075, 125, 175)	61
	Impression 2 XS, M, or L	411		Presio i Short	352		Universa2 HD	62
	Impression Ergo 2 Book	412		Presio Power 12/13/14	337		Varilux Ipseo IV	160
	Impression Ergo 2 PC or Room	413		Presio Power 12/13/14	353		Varilux Comfort	161
	Impression Ergo FreeSign 2	414		Pro-Freedom Solace	198		Varilux Comfort Drx	162
	Impression FreeSign 2	415		Progressiv ClassicLife	426		Varilux Comfort Enhanced	163
	Impression Hyperop	416		Progressiv ClassicLife XS	427		Varilux Comfort Short	164
	Impression Hyperop XS	417		Progressiv Life 2	428		Varilux Comfort Short DRx	165
	Impression Myop	418		Progressiv Life 2 XS	429		Varilux Comfort W3+	166
	Impression Myop XS	419		Progressiv Purelife	430		Varilux Comfort W3+ eyecode	167
	Intellego 3	268		Progressiv Purelife XS	431		Varilux Comfort W3+ Fit	168
	Intellego 3 14	269		ProgressivPureLife Free	432		Varilux Ellipse	169
	Intellego 3 16	270		XS,M,L			Varilux Ellipse / Ellipse 360°	170
	Intellego 3 18	271		Proprius DS	326		Varilux Ipseo IV	171
	KODAK Precise PB	475		PureSite Easy Fit	107		Varilux Ipseo IV eyecode	172
	KODAK Precise Short PB	477		PureSite Enhanced	108		Varilux Physio	173
	KODAK SoftWear	478		PureSite Premier	109		Varilux Physio 360°	174
	Kodak Unique	479		PureSite Ultima	110		Varilux Physio DRx	175
	KODAK Unique DRO	480		SeeMax Power 12/13/14	338		Varilux Physio Enhanced	176
	KODAK Unique DRO HD	481		SeeMax Power 12/13/14	354		Varilux Physio Enhanced Azio	177
	MOVE	329		SeeMaxProgressive 12	339		Varilux Physio Enhanced eyecode	178
	Move Digital 13	341		SeeMaxProgressive 14	340		Varilux Physio Enhanced Fit	179
				Shoreview Mini ES	468			
				Smallfit	156			

ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #
0.75	Varilux Physio Enhanced India	180	3.50	Adaptar DS	112	3.50	Endless Office   2 m	284
	Varilux Physio Short	181		Adaptar DS (Canada)	127		Endless Office   4 m	285
	Varilux Physio Short 360°	182		Adaptar DS Short (Canada)	128		epik Day 13/15/17/19/21	233
	Varilux Physio Short DRx	183		Advanced HD	496		epik iBifocal	237
	Varilux Physio W3+	184		Amplitude	243		epik Office UltraHD,	238
	Varilux Physio W3+ eyecode	185		Amplitude BKS	244		Book/Room/Desk	
	Varilux Physio W3+ Fit	186		Amplitude iQ	245		epik Standard 14/17	239
	Varilux S 4D	187		Amplitude Mini	246		epik Variable Active/Active	240
	Varilux S Design	188		Amplitude Mini BKS	247		N+D4	
	Varilux S Design Short	189		Amplitude Mini iQ	248		epik Variable Device/Device	241
	Varilux S Fit	190		AO b'Active	1		N+D4	
	Varilux Sport	122		AO Easy	2		epik Variable/Variable N+D4	242
	Varilux Sport	191		AO Easy HD	10		Essilor Ideal	136
	Varilux Stylistic	192		AO Force 55	3		Essilor Ideal Advanced	137
	Varilux X	193		APEX	97		Essilor Ideal Advanced Fit	138
	Varilux X 4D	194		Array	249		Essilor Ideal Computer	140
	Varilux X Fit	195		Array 2	250		Essilor Ideal Driving	141
	VIP	63		Array Wrap	251		Essilor Ideal Fit	142
	VIP Gold	489		Attitude III Fashion 15	449		Essilor Ideal Sport	144
	Visuality	490		Attitude III Fashion 18	450		Essilor Natural	145
	WorkSpace	465		Attitude III Sport	451		Essilor Natural / Natural DS	115
	Wrap HD	498		Augen HD Trinity Spacia SF	11		Essilor Natural Digital	146
	XL	491		Autograph II Attitude	453		Executive/ ShoreView ES	466
	XL Gold	492		Autograph II Office	454		Expert DNA™	204
	ZEISS Choice (13, 15, 17, 19)	65		Autograph Intelligence Fixed & VARI.	456		Expert Elite C™	205
	ZEISS Choice Plus (13, 15, 17, 19, 21)	66		Autograph II+ Fixed & VARI.	457		Expert Extreme C™	208
	ZEISS Choice Plus V	67		Ce-Tru Normal Corridor	307		Expert Tween™ 1.3; 2.0; 4.0	214
	ZEISS Digital Lens	68		CLEARi Absolute-W 12	98		First PAL	462
	ZEISS DriveSafe	69		CLEARi DED 14	99		Futureise	362
	ZEISS DriveSafe Individual	70		CLEARi DED 16	100		Geo-FORM 11	364
	ZEISS EnergizeMe (14, 16, 18)	71		CLEARi DED 19	101		Geo-FORM 13	365
	ZEISS EnergizeMe Digital	72		CLEARi OFFICE BOOK	102		Geo-FORM 15	366
	ZEISS Experience HD2	75		CLEARi OFFICE COMPUTER	103		Geo-FORM AW 10	367
	ZEISS Individual	78		CLEARi OFFICE ROOM	104		Geo-FORM AW 12	368
	ZEISS Individual 2	79		Compact ULTRA HD	485		Geo-FORM AW 14	369
	ZEISS Light D (14, 18)	80		Constitution HD	220		Geo-FORM EZ 13	370
	ZEISS Light H (14, 16, 18)	81		Constitution Short HD	221		Geo-FORM EZ 15	371
	ZEISS Light V	82		COZE HDW	403		Geo-FORM EZ S 11	372
	ZEISS Officelens Book	85		COZE SOFT	404		Geo-FORM EZ S 13	373
	ZEISS Officelens Desk	86		COZE WRAP	405		Golf	463
	ZEISS Officelens Room	87		Crossbows Custom U	469		Gradal Individual	26
	ZEISS Plus 2 Short Sport	88		Crossbows Custom V	470		Gradal Shorti	28
	ZEISS Plus 2 Sport	89		Crossbows Junior	471		Gradal Top	29
	ZEISS Precision Plus	90		DirecTek	472		GT2	30
	ZEISS Precision Pure (13, 15, 17, 19, 21)	91		DirecTek Short	473		GT2 3D	31
	ZEISS Precision Superb	92		DLS Advanced PAL	215		GT2 3D 3DV	32
	ZEISS SmartLife Individual	93		DLS PAL	218		GT2 3D Short	33
	ZEISS SmartLife Plus	94		DLS Pro PAL	219		GT2 Short	34
	ZEISS SmartLife Pure (S, M, L)	95		Elan HD	17		Hoyalux GP	252
	ZEISS SmartLife Superb	96		Elan HD Short	18		Hoyalux GPW	253
to	Accolade	123		Elan HDV	19		HyperPro	360
3.50	Accolade Freedom	124		Element	460		ID InStyle	255
	Acuity 9/11/13	355		Element Short	461		ID Lifestyle	256
	Adage	521		Endless Office	282		iD LifeStyle 2 Clarity	257
	Adaptar	125		Endless Office   1.3 m	283		ID LifeStyle 2 Clarity cd	258
							ID LifeStyle 2 Harmony	259
							ID LifeStyle 2 Harmony cd	260

ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #
3.50	ID Lifestyle cd	261	3.50	Presio i Digital Short	351	3.50	synchrony Ultra HDV	56
	ID Mystyle	262		Presio i Short	352		synchrony Work & Go HD	57
	Illumina	503		Presio Power 12/13/14	337		synchrony Work & Office HD	58
	Impression 2 XS, M, or L	411		Presio Power 12/13/14	353		synchrony Work & Read HD	59
	Impression Ergo 2 Book	412		Pro-Freedom	196		TACT 40 BKS and TACT 60 BKS	267
	Impression Ergo 2 PC or Room	413		Pro-Freedom Plus	197		Ultimate HD	497
	Impression Ergo FreeSign 2	414		Pro-Freedom Solace	198		Umbramatic SR Gradal HS	60
	Impression FreeSign 2	415		Pro-Freedom Sports	199		UNITY PLx	507
	Intellego 3	268		Proceed II Short	438		UNITY PLxtra	508
	Intellego 3 14	269		Proceed III Super Short	439		Unity PLxtreme	509
	Intellego 3 16	270		Progressiv Life 2	428		Unity Via OfficePro 10ft	513
	Intellego 3 18	271		Progressiv Purelife	430		Unity Via OfficePro 5ft	514
	iRx Pro	304		ProgressivPureLife Free XS,M,L	432		Universa HD Office (075, 125, 175)	61
	KODAK Precise PB	475		Promult	320		Universa2 HD	62
	KODAK Precise Short PB	477		Proprius DS	326		Varilux Ipseo IV	160
	KODAK SoftWear	478		PureSite Easy Fit	107		Varilux Comfort	161
	Kodak Unique	479		PureSite Enhanced	108		Varilux Comfort Drx	162
	KODAK Unique DRO	480		PureSite Premier	109		Varilux Comfort Enhanced	163
	KODAK Unique DRO HD	481		PureSite Ultima	110		Varilux Ipseo IV	171
	Micro	363		SeeMax Power 12/13/14	338		Varilux Ipseo IV eyecode	172
	MOVE	329		SeeMax Power 12/13/14	354		Varilux Physio Enhanced	176
	Move Digital 13	341		SeeMaxProgressive 12	339		Varilux Sport	122
	Move Digital 15	342		SeeMaxProgressive 14	340		Varilux Sport	191
	MOVE Short	330		Smallfit DS (Canada)	158		Varilux Stylistic	192
	Multigressiv MyView 2 XS, M, L	421		SOLA HDV	487		VIP	63
	Mvp Platinum Plastic II	316		SOLAOne HD	488		VIP Gold	489
	MyView Ergo 2 Book	422		Spectrum	464		Vista	406
	MyView Ergo 2 PC or Room	423		Succeed	440		VISTA CP	407
	Natural DS (Canada)	147		Succeed WS	441		VISTA WS	408
	Navigator FBS	482		Summit cd	263		Visuality	490
	Nikon Eyes Advanced	148		Summit cd iQ	264		WorkSpace	465
	Nikon Eyes Customized	150		Super No-Line	159		Wrap HD	498
	Nikon Go	331		Supercede	442		X-Pro Discovery	200
	Nikon Go Digital	332		Supercede II	443		X-Pro Discovery Plus	201
	Nikon i	333		Supercede WS	444		X-Pro Discovery Xtra	202
	Nikon i Digital	334		Supernal	446		XL	491
	Nikon W	336		Surmount	447		XL Gold	492
	Nikon W	344		Surmount Ws	448		ZEISS Choice (13, 15, 17, 19)	65
	Nikon W Short	345		Synchrony	37		ZEISS Choice Plus (13, 15, 17, 19, 21)	66
	Novel	504		synchrony Access HD (075, 125, 175)	39		ZEISS Choice Plus V	67
	Novella Short Corridor	505		synchrony Curves HDC	40		ZEISS Digital Lens	68
	Outlook	506		synchrony Easy Adapt	41		ZEISS DriveSafe	69
	Ovation	116		synchrony Easy Adapt HD	42		ZEISS DriveSafe Individual	70
	Ovation	151		synchrony Easy M	43		ZEISS EnergizeMe (14, 16, 18)	71
	Ovation ADS	117		synchrony Easy M HD	44		ZEISS EnergizeMe Digital	72
	Ovation ADS (Canada)	152		synchrony Easy S	45		ZEISS Experience HD2	75
	Ovation Digital	154		synchrony Easy S HD	46		ZEISS Individual 2	79
	Ovation DS (Canada)	155		synchrony Easy View	47		ZEISS Light D (14, 18)	80
	Percepta	486		synchrony Easy View HD	48		ZEISS Light H (14, 16, 18)	81
	Perfas Premier II	436		synchrony Easy Wear	49		ZEISS Light V	82
	Perfas Prominent	437		synchrony Easy Wear HD	50		ZEISS Officelens Book	85
	PolySensus	319		synchrony Performance HD (13, 15, 17, 19)	51		ZEISS Officelens Desk	86
	Presio Digital i Short	346		synchrony Performance HDV	52		ZEISS Officelens Room	87
	Presio i	347		synchrony Ultra HD (13, 15, 17, 19, 21)	54		ZEISS Plus 2 Short Sport	88
	Presio i Digital	348		synchrony Ultra HDV	52		ZEISS Plus 2 Sport	89
				synchrony Ultra HD (13, 15, 17, 19, 21)	54			
				synchrony Ultra HDC	55			

ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #
to 3.50	ZEISS Precision Plus	90	to 4.00	Varilux Physio 360°	174	to 4.50	Eaglet Balance	232
	ZEISS Precision Pure (13, 15, 17, 19, 21)	91		Varilux Physio DRx	175		Endless Drive Progressive	280
	ZEISS Precision Superb	92		Varilux Physio Enhanced Azio	177		Endless Steady Progressive	289
	ZEISS SmartLife Individual	93		Varilux Physio Enhanced eyecode	178		Endless Steady Progressive   Distance Vision	290
	ZEISS SmartLife Plus	94		Varilux Physio Enhanced Fit	179		Endless Steady Progressive   Intermediate Vision	291
	ZEISS SmartLife Pure (S, M, L)	95		Varilux Physio Enhanced India	180		Endless Steady Progressive   Near Vision	292
	ZEISS SmartLife Superb	96		Varilux Physio W3+	184		Expert Elite™	206
to 4.00	Autograph II -Fixed & Var. Des	452		Varilux Physio W3+ eyecode	185		Expert Essential®	207
	Autograph III Fixed & VAR.	455		Varilux Physio W3+ Fit	186		Expert Extreme™	209
	Balance Digital 12	327		Varilux S 4D	187		Persona Quattro	398
	Balance Digital 14	328		Varilux S Design	188		Persona Quattro Sport	399
	Definity 3	132		Varilux S Design Short	189		TR1-Far AW 14	374
	Definity 3 Plus	133		Varilux S Fit	190		TR1-Far AW 16	375
	EasyLux	105		Varilux X	193		TR1-Far AW 18	376
	Essential Steady Progressive	293		Varilux X 4D	194		TR1-Far AW 20	377
	identity home 9/11/13	356	to 4.50	Varilux X Fit	195		TR2-Basic 14	378
	identity play 9/11/13	357		XP HD	409		TR2-Basic 16	379
	identity smart 9/11/13	359		to Camber Steady Plus Progressive	272		TR2-Basic 18	380
	Persona	391		Camber Steady Plus Progressive   Distance Vision	273		TR2-Basic 20	381
	Persona G4	393		Camber Steady Plus Progressive   Intermediate Vision	274		TR3-Demand AW 14	382
	Persona Phd	395		Camber Steady Plus Progressive   Near Vision	275		TR3-Demand AW 16	383
	Persona Phd Distance	396		COZE ADL ADVANCED	401		TR3-Demand AW 18	384
	Persona Phd Near	397		COZE CASATA	402		TR3-Demand AW 20	385
	Presio i Digital 12	349		DLS Camber Near	217		TR4-Highway AW	386
	Presio i Digital 14	350		Eagle	222		TR5-Zone 13	387
	Privo Advance	106		Eagle Apprentice	223		TR8-Active AW 15	388
	Signature HD	400		Eagle Balance	224		TR8-Active AW 17	389
	Summit ecp	265		Eagle Driver	225		TR8-Active AW 19	390
	Summit ecp iQ	266		Eagle PC	226		Unity Via	510
	Superior	445		Eagle Precision	227		Unity Via Elite	511
	Varilux Comfort W3+	166		Eagle Sport	228		Unity Via Mobile	512
	Varilux Comfort W3+ eyecode	167		Eagle Ultra Short	229		Unity Via Plus	515
	Varilux Comfort W3+ Fit	168		Eagle Workplace	230		Unity Via Wrap	516
	Varilux Physio	173		Eaglet	231			

## Index of Companies

<b>Company Name</b>	<b>Item #</b>	<b>Company Name</b>	<b>Item #</b>
American Optical	9	Nikon Optical Canada	327
Augen Optics	11	Nikon Optical USA	341
Carl Zeiss Vision	15	PFO Global	355
Classic Optical Laboratories, Inc.	97	PFO Optima LLC	360
CLEARi	98	Polycore Optical	362
Dehlawi Optical Industries	105	Rite-Style Optical Company, Inc.	364
Diversified Ophthalmics, Inc.	107	Riverside Opticalab Ltd.	391
Essilor Canada	111	Robertson Optical Laboratories, Inc.	401
Essilor of America, Inc.	123	Rodenstock Canada	410
Excelite, Inc.	196	Seiko Optical Products	433
Expert Optics	204	Shamir Insight Inc.	449
Eye Kraft Optical, Inc.	215	Shore Lens Company	466
FEA Industries, Inc.	220	Signet Armorlite, Inc.	469
GSRx	233	SOLA Optical	485
Hoya Vision Care	243	SOMO Optical	493
Interstate Optical	268	Sutherlin Optical, Inc.	495
IOT	272	US Optical	496
KBco, Inc.	302	Vision Dynamics Lab/Optical Dynamics	499
L.B.I.	307	Vision Warehouse	502
Landon Lens	312	Vision-Ease Lens, Inc.	503
Lenscrafters	318	VSP	507
MacLens Optical	319	Walman - Soderberg	517
Maui Jim	321	X-CEL Optical	518
Melibrad	322	Younger Optics	521
Nassau Lens Company	325	Zeal Optics	524
Nexus Vision Group	326		



## Index by Recommended Minimum Height

Min Height	Lens Name	Item #	Min Height	Lens Name	Item #	Min Height	Lens Name	Item #
10mm	Eagle Ultra Short	229	13mm	synchrony Performance HDV	52	14mm	Endless Office   4 m	285
11mm	AO Easy	9		synchrony Ultra HD (13, 15, 17, 19, 21)	54		Endless Steady Progressive	289
	Autograph II -Fixed & Var. Des	452		synchrony Ultra HDC	55		Endless Steady Progressive	290
	Autograph III Fixed & VAR.	455		synchrony Ultra HDV	56		Distance Vision	
	Autograph Intelligence Fixed & VARI.	456		Universa2 HD	62		Endless Steady Progressive	291
	Autograph II+ Fixed & VARI.	457		Varilux Ellipse 360°	170		Intermediate Vision	
	Blue IQ Variable Progressive	318		ZEISS Choice (13, 15, 17, 19)	65		Endless Steady Progressive	292
12mm	Unity Via	510		ZEISS Choice Plus (13, 15, 17, 19, 21)	66		Near Vision	
	Unity Via Elite	511		ZEISS Choice Plus V	67		epik Office UltraHD,	238
	Unity Via Mobile	512		ZEISS Digital Lens	68		Book/Room/Desk	
	Unity Via Plus	515		ZEISS DriveSafe	69		epik Standard 14/17	239
	Unity Via Wrap	516		ZEISS DriveSafe Individual	70		Essential Steady Progressive	293
13mm	Adage	521		ZEISS DriveSafe Individual	70		Essential Steady Progressive	294
	Autograph III Fixed & VAR.	455		ZEISS Experience HD2	75		Distance Vision	
	Autograph Intelligence Fixed & VARI.	456		ZEISS Experience Short	76,77		Essential Steady Progressive	295
	Autograph II+ Fixed & VARI.	457		ZEISS Individual	78		Intermediate Vision	
	Compact ULTRA HD	485		ZEISS Individual 2	79		Essential Steady Progressive	296
	Crossbows Custom U	469		ZEISS Light V	82		Near Vision	
	Crossbows Custom V	470		ZEISS Officelens Book	85		Essilor Ideal Fit	142
	Crossbows Junior	471		ZEISS Officelens Desk	86		Essilor Ideal Short	143
	DLS Advanced PAL	215		ZEISS Officelens Room	87		Essilor Natural Digital	146
	DLS PAL	218		ZEISS Precision Plus	90		Expert Elite C™	205
	DLS Pro PAL	219		ZEISS Precision Pure (13, 15, 17, 19, 21)	91		Expert Elite™	206
	Elan HD Short	18		ZEISS Precision Superb	92		Expert Essential®	207
	Elan HDV	19		ZEISS SmartLife Individual	93		Expert Extreme C™	208
	epik Day 13/15/17/19/21	233		ZEISS SmartLife Plus	94		Expert Extreme™	209
	Essilor Anti-Fatigue	134		ZEISS SmartLife Superb	96		Expert RNA™	211
	Essilor Ideal Computer	140	13.5mm	DirecTek Short	473		Expert Tween™ 1.3; 2.0; 4.0	214
	Expert DNA™	204	14mm	Adaptar Short Digital	129		Geo-FORM AW 10	367
	Expert RNA™	211		Advanced HD	496		ID InStyle	255
	GT2 3D 3DV	32		Amplitude Mini	246		ID LifeStyle 2 Clarity cd	258
	GT2 3D Short	33		Amplitude Mini BKS	247		ID LifeStyle 2 Harmony cd	260
	GT2 Short	34		Amplitude Mini iQ	248		ID Lifestyle cd	261
	Impression FreeSign 2	415		APEX	97		Impression 2 XS, M, or L	411
	Intellego 3	268		Camber Steady Plus	272		Impression Ergo 2 Book	412
	Intellego 3 14	269		Progressive			Impression Ergo FreeSign 2	414
	Intellego 3 16	270		Camber Steady Plus	273		Impression Hyperop XS	417
	Intellego 3 18	271		Progressive   Distance Vision			Impression Myop XS	419
	Kodak Precise Short	476		Camber Steady Plus	274		iRx Short	305
	KODAK Precise Short PB	477		Progressive   Intermediate Vision			Multigressiv MyView 2 XS, M, L	421
	Kodak Unique	479		Camber Steady Plus	275		MyView Ergo 2 Book	422
	KODAK Unique DRO	480		Progressive   Near Vision			Navigator Short	484
	KODAK Unique DRO HD	481		Channel 14 Plastic II	312		Nikon Eyes Advanced Short	149
	Nexyma Reading (40)	425		Channel 14 Poly II	313		Novella Short Corridor	505
	Persona G4	393		Channel 14 Variations Poly	315		Perfas Premier II	436
	Persona Novice	394		Pho			Perfas Prominent	437
	Persona Phd	395		ClassicLife Free XS. M or L	410		Progressiv ClassicLife XS	427
	Persona Phd Distance	396		CLEARi Absolute-W 12	98		Progressiv Life 2 XS	429
	Persona Phd Near	397		Computer	459		Progressiv Purelife XS	431
	Persona Quattro	398		DLS Anti-Fatigue	216		ProgressivPureLife Free XS,M,L	432
	SOLA HDV	487		DLS Camber Near	217		PureSite Enhanced	108
	synchrony Curves HDC	40		Eagle	222		PureSite Premier	109
	synchrony Easy M	43		Eagle Balance	224		PureSite Ultima	110
	synchrony Easy S HD	46		Eagle PC	226		Signature HD	400
	synchrony Performance HD (13, 15, 17, 19)	51		Eagle Precision	227		Smallfit	156
				Eaglet	231		SmallFit Digital	157
				Eaglet Balance	232		Spectrum	464
				Endless Bifocal	279		Summit cd	263
				Endless Office	282		Summit cd iQ	264
				Endless Office   1.3 m	283		Supercede II	443
				Endless Office   2 m	284		Supercede WS	444
							Supernal	446

Min Height	Lens Name	Item #	Min Height	Lens Name	Item #	Min Height	Lens Name	Item #
14mm	Surmount	447	15mm	Camber Steady Plus	274	15mm	TR8-Active AW 15	388
	Surmount Ws	448		Progressive   Intermediate Vision			Universa HD Office (075, 125, 175)	61
	synchrony Starter HD	53		Camber Steady Plus	275		ZEISS Choice (13, 15, 17, 19)	65
	TR1-Far AW 14	374		Progressive   Near Vision			ZEISS Precision Pure (13, 15, 17, 19, 21)	91
	TR2-Basic 14	378		Constitution Short HD	221	16mm	Acuity 9/11/13	355
	TR3-Demand AW 14	382		Continuum	16		Autograph II Office	454
	Ultimate HD	497		Definity Short	114,131		Autograph Relax	458
	Unity PLxtreme	509		Definity 3	132		Camber Steady Plus	272
	Unity Via OfficePro 10ft	513		Definity 3 Plus	133		Progressive	
	Unity Via OfficePro 5ft	514		Endless Steady Progressive	289		Camber Steady Plus	273
	Varilux Ipseo IV	160		Endless Steady Progressive   Distance Vision	290		Progressive   Distance Vision	
	Varilux Comfort Enhanced	163		Endless Steady Progressive   Intermediate Vision	291		Camber Steady Plus	274
	Varilux Comfort Short	164		Endless Steady Progressive   Intermediate Vision	292		Progressive   Intermediate Vision	
	Varilux Comfort Short DRx	165		Endless Steady Progressive   Near Vision	292		Camber Steady Plus	275
	Varilux Comfort W3+	166		epik Variable Active/Active N+D4	240		Progressive   Near Vision	
	Varilux Comfort W3+ eyecode	167		epik Variable Device/Device N+D4	241		Ce-Tru Short Corridor	309
	Varilux Comfort W3+ Fit	168		epik Variable/Variable N+D4	242		Ce-Tru Short Corridor	310
	Varilux Ellipse	169		Essential Steady Progressive	293		Photochr	
	Varilux Ellipse / Ellipse 360	121		Essential Steady Progressive   Distance Vision	294		Channel 14 Variations Gray & B	314
	Varilux Ipseo IV	171		Essential Steady Progressive   Intermediate Vision	295		Clarlet Business	15
	Varilux Ipseo IV eyecode	172		Essential Steady Progressive   Near Vision	296		CLEARi DED 14	99
	Varilux Physio Enhanced	176		Essilor Computer	135		Eagle Apprentice	223
	Varilux Physio Enhanced Azio	177		Expert DNA™	204		Eagle Sport	228
	Varilux Physio Enhanced eyecode	178		Expert Elite C™	205		Element Short	461
	Varilux Physio Enhanced Fit	179		Expert Elite™	206		Endless Anti-fatigue Single Vision   0.50 D	276
	Varilux Physio Enhanced India	180		Expert Essential®	207		Endless Anti-fatigue Single Vision   0.75 D	277
	Varilux Physio Short	181		Expert Extreme C™	208		Endless Anti-fatigue Single Vision   1.00 D	278
	Varilux Physio Short 360°	182		Expert Extreme™	209		Endless Drive Progressive	280
	Varilux Physio Short DRx	183		Expert RNA™	211		Endless Pilot Progressive	286
	Varilux Physio W3+	184		First PAL	462		Endless Sport Progressive	288
	Varilux Physio W3+ eyecode	185		Geo-FORM EZ S 11	372		Endless Steady Progressive	289
	Varilux Physio W3+ Fit	186		Gradal Brevis 1.5	21		Endless Steady Progressive   Distance Vision	290
	Varilux S 4D	187		Gradal Brevis 1.6	22		Endless Steady Progressive   Intermediate Vision	292
	Varilux S Design Short	189		Gradal Shorti	28		Endless Steady Progressive   Near Vision	293
	Varilux S Fit	190		ID Mystyle	262		Essential Steady Progressive	294
	WorkSpace	465		identity pro	358		Essential Steady Progressive   Distance Vision	295
	Wrap HD	498		Nikon Eyes Customized	150		Essential Steady Progressive   Intermediate Vision	296
	ZEISS EnergizeMe (14, 16, 18)	71		Nikon Online	335,343		Essential Steady Progressive   Near Vision	205
	ZEISS EnergizeMe Digital	72		Nikon W Short	345		Expert Elite C™	206
	ZEISS Light D (14, 18)	80		Ovation ADS Short (Canada)	153		Expert Elite™	207
	ZEISS Light H (14, 16, 18)	81		PCWide	435		Expert Essential®	208
	ZEISS MyoKids Pro	83		Persona Office	392		Expert Extreme C™	209
	ZEISS MyoKids Pro Individual	84		Persona Quattro Sport	399		Expert Extreme™	211
	ZEISS Plus 2 Short Sport	88		Presio i Digital 12	349		Expert RNA™	212
	ZEISS SmartLife Pure (S, M, L)	95		Pro-Freedom	196		Expert Sport Wrap XPV™ (progressive)	
15mm	Accolade Freedom	124		Pro-Freedom Plus	197		EZ View Mini	493
	Adaptar DS Short (Canada)	128		Pro-Freedom Sports	199		Geo-FORM 11	364
	Attitude III Fashion 15	449		PureSite Easy Fit	107		Geo-FORM AW 12	368
	Autograph II Attitude	453		SeeMaxProgressive 12	339		Gradal Brevity 1.59	23
	Autograph III Fixed & VAR.	455		ShoreView / Shoreview Mini	467		Gradal Brevity 1.67	24
	Autograph Intelligence Fixed & VARI.	456		Shoreview Mini ES	468		identity home 9/11/13	356
	Autograph II+ Fixed & VARI.	457		SmallFit / SmallFit DS	118		identity play 9/11/13	357
	Balance Digital 12	327		Smallfit DS (Canada)	158			
	Camber Steady Plus	272		Succeed WS	441			
	Progressive			synchrony Access	38			
	Camber Steady Plus	273		synchrony Access HD (075, 125, 175)	39			
	Progressive   Distance Vision							

<u>Min</u> <u>Height</u>	<u>Lens Name</u>	<u>Item #</u>
	synchrony Easy M HD	44
	synchrony Easy S	45

<u>Min</u> <u>Height</u>	<u>Lens Name</u>	<u>Item #</u>
	identity smart 9/11/13	359
	inMotion	297
	IOT Endless Plus 0.50D	299
	IOT Endless Plus 0.75D	300
	IOT Endless Plus 1.00D	301
	Micro	363
	Move Digital 13	341
	MOVE Short	330

Min Height	Lens Name	Item #	Min Height	Lens Name	Item #	Min Height	Lens Name	Item #
16mm	Nikon i	333	17mm	Freedom ID	518,519,520	18mm	Autograph II+ Fixed & VARI.	457
	Nikon i Digital	334		Geo-FORM EZ 13	370		Camber Steady Plus	272
	Novel	504		Geo-FORM EZ S 13	373		Progressive	
	Paradigm Short Corridor	501		GT2	30		Camber Steady Plus	273
	Polar-Ray Progressive	324		GT2 3D	31		Progressive   Distance Vision	
	PolySensus	319		HD Trinity 13/17 SF	13		Camber Steady Plus	274
	Presio Digital i Short	346		HyperPro	360		Progressive   Intermediate	
	Presio i Digital Short	351		Illumina	503		Vision	
	Presio i Short	352		Kodak Precise	474		Camber Steady Plus	275
	Proceed III Super Short	439		KODAK Precise PB	475		Progressive   Near Vision	
	Proprius DS	326		KODAK SoftWear	478		CLEARi DED 16	100
	Spectrum	464		Nikon Eyes Advanced	148		CLEARi OFFICE COMPUTER	103
	synchrony Work & Office HD	58		Nikon W	336,344		CLEARi OFFICE ROOM	104
	synchrony Work & Read HD	59		Ovation	116,151		Continual Focus Lens (CFL)	499
	TR1-Far AW 16	375		Ovation ADS	117		Definity	113,130
	TR2-Basic 16	379		Ovation ADS (Canada)	152		Eagle Driver	225
	TR3-Demand AW 16	383		Ovation Digital	154		Eagle Workplace	230
	ZEISS Business	64		Overture	495		Endless Anti-fatigue Single	276
	ZEISS EnergizeMe (14, 16, 18)	71		Presio i Digital 14	350		Vision   0.50 D	
	ZEISS Experience	73,74		Pro-Freedom Solace	198		Endless Anti-fatigue Single	277
	ZEISS Light H (14, 16, 18)	81		SeeMaxProgressive 14	340		Vision   0.75 D	
	ZEISS SmartLife Pure (S, M, L)	95		SOLAMAX	36		Endless Anti-fatigue Single	278
16.5mm	DirecTek	472		Succeed	440		Vision   1.00 D	
17mm	Accolade	123		Synchrony	37		Endless Drive Progressive	280
	AF2	433		synchrony Easy View	47		Endless Office	282
	AugenSol HD Trinity 13/17	12		synchrony Easy View HD	48		Endless Office   1.3 m	283
	Balance Digital 14	328		synchrony Work & Go	57		Endless Office   2 m	284
	Camber Steady Plus	272		HD			Endless Office   4 m	285
	Progressive			TR8-Active AW 17	389		Endless Pilot Progressive	286
	Camber Steady Plus	273		Varilux Comfort	161		Endless Sport Progressive	288
	Progressive   Distance Vision			Varilux Comfort Drx	162		Endless Steady Progressive	289
	Camber Steady Plus	274		Varilux Physio	173		Endless Steady Progressive	290
	Progressive   Intermediate			Varilux Physio 360°	174		Distance Vision	
	Vision			Varilux Physio DRx	175		Endless Steady Progressive	291
	Camber Steady Plus	275		Varilux S Design	188		Intermediate Vision	
	Progressive   Near Vision			Varilux X	193		Endless Steady Progressive	292
	CLEARi OFFICE BOOK	102		Varilux X 4D	194		Near Vision	
	Constitution HD	220		Varilux X Fit	195		Essential Steady Progressive	293
	Elan HD	17		Xplore	306		Essential Steady Progressive	294
	Endless Steady Progressive	289		ZEISS Choice (13, 15, 17,	65		Distance Vision	
	Endless Steady Progressive	290		19)			Essential Steady Progressive	295
	Distance Vision			ZEISS Precision Pure (13,	91		Intermediate Vision	
	Endless Steady Progressive	291		15, 17, 19, 21)			Essential Steady Progressive	296
	Intermediate Vision		18mm	Adaptar	125		Near Vision	
	Endless Steady Progressive	292		Adaptar Digital	126		Essilor Ideal Driving	141
	Near Vision			Adaptar DS	112		Essilor Ideal Sport	144
	EOS	302		Adaptar DS (Canada)	127		Essilor Natural	145
	EOS Wrap	303		AO b'Active	1		Essilor Natural / Natural DS	115
	Essential Steady Progressive	293		AO Easy	2		Executive/ ShoreView ES	466
	Essential Steady Progressive	294		AO Easy HD	10		Expert Elite C™	205
	Distance Vision			AO Force 55	3		Expert Elite™	206
	Essential Steady Progressive	295		AO Pro 15	4		Expert Essential®	207
	Intermediate Vision			AO Pro 16	5		Expert Extreme C™	208
	Essential Steady Progressive	296		Attitude III Fashion 18	450		Expert Extreme™	209
	Near Vision			Attitude III Sport	451		Expert Relief™ 50 and 75	210
	Essilor Ideal	136		Autograph II Attitude	453		Expert RNA™	211
	Essilor Ideal Advanced	137		Autograph III Fixed &	455		Expert Sport Wrap XPV™	212
	Essilor Ideal Advanced Fit	138		VAR.			(progressive)	
	Essilor Ideal Advanced Wrap	139		Autograph Intelligence	456		Expert Tween™ 1.3; 2.0; 4.0	214
	Expert DNA™	204		Fixed & VARI.			Futureise	362
	Expert Elite C™	205					Geo-FORM 13	365
	Expert Elite™	206					Geo-FORM AW 14	369
	Expert Essential®	207					Golf	463
	Expert Extreme C™	208					Gradal Individual	26
	Expert Extreme™	209					Gradal Top	29


<b>Min Height</b>	<b>Lens Name</b>	<b>Item #</b>
	Expert RNA™	211

<b>Min Height</b>	<b>Lens Name</b>	<b>Item #</b>
	Hoyalux GP	252
	Hoyalux GPW	253
	Hoyalux Tact (EP40 and 60)	254
	ID Lifestyle	256
	iD LifeStyle 2 Clarity	257

Min Height	Lens Name	Item #	Min Height	Lens Name	Item #	Min Height	Lens Name	Item #
18mm	ID LifeStyle 2 Harmony	259	18mm	TruVision Technica	8	20mm	TR1-Far AW 20	377
	Image	522		Variations	317		TR2-Basic 20	381
	Image	523		Varilux Comfort / Comfort	120		TR3-Demand AW 20	385
	Impression Ergo 2 PC or Room	413		DSx			X-Pro Discovery	200
	Impression Hyperop	416		Varilux Sport	122,191		X-Pro Discovery Plus	201
	Impression Myop	418		Varilux Stylistic	192	21mm	CLEARi DED 19	101
	Impression Sport 2	420		VIP	63		Gradal RD	27
	inMotion	297		VIP Gold	489		Super No-Line	159
	IOT Endless Plus 0.50D	299		Visuality	490		ZEISS Precision Pure (13, 15, 17, 19, 21)	91
	IOT Endless Plus 0.75D	300		X-Pro Discovery Xtra	202	22mm	Augen HD Trinity Spacia SF	11
	IOT Endless Plus 1.00D	301		X-Pro Maxima Plus	203		Ce-Tru Normal Corridor	307
	iRx Pro	304		XL	491		Ce-Tru Polarized	308
	Melibrad Progressive	322		XL Gold	492		Progressive	
	MOVE	329		Zeal Digital Progressive	524		Ce-Tru SunSensor	311
	Move Digital 15	342		ZEISS EnergizeMe (14, 16, 18)	71		Gradal HS (All)	25
	Mvp Platinum Plastic II	316		ZEISS Light D (14, 18)	80		Polar-Ray Progressive	323
	MyView Ergo 2 PC or Room	423		ZEISS Light H (14, 16, 18)	81		Punktal Gradal HS	35
	Natural DS (Canada)	147		ZEISS Plus 2 Sport	89		TruVision	6
	Navigator FBS	482		ZEISS SmartLife Pure (S, M, L)	95		TruVision Omni	7
	Nikon Go	331	19mm	Amplitude	243		Umbramatic SR Gradal HS	60
	Nikon Go Digital	332		Amplitude BKS	244	Several	Acclaim OEM PAL #1 and #2**	517
	Outlook	506		Amplitude iQ	245		Array	249
	Ovation DS (Canada)	155		DC mini	434		Array 2	250
	Percepta	486		Element	460		Array Wrap	251
	Presio i	347		Expert DNA™	204		COZE ADL ADVANCED	401
	Presio i Digital	348		Expert Elite C™	205		COZE CASATA	402
	Proceed II Short	438		Expert Elite™	206		COZE HDW	403
	Progressiv ClassicLife	426		Expert Essential®	207		COZE SOFT	404
	Progressiv Life 2	428		Expert Extreme C™	208		COZE WRAP	405
	Progressiv Purelife	430		Expert Extreme™	209		EasyLux	105
	Promult	320		Geo-FORM EZ 15	371		Expert Elite™	206
	Resolution Response	361		Nalco Progressive	325		Expert Essential®	207
	SOLAOne HD	488		Spectrum	464		Expert Extreme™	209
	Stealth 15	502		TR8-Active AW 19	390		Expert RNA™	211
	Summit ecp	265		ZEISS Choice (13, 15, 17, 19)	65		Maui Passport Progressive	321
	Summit ecp iQ	266		ZEISS Precision Pure (13, 15, 17, 19, 21)	91		Persona	391
	synchrony Easy Adapt	41	20mm	Expert Elite C™	205		Presio Power 12/13/14	337,353
	synchrony Easy Adapt HD	42		Expert Elite™	206		Privo Advance	106
	synchrony Easy Wear	49		Expert Essential®	207		SeeMax Power 12/13/14	338,354
	synchrony Easy Wear HD	50		Expert Extreme C™	208		Supercede	442
	TACT 40 BKS and TACT 60 BKS	267		Expert Extreme™	209		UNITY PLx	507
	TR1-Far AW 18	376		EZ View Std	494		UNITY PLxtra	508
	TR2-Basic 18	380		Geo-FORM 15	366		Vista	406
	TR3-Demand AW 18	384		Gradal 3	20		VISTA CP	407
	TR4-Highway AW	386		Navigator Precision	483		VISTA WS	408
	TR5-Zone 13	387		Nexyma Computer (80)	424		XP HD	409
				Paradigm Progressive	500			

## AO b'Active

1



This lens was discontinued in 2010



### Materials:

Plastic (CR39 and 1.50)

### Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US and Canada

## AO Easy

2



This lens was discontinued in 2017



no symbol

P



bA

### Materials:

Plastic (CR39 and 1.50)

Polycarbonate

### Filters:

Photochromic

Polarized

### Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## AO Force 55

3



This lens was discontinued in 2009



### Materials:

Plastic Mid-Index (1.52 - 1.58)

### Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US and Canada

## AO Pro 15

4



This lens was discontinued in 2009



### Materials:

Plastic (CR39 and 1.50)

### Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US and Canada

## AO Pro 16

5



This lens was discontinued in 2009



H

### Materials:

Plastic High Index (1.60)

### PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear

Available in: US and Canada

## TruVision

6



This lens was discontinued in 2009




**Materials:**  
Plastic (CR39 and 1.50)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
22mm  
Available as: Clear  
Available in: US and Canada

## TruVision Omni

7



This lens was discontinued in 2009




**Materials:**  
Plastic (CR39 and 1.50)  
Glass (1.523)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
22mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## TruVision Technica

8



This lens was discontinued in 2009



**Materials:**  
Plastic (CR39 and 1.50)

PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear  
Available in: US and Canada

## American Optical | AO Easy

9



This lens was discontinued in 2017



7

**Materials:**  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: On 180 line  
Rec. minimum fitting height:  
11mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## American Optical | AO Easy HD

10



This lens was discontinued in 2017



H

T

P

F

M

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada



## Augen Optics | Augen HD Trinity Spacia SF

11



Materials:  
Trivex

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
22mm  
Available as: Clear  
Available in: US and Canada

## Augen Optics | AugenSol HD Trinity 13/17

12




Materials:  
Plastic (CR39 and 1.50)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## Augen Optics | HD Trinity 13/17 SF

13



no symbol


no symbol

Materials:  
Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52 - 1.58)  
Trivex

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## Augen Optics | HD Trinity 8/12 SF

14




Materials:  
Plastic (CR39 and 1.50)  
Trivex

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
12  
Available as: Clear; Photochromic;  
Available in: US and Canada

## Carl Zeiss Vision | Clarlet Business

15




This lens was discontinued in 2010

Materials:  
Plastic (CR39 and 1.50)

Near Variable Focus  
PAL Design on Front side  
Fitting cross location: On 180 line  
Rec. minimum fitting height:  
16mm  
Available as: Clear  
Available in: Canada Only

## Carl Zeiss Vision | Continuum

16



This lens was discontinued in 2023

M  
CP

**Materials:**  
Polycarbonate

Near Variable Focus  
PAL Design on Front side  
Fitting cross location: On 180 line  
Rec. minimum fitting height:  
15mm  
Available as: Clear  
Available in: US and Canada

## Carl Zeiss Vision | Elan HD

17



M  
H  
T  
P  
F  
M

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic; Polarized  
Available in: Canada Only

## Carl Zeiss Vision | Elan HD Short

18



M  
H  
T  
P  
F  
M

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
13mm  
Available as: Clear; Photochromic; Polarized  
Available in: Canada Only

## Carl Zeiss Vision | Elan HDV

19



M  
H  
T  
P  
F  
M

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
13mm  
Available as: Clear; Photochromic; Polarized  
Available in: Canada Only

## Carl Zeiss Vision | Gradal 3

20



This lens was discontinued in 2009


M

**Materials:**  
Plastic (CR39 and 1.50)

PAL Design on Front side  
Fitting cross location: 6mm above 180 line  
Rec. minimum fitting height:  
20mm  
Available as: Clear  
Available in: Canada Only

## Carl Zeiss Vision | Gradal Brevis 1.5

21



This lens was discontinued in 2010


M  
50

Materials:  
Plastic (CR39 and 1.50)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 6mm above 180 line  
Rec. minimum fitting height:  
15mm  
Available as: Clear  
Available in: Canada Only

## Carl Zeiss Vision | Gradal Brevis 1.6

22



This lens was discontinued in 2010

M  
60

Materials:  
Plastic High Index (1.60)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 6mm above 180 line  
Rec. minimum fitting height:  
15mm  
Available as: Clear  
Available in: Canada Only

## Carl Zeiss Vision | Gradal Brevity 1.59

23



This lens was discontinued in 2009

M

Materials:  
Polycarbonate

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 3mm above 180 line  
Rec. minimum fitting height:  
16mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## Carl Zeiss Vision | Gradal Brevity 1.67

24



This lens was discontinued in 2009

M

Materials:  
Plastic High Index (1.66 - 1.67)

PAL Design on Front side  
Fitting cross location: 3mm above 180 line  
Rec. minimum fitting height:  
16mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## Carl Zeiss Vision | Gradal HS (All)

25



This lens was discontinued in 2005


M

Materials:  
Plastic (CR39 and 1.50)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 6mm above 180 line  
Rec. minimum fitting height:  
22mm  
Available as: Clear  
Available in: US and Canada

## Carl Zeiss Vision | Gradal Individual

26



This lens was discontinued in 2010

M

60

66

Materials:

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US and Canada

## Carl Zeiss Vision | Gradal RD

27



This lens was discontinued in 2016

M

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Front side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

21mm

Available as: Clear

Available in: US and Canada

## Carl Zeiss Vision | Gradal Shorti

28



This lens was discontinued in 2010

M

60

Materials:

Plastic High Index (1.60)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:


15mm

Available as: Clear

Available in: US and Canada

## Carl Zeiss Vision | Gradal Top

29



This lens was discontinued in 2013

M

50

58

60

66

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Carl Zeiss Vision | GT2

30



This lens was discontinued in 2013

M

50

59

60

67

60

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic Ultra High Index (> 1.67)

Glass High Index (> 1.60)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Carl Zeiss Vision | GT2 3D

31



This lens was discontinued in 2016

**M**


**50**  
**53**  
**59**  
**60**  
**67**  
**74**

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:** 17mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | GT2 3D 3DV

32



This lens was discontinued in 2016

**M**


**50**  
**53**  
**59**  
**60**  
**67**  
**74**

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:** 13mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | GT2 3D Short

33



This lens was discontinued in 2016

**M**

**50**  
**59**  
**60**  
**67**

**Materials:**  
Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:** 13mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | GT2 Short

34



This lens was discontinued in 2016

**M**


**50**  
**59**  
**60**  
**67**

**Materials:**  
Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

**Standard Progressive**  
**PAL Design on Front side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 13mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | Punktal Gradal HS

35



This lens was discontinued in 2005


M

**Materials:**  
Glass High Index (> 1.60)

**PAL Design on Front side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:**  
22mm  
**Available as:** Clear  
**Available in:** US and Canada

## Carl Zeiss Vision | SOLAMAX

36



This lens was discontinued in 2023

M

H  
P

**Materials:**  
Plastic (CR39 and 1.50)  
Polycarbonate

**Standard Progressive**  
**PAL Design on Front side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:**  
17mm  
**Available as:** Clear; Photochromic;  
**Available in:** US and Canada

## Carl Zeiss Vision | Synchrony

37



This lens was discontinued in 2023

M

H  
P

**Materials:**  
Plastic (CR39 and 1.50)  
Polycarbonate

**Standard Progressive**  
**PAL Design on Front side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:**  
17mm  
**Available as:** Clear; Photochromic;  
**Available in:** US and Canada

## Carl Zeiss Vision | synchrony Access

38



This lens was discontinued in 2023

M


AC  
ACP

**Materials:**  
Plastic (CR39 and 1.50)  
Polycarbonate

**Near Variable Focus**  
**PAL Design on Front side**  
**Fitting cross location:** On 180 line  
**Rec. minimum fitting height:**  
15mm  
**Available as:** Clear  
**Available in:** US and Canada

## Carl Zeiss Vision | synchrony Access HD (075, 125, 175)

39



This lens was discontinued in 2023

M


H  
T  
P  
F  
M  
J

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

**Near Variable Focus**  
**PAL Design on Back side**  
**Fitting cross location:** On 180 line  
**Rec. minimum fitting height:**  
15mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | synchrony Curves HDC

40



This lens was discontinued in 2022

**M**

**H**

**T**

**P**

**F**

**Materials:**

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

13mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Carl Zeiss Vision | synchrony Easy Adapt

41



This lens was discontinued in 2023

**M**

**H**

**P**

**F**

**M**

**Materials:**

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

**Standard Progressive**

**PAL Design on Front side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

18mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Carl Zeiss Vision | synchrony Easy Adapt HD

42



This lens was discontinued in 2023

**M**

**H**

**T**

**P**

**F**

**M**

**J**

**Materials:**

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

18mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Carl Zeiss Vision | synchrony Easy M

43



This lens was discontinued in 2023

**M**

**C**

**P**

**60**

**67**

**Materials:**

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

**Standard Progressive**

**PAL Design on Front side**

**Fitting cross location:** 2mm above 180 line

**Rec. minimum fitting height:**

13mm

**Available as:** Clear; Photochromic;

**Available in:** US and Canada

## Carl Zeiss Vision | synchrony Easy M HD

44



This lens was discontinued in 2023

**M**  
**H**  
**T**  
**P**  
**F**  
**M**

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:** 15mm  
**Available as:** Clear; Photochromic;  
**Available in:** US and Canada

## Carl Zeiss Vision | synchrony Easy S

45



This lens was discontinued in 2023


**M**  
**no symbol**  
**P**

**Materials:**  
Plastic (CR39 and 1.50)  
Polycarbonate

**Standard Progressive**  
**PAL Design on Front side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:** 15mm  
**Available as:** Clear; Photochromic;  
**Available in:** US and Canada

## Carl Zeiss Vision | synchrony Easy S HD

46



This lens was discontinued in 2023

**M**  
**H**  
**T**  
**P**  
**F**  
**M**  
**J**

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)


**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:** 13mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | synchrony Easy View

47



This lens was discontinued in 2023

**M**  
**C**  
**P**  
**6**  
**F**  



**Materials:**  
Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.60)  
**Filters:**  
Photochromic

**Standard Progressive**  
**PAL Design on Front side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:** 17mm  
**Available as:** Clear; Photochromic;  
**Available in:** US and Canada



## Carl Zeiss Vision | synchrony Easy View HD

48



This lens was discontinued in 2023

M

H

T

P

F

M

J

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:


17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Carl Zeiss Vision | synchrony Easy Wear

49



This lens was discontinued in 2023

M

H

P

M

### Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

### Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Carl Zeiss Vision | synchrony Easy Wear HD

50



This lens was discontinued in 2023

M

H

T

P

F

M

J

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Carl Zeiss Vision | synchrony Performance HD (13, 15, 17, 19)

51



This lens was discontinued in 2023

M

H

T

P

F

M

J

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Carl Zeiss Vision | synchrony Performance HDV

52




<b>M</b>	<b>Materials:</b> Plastic (CR39 and 1.50)
<b>H</b>	Trivex
<b>T</b>	Polycarbonate
<b>P</b>	Plastic High Index (1.60)
<b>F</b>	Plastic High Index (1.66 - 1.67)
<b>M</b>	Plastic High Index (1.66 - 1.67)
<b>J</b>	Plastic Ultra High Index (> 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 13mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | synchrony Starter HD

53




This lens was discontinued in 2022

<b>M</b>	<b>Materials:</b> Plastic (CR39 and 1.50)
<b>H</b>	Trivex
<b>T</b>	Polycarbonate
<b>P</b>	Plastic High Index (1.60)
<b>F</b>	Plastic High Index (1.66 - 1.67)
<b>M</b>	Plastic High Index (1.66 - 1.67)
<b>J</b>	Plastic Ultra High Index (> 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 14mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | synchrony Ultra HD (13, 15, 17, 19, 21)

54




<b>M</b>	<b>Materials:</b> Plastic (CR39 and 1.50)
<b>H</b>	Trivex
<b>T</b>	Polycarbonate
<b>P</b>	Plastic High Index (1.60)
<b>F</b>	Plastic High Index (1.66 - 1.67)
<b>M</b>	Plastic High Index (1.66 - 1.67)
<b>M</b>	Plastic High Index (1.66 - 1.67)
<b>J</b>	Plastic Ultra High Index (> 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 13mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | synchrony Ultra HDC

55




<b>M</b>	<b>Materials:</b> Plastic (CR39 and 1.50)
<b>H</b>	Trivex
<b>T</b>	Polycarbonate
<b>P</b>	Plastic High Index (1.60)
<b>F</b>	Plastic High Index (1.66 - 1.67)
<b>M</b>	Plastic High Index (1.66 - 1.67)
<b>J</b>	Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 13mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | synchrony Ultra HDV

56



This lens was discontinued in 2022

M

H

T

P

F

M

J

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Carl Zeiss Vision | synchrony Work & Go HD

57



This lens was discontinued in 2023

M

H

T

P

F

M

J

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Carl Zeiss Vision | synchrony Work & ice HD

58

This lens was discontinued in 2023

M

H

T

P

F

M

J

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Carl Zeiss Vision | synchrony Work & Read HD

59



This lens was discontinued in 2023

M

H

T

P

F

M

J

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Carl Zeiss Vision | Umbramatic SR Gradal HS

60



This lens was discontinued in 2005

M

**Materials:**  
Glass (1.523)

**PAL Design on Front side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:**  
22mm  
**Available as:** Clear; Photochromic;  
**Available in:** US and Canada

## Carl Zeiss Vision | Universa HD ice (075, 125, 175)

61

M

H

T

P

F


M

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

**Near Variable Focus**  
**PAL Design on Back side**  
**Fitting cross location:** On 180 line  
**Rec. minimum fitting height:**  
15mm  
**Available as:** Clear  
**Available in:** Canada Only

## Carl Zeiss Vision | Universa2 HD

62



M

H

T

P

F

M

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:**  
13mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** Canada Only

## Carl Zeiss Vision | VIP

63



This lens was discontinued in 2023

M

S

**Materials:**  
Glass (1.523)

**Standard Progressive**  
**PAL Design on Front side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:**  
18mm  
**Available as:** Clear; Photochromic;  
**Available in:** US and Canada

## Carl Zeiss Vision | ZEISS Business

64



This lens was discontinued in 2019


M

**Materials:**  
Plastic (CR39 and 1.50)

**Near Variable Focus**  
**PAL Design on Front side**  
**Fitting cross location:** On 180 line  
**Rec. minimum fitting height:**  
16mm  
**Available as:** Clear  
**Available in:** US and Canada

## Carl Zeiss Vision | ZEISS Choice (13, 15, 17, 19)

65



M

50

53

59

60

67

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

15mm

17mm

19mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

## Carl Zeiss Vision | ZEISS Choice Plus (13, 15, 17, 19, 21)

66



This lens was discontinued in 2016

M

50

53

59

60

67

74

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Carl Zeiss Vision | ZEISS Choice Plus V

67



This lens was discontinued in 2016

M

50

53

59

60

67

74

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Carl Zeiss Vision | ZEISS Digital Lens

68



This lens has been replaced by ZEISS SmartLife Digital

M

50

53

59

60

67

74

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Carl Zeiss Vision | ZEISS DriveSafe

69



<b>M</b>	<b>Materials:</b>
<b>50</b>	Plastic (CR39 and 1.50)
<b>53</b>	Trivex
<b>59</b>	Polycarbonate
<b>60</b>	Plastic High Index (1.60)
<b>67</b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**  
**PAL Design on Back side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:** 13mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | ZEISS DriveSafe Individual

70



<b>M</b>	<b>Materials:</b>
<b>50</b>	Plastic (CR39 and 1.50)
<b>53</b>	Trivex
<b>59</b>	Polycarbonate
<b>60</b>	Plastic High Index (1.60)
<b>67</b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**  
**PAL Design on Back side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:** 13mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | ZEISS EnergizeMe (14, 16, 18)

71



This lens was discontinued in 2021

<b>M</b>	<b>Materials:</b>
<b>50</b>	Plastic (CR39 and 1.50)
<b>53</b>	Trivex
<b>59</b>	Polycarbonate
<b>60</b>	Plastic High Index (1.60)
<b>67</b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:** 14mm, 16mm, 18mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | ZEISS EnergizeMe Digital

72




This lens was discontinued in 2021

<b>M</b>	<b>Materials:</b>
<b>50</b>	Plastic (CR39 and 1.50)
<b>53</b>	Trivex
<b>59</b>	Polycarbonate
<b>60</b>	Plastic High Index (1.60)
<b>67</b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:** 14mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | ZEISS Experience

73




M

**Materials:**  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 3mm above 180 line  
Rec. minimum fitting height:  
16mm  
Available as: Clear; Photochromic;  
Available in: US Only

## Carl Zeiss Vision | ZEISS Experience

74




M

**Materials:**  
Polycarbonate

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 3mm above 180 line  
Rec. minimum fitting height:  
16mm  
Available as: Clear; Photochromic;  
Available in: US Only

## Carl Zeiss Vision | ZEISS Experience HD2

75



M

59

67

**Materials:**  
Polycarbonate  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
13mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## Carl Zeiss Vision | ZEISS Experience Short

76




M

**Materials:**  
Polycarbonate

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
13mm  
Available as: Clear; Photochromic;  
Available in: US Only

## Carl Zeiss Vision | ZEISS Experience Short

77



M

**Materials:**  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
13mm  
Available as: Clear; Photochromic;  
Available in: US Only

## Carl Zeiss Vision | ZEISS Individual

78



This lens was discontinued in 2016

**M**


**50**  
**53**  
**59**  
**60**  
**67**  
**74**

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**  
**PAL Design on Back side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:** 13mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | ZEISS Individual 2

79



This lens has been replaced by ZEISS SmartLife Individual

**M**

**50**  
**53**  
**59**  
**60**  
**67**  
**74**

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**  
**PAL Design on Back side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:** 13mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | ZEISS Light D (14, 18)

80



This lens has been replaced by ZEISS Light Dx (14, 18)

**M**


**50**  
**53**  
**59**  
**60**  
**67**  
**74**

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:** 14mm  
18mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | ZEISS Light H (14, 16, 18)

81



This lens has been replaced by ZEISS Light Hx (14, 16, 18)

**M**

**50**  
**53**  
**59**  
**60**  
**67**  
**74**


**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:** 14mm  
16mm  
18mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada



## Carl Zeiss Vision | ZEISS Light V

82



This lens has been replaced by ZEISS Light Vx

**M**

**50**  
**53**  
**59**  
**60**  
**67**  
**74**

### Materials:

Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

### Standard Progressive

**PAL Design on Back side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:** 13mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | ZEISS MyoKids Pro

83



**M**

**50**  
**60**  
**67**

### Materials:

Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

### Standard Progressive

**PAL Design on Back side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:** 14mm  
**Available as:** Clear; Photochromic;  
**Available in:** Canada Only

## Carl Zeiss Vision | ZEISS MyoKids Pro Individual

84



**M**

**50**  
**60**  
**67**

### Materials:

Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

### Standard Progressive

**PAL Design on Back side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:** 14mm  
**Available as:** Clear; Photochromic;  
**Available in:** Canada Only

## Carl Zeiss Vision | ZEISS icelens Book

85

**M**

**50**  
**53**  
**59**  
**60**  
**67**  
**74**

### Materials:

Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

### Standard Progressive

**PAL Design on Back side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:** 13mm  
**Available as:** Clear  
**Available in:** US and Canada

## Carl Zeiss Vision | ZEISS icelens Desk

86

**M**

**50**

**Materials:**

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear

Available in: US and Canada

**53**

Trivex

**59**

Polycarbonate

**60**

Plastic High Index (1.60)

**67**

Plastic High Index (1.66 - 1.67)

**74**

Plastic Ultra High Index (> 1.67)

## Carl Zeiss Vision | ZEISS icelens Room

87

**M**

**50**

**Materials:**

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear

Available in: US and Canada

**53**

Trivex

**59**

Polycarbonate

**60**

Plastic High Index (1.60)

**67**

Plastic High Index (1.66 - 1.67)

**74**

Plastic Ultra High Index (> 1.67)

## Carl Zeiss Vision | ZEISS Plus 2 Short Sport

88



This lens was discontinued in 2019

**M**

**50**

**Materials:**

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

**53**

Trivex

**59**

Polycarbonate

**60**

Plastic High Index (1.60)

**67**

Plastic High Index (1.66 - 1.67)

## Carl Zeiss Vision | ZEISS Plus 2 Sport

89



This lens was discontinued in 2019

**M**

**50**

**Materials:**

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

**53**

Trivex

**59**

Polycarbonate

**60**


Plastic High Index (1.60)

**67**

Plastic High Index (1.66 - 1.67)

## Carl Zeiss Vision | ZEISS Precision Plus

90



This lens has been replaced by ZEISS SmartLife Plus

M


50  
53  
59  
60  
67  
74

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:** 13mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | ZEISS Precision Pure (13, 15, 17, 19, 21)

91



This lens has been replaced by ZEISS SmartLife Pure (S, M, L)

M


50  
53  
59  
60  
67  
74

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:** 13mm  
15mm  
17mm  
19mm  
21mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | ZEISS Precision Superb

92



This lens has been replaced by ZEISS SmartLife Superb

M

50  
53  
59  
60  
67  
74

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**  
**PAL Design on Back side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:** 13mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | ZEISS SmartLife Individual

93



This lens has been replaced by ZEISS SmartLife Individual

M


50  
53  
59  
60  
67  
74

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**  
**PAL Design on Back side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:** 13mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | ZEISS SmartLife Plus

94




<b>M</b>	<b>50</b>	Materials: Plastic (CR39 and 1.50)
	<b>53</b>	Trivex
	<b>59</b>	Polycarbonate
	<b>60</b>	Plastic High Index (1.60)
	<b>67</b>	Plastic High Index (1.66 - 1.67)
	<b>74</b>	Plastic Ultra High Index (> 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:**  
 13mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | ZEISS SmartLife Pure (S, M, L)

95



<b>M</b>	<b>50</b>	Materials: Plastic (CR39 and 1.50)
	<b>53</b>	Trivex
	<b>59</b>	Polycarbonate
	<b>60</b>	Plastic High Index (1.60)
	<b>67</b>	Plastic High Index (1.66 - 1.67)
	<b>74</b>	Plastic Ultra High Index (> 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:**  
 14mm  
 16mm  
 18mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Carl Zeiss Vision | ZEISS SmartLife Superb

96



<b>M</b>	<b>50</b>	Materials: Plastic (CR39 and 1.50)
	<b>53</b>	Trivex
	<b>59</b>	Polycarbonate
	<b>60</b>	Plastic High Index (1.60)
	<b>67</b>	Plastic High Index (1.66 - 1.67)
	<b>74</b>	Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**  
**PAL Design on Back side**  
**Fitting cross location:** 6mm above 180 line  
**Rec. minimum fitting height:**  
 13mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Classic Optical Laboratories, Inc. | APEX

97



<b>M</b>	<b>P</b>	Materials: Plastic (CR39 and 1.50)
	<b>T</b>	Trivex
	<b>C</b>	Polycarbonate

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:**  
 14mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## CLEARi | CLEARi Absolute-W 12

98



M

50

53

59

60

67

74

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## CLEARi | CLEARi DED 14

99



This lens was discontinued in

M

50

53

59

60

67

74

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## CLEARi | CLEARi DED 16

100



M

50

53

59

60

67

74

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## CLEARi | CLEARi DED 19

101



M

50

53

59

60

67

74

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

21mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## CLEARi | CLEARi OFFICE BOOK

102



**M**

**50**

**Materials:**

Plastic (CR39 and 1.50)

**Custom Progressive Design**

**PAL Design on Back side**

**Fitting cross location:** On 180 line

**Rec. minimum fitting height:**

17mm

**Available as:** Clear

**Available in:** US and Canada

**59**

Polycarbonate

**60**

Plastic High Index (1.60)

**67**

Plastic High Index (1.66 - 1.67)

**74**

Plastic Ultra High Index (> 1.67)

## CLEARi | CLEARi OFFICE COMPUTER

103



**M**

**50**

**Materials:**

Plastic (CR39 and 1.50)

**Custom Progressive Design**

**PAL Design on Back side**

**Fitting cross location:** 2mm above 180 line

**Rec. minimum fitting height:**

18mm

**Available as:** Clear

**Available in:** US and Canada

**59**

Polycarbonate

**60**

Plastic High Index (1.60)

**67**

Plastic High Index (1.66 - 1.67)

**74**

Plastic Ultra High Index (> 1.67)

## CLEARi | CLEARi OFFICE ROOM

104



**M**

**50**

**Materials:**

Plastic (CR39 and 1.50)

**Custom Progressive Design**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

18mm

**Available as:** Clear

**Available in:** US and Canada

**59**

Polycarbonate

**60**

Plastic High Index (1.60)

**67**

Plastic High Index (1.66 - 1.67)

**74**

Plastic Ultra High Index (> 1.67)

## Dehlawi Optical Industries | EasyLux

105



**M**

**50**

**Materials:**

Plastic (CR39 and 1.50)

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

Several

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

**53**

Plastic Mid-Index (1.52 - 1.58)

**56**

Plastic Mid-Index (1.52 - 1.58)

**58**

Polycarbonate

**60**

Plastic High Index (1.60)

**67**

Plastic High Index (1.66 - 1.67)

**74**

Plastic Ultra High Index (> 1.67)

# Dehlawi Optical Industries | Privo Advance

106



**M**

**50**

**Materials:**

Plastic (CR39 and 1.50)

**56**

Plastic Mid-Index (1.52 - 1.58)

**53**

Trivex

**60**

Plastic High Index (1.60)

**67**

Plastic High Index (1.66 - 1.67)

**74**

Plastic Ultra High Index (> 1.67)

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


Several

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

# Diversified Ophthalmics, Inc. | PureSite Easy Fit

107



**M**

**no symbol**

**Materials:**

Plastic (CR39 and 1.50)

**no symbol**

Plastic Mid-Index (1.52 - 1.58)

**no symbol**

Trivex

**no symbol**

Polycarbonate

**no symbol**

Plastic High Index (1.60)

**no symbol**

Plastic High Index (1.66 - 1.67)

**no symbol**

Plastic Ultra High Index (> 1.67)

**Near Variable Focus**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

15mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

# Diversified Ophthalmics, Inc. | PureSite Enhanced

108



**M**

**no symbol**

**Materials:**

Plastic (CR39 and 1.50)

**no symbol**

Plastic Mid-Index (1.52 - 1.58)

**no symbol**

Trivex

**no symbol**

Polycarbonate

**no symbol**

Plastic High Index (1.60)

**no symbol**

Plastic High Index (1.66 - 1.67)

**no symbol**

Plastic Ultra High Index (> 1.67)

**Near Variable Focus**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Diversified Ophthalmics, Inc. | PureSite Premier

109



**M**

**no symbol** Plastic (CR39 and 1.50)  
**no symbol** Plastic Mid-Index (1.52 - 1.58)  
**no symbol** Trivex  
**no symbol** Polycarbonate  
**no symbol** Plastic High Index (1.60)  
**no symbol** Plastic High Index (1.66 - 1.67)  
**no symbol** Plastic Ultra High Index (> 1.67)

Near Variable Focus  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## Diversified Ophthalmics, Inc. | PureSite Ultima

110



**M**

**no symbol** Plastic (CR39 and 1.50)  
**no symbol** Plastic Mid-Index (1.52 - 1.58)  
**no symbol** Trivex  
**no symbol** Polycarbonate  
**no symbol** Plastic High Index (1.60)  
**no symbol** Plastic High Index (1.66 - 1.67)

Near Variable Focus  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## Essilor Canada | Adaptar

111



This lens was discontinued in 2010

**M**

**Materials:**  
Plastic High Index (1.60)

Fitting cross location:  
Rec. minimum fitting height:  
Available as: Clear  
Available in:

## Essilor Canada | Adaptar DS

112



**M**


**III** Plastic (CR39 and 1.50)  
**III P** Polycarbonate  
**III 6** Plastic High Index (1.60)  
**III 67** Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 18mm  
Available as: Clear; Photochromic;  
Available in: Canada Only



## Essilor Canada | Definity

113



**M**

**no symbol**

**\***

**P**

**6**

**67**

**74**

**Materials:**

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

**Standard Progressive**

**PAL Design on Front and Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

18mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Essilor Canada | Definity Short

114



**M**

**no symbol**

**\***

**P**

**6**

**67**

**74**

**Materials:**

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

**Standard Progressive**

**PAL Design on Front and Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


15mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Essilor Canada | Essilor Natural / Natural DS

115



**M**

**no symbol**

**P**

**6**

**67**

**Materials:**

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

**Standard Progressive**

**PAL Design on Front side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

18mm

**Available as:** Clear; Photochromic;

**Available in:** US and Canada

## Essilor Canada | Ovation

116



**M**

**no symbol**

**P**

**67**

**Materials:**

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

**Standard Progressive**

**PAL Design on Front side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

17mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** Canada Only

## Essilor Canada | Ovation ADS

117



**M**

**no symbol**

**P**

**67**

**Materials:**

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

## Essilor Canada | SmallFit / SmallFit DS

118



**M**

**no symbol**

**P**

**6**

**67**

**Materials:**

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


15mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Essilor Canada | Super No-Line

119



**M**

**Materials:**

Plastic (CR39 and 1.50)

Fitting cross location:

Rec. minimum fitting height:


Available as: Clear

Available in:

This lens was discontinued in 2010

## Essilor Canada | Varilux Comfort / Comfort DSx

120



**M**

**no symbol**

**P**

**6**

**$\pi$**

**no symbol**

**8**

**Materials:**

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Glass High Index (> 1.60)

Glass Ultra High Index (> 1.70)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

## Essilor Canada | Varilux Ellipse / Ellipse 360

121



**M**

**no symbol**

**P**

**6**

**$\pi$**

**74**

**Materials:**

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic;

Available in: US and Canada

## Essilor Canada | Varilux Sport

122



M

Materials:  
Polycarbonate

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear Polarized  
Available in: US and Canada

## Essilor of America, Inc. | Accolade

123



M

Materials:  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

\*  
P  
6  
67  
74

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic; Polarized  
Available in: US Only

## Essilor of America, Inc. | Accolade Freedom

124



M

no symbol  
\*  
P  
6  
74

Materials:  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic Ultra High Index (> 1.67)

Standard Progressive  
PAL Design on Front and Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
15mm  
Available as: Clear; Photochromic; Polarized  
Available in: US Only

## Essilor of America, Inc. | Adaptar

125



M

no symbol  
P

Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## Essilor of America, Inc. | Adaptar Digital

126



M


no symbol  
\*  
P  
67

Materials:  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear; Photochromic; Polarized  
Available in: US Only

## Essilor of America, Inc. | Adaptar DS (Canada)

127



**M**

**no symbol**

**P**

**6**

**67**

**Materials:**

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


18mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** Canada Only

## Essilor of America, Inc. | Adaptar DS Short (Canada)

128



**M**

**no symbol**

**P**

**6**

**67**

**Materials:**

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

15mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** Canada Only

## Essilor of America, Inc. | Adaptar Short Digital

129



**M**

**no symbol**

**\***

**P**

**67**

**Materials:**

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.66 - 1.67)

**Standard Progressive**

**PAL Design on Front side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only

## Essilor of America, Inc. | Definity

130



**M**

**no symbol**

**\***

**P**

**6**

**67**

**74**

**Materials:**

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

**Standard Progressive**

**PAL Design on Front and Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


18mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Essilor of America, Inc. | Definity Short

131



**M**

**no symbol**



**P**

**6**

**67**

**74**

**Materials:**

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

**Standard Progressive**

**PAL Design on Front and Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


15mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Essilor of America, Inc. | Definity 3

132



**M**

**no symbol**



**P**

**67**

**74**

**Materials:**

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

**Standard Progressive**

**PAL Design on Front and Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


15mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only

## Essilor of America, Inc. | Definity 3 Plus

133



**M**

**no symbol**



**P**

**67**

**74**

**Materials:**

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

**Standard Progressive**

**PAL Design on Front and Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


15mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only

## Essilor of America, Inc. | Essilor Anti-Fatigue

134



**M**

**no symbol**

**P**

**67**

**Materials:**

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

**Standard Progressive**

**PAL Design on Front side**

**Fitting cross location:** On 180 line

**Rec. minimum fitting height:**


13mm

**Available as:** Clear

**Available in:** US and Canada

## Essilor of America, Inc. | Essilor Computer

135



**M**  
**P**

**Materials:**  
Polycarbonate

Near Variable Focus  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
15mm  
Available as: Clear  
Available in: US Only

## Essilor of America, Inc. | Essilor Ideal

136



**M**

**no symbol**



**P**

**6**


**67**

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic; Polarized  
Available in: US Only

## Essilor of America, Inc. | Essilor Ideal Advanced

137



**M**

**no symbol**



**P**

**6**


**67**

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic; Polarized  
Available in: US Only

## Essilor of America, Inc. | Essilor Ideal Advanced Fit

138



**M**

**no symbol**



**P**

**60**

**67**


**74**

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic; Polarized  
Available in: US Only

## Essilor of America, Inc. | Essilor Ideal Advanced Wrap

139



**M**

**no symbol**

**P**

**67**

**Materials:**

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

17mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only

## Essilor of America, Inc. | Essilor Ideal Computer

140



**M**

**\***

**P**

**6**

**67**

**74**

**Materials:**

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

**Near Variable Focus**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

13mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only

## Essilor of America, Inc. | Essilor Ideal Driving

141



**M**

**no symbol**

**\***

**P**

**6**

**67**

**Materials:**

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

18mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only

## Essilor of America, Inc. | Essilor Ideal Fit

142



**M**

**no symbol**

**P**

**67**

**Materials:**

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only

## Essilor of America, Inc. | Essilor Ideal Short

143




<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>*</b>	Trivex
<b>P</b>	Polycarbonate
<b>6</b>	Plastic High Index (1.60)
<b>67</b>	Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
14mm  
Available as: Clear; Photochromic; Polarized  
Available in: US Only

## Essilor of America, Inc. | Essilor Ideal Sport

144




<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>*</b>	Trivex
<b>P</b>	Polycarbonate
<b>6</b>	Plastic High Index (1.60)
<b>67</b>	Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear; Photochromic; Polarized  
Available in: US Only

## Essilor of America, Inc. | Essilor Natural

145



<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>P</b>	Polycarbonate
<b>6</b>	Plastic High Index (1.60)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## Essilor of America, Inc. | Essilor Natural Digital

146



<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>*</b>	Trivex
<b>P</b>	Polycarbonate
<b>6</b>	Plastic High Index (1.60)
<b>67</b>	Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
14mm  
Available as: Clear; Photochromic; Polarized  
Available in: US Only

## Essilor of America, Inc. | Natural DS (Canada)

147



<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>P</b>	Polycarbonate
<b>6</b>	Plastic High Index (1.60)
<b>67</b>	Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear; Photochromic; Polarized  
Available in: Canada Only



## Essilor of America, Inc. | Nikon Eyes Advanced

148



**M**  
**P**

**Materials:**  
Polycarbonate

Standard Progressive  
PAL Design on Front and Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic;  
Available in: US Only

## Essilor of America, Inc. | Nikon Eyes Advanced Short

149




**M**  
**P**

**Materials:**  
Polycarbonate

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
14mm  
Available as: Clear; Photochromic;  
Available in: US Only

## Essilor of America, Inc. | Nikon Eyes Customized

150



**M**  
**67**

**Materials:**  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Front and Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
15mm  
Available as: Clear; Photochromic;  
Available in: US Only

## Essilor of America, Inc. | Ovation

151



**M**  
**no symbol**  
**P**  
**67**

**Materials:**  
Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## Essilor of America, Inc. | Ovation ADS (Canada)

152




**M**  
**no symbol**  
**P**  
**67**

**Materials:**  
Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Front and Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic; Polarized  
Available in: Canada Only

## Essilor of America, Inc. | Ovation ADS Short (Canada)

153



**M**

**no symbol**  
**67**

**Materials:**  
Plastic (CR39 and 1.50)  
Plastic High Index (1.66 - 1.67)

**Standard Progressive**  
**PAL Design on Front and Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 15mm  
**Available as:** Clear; Photochromic;  
**Available in:** Canada Only

## Essilor of America, Inc. | Ovation Digital

154



**M**

**no symbol**  
**\***  
**P**  
**6**  
**67**

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

**Standard Progressive**  
**PAL Design on Front side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 17mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only

## Essilor of America, Inc. | Ovation DS (Canada)

155



**M**

**no symbol**  
**P**  
**6**  
**67**

**Materials:**  
Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 18mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** Canada Only

## Essilor of America, Inc. | Smallfit

156



**M**

**no symbol**  
**P**  
**6**  
**67**

**Materials:**  
Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

**Standard Progressive**  
**PAL Design on Front side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 14mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Essilor of America, Inc. | SmallFit Digital

157



**M**

**no symbol**  
**\***  
**P**  
**6**  
**67**

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

**Standard Progressive**  
**PAL Design on Front side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 14mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only

## Essilor of America, Inc. | Smallfit DS (Canada)

158



<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>P</b>	Polycarbonate
<b>6</b>	Plastic High Index (1.66 - 1.67)
<b>67</b>	Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
15mm  
Available as: Clear; Photochromic; Polarized  
Available in: Canada Only

## Essilor of America, Inc. | Super No-Line

159



<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
21mm  
Available as: Clear  
Available in: US Only

## Essilor of America, Inc. | Varilux Ipseo IV

160



<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>P</b>	Polycarbonate
<b>Π</b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

Standard Progressive  
PAL Design on Front and Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
14mm  
Available as: Clear; Photochromic;  
Available in: US Only

## Essilor of America, Inc. | Varilux Comfort

161




<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>P</b>	Polycarbonate
<b>6</b>	Plastic High Index (1.60)
<b>Π</b>	Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## Essilor of America, Inc. | Varilux Comfort Drx

162




<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>*</b>	Trivex
<b>P</b>	Polycarbonate
<b>6</b>	Plastic High Index (1.60)
<b>Π</b>	Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## Essilor of America, Inc. | Varilux Comfort Enhanced

163



**M**

**no symbol**

**P**

**6**

**π**

**Materials:**

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

**Standard Progressive**

**PAL Design on Front and Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only

## Essilor of America, Inc. | Varilux Comfort Short

164



**M**

**no symbol**

**P**

**6**

**π**

**Materials:**

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

**Standard Progressive**

**PAL Design on Front and Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only

## Essilor of America, Inc. | Varilux Comfort Short DRx

165



**M**

**no symbol**

**\***

**P**

**6**

**π**

**Materials:**

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Essilor of America, Inc. | Varilux Comfort W3+

166



**M**

**\***

**P**

**6**

**π**

**74**

**Materials:**

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**

**PAL Design on Front and Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Essilor of America, Inc. | Varilux Comfort W3+ eyecode

167



**M**

**Materials:**

Plastic (CR39 and 1.50)  
Trivex

\*

**P**

Polycarbonate

**6**

Plastic High Index (1.60)

**$\pi$**

Plastic High Index (1.66 - 1.67)

**74**

Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**

**PAL Design on Front and Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Essilor of America, Inc. | Varilux Comfort W3+ Fit

168



**M**

**Materials:**

Plastic (CR39 and 1.50)  
Trivex

\*

**P**

Polycarbonate

**6**

Plastic High Index (1.60)

**$\pi$**

Plastic High Index (1.66 - 1.67)

**74**

Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**

**PAL Design on Front and Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Essilor of America, Inc. | Varilux Ellipse

169



**M**

**Materials:**

**no symbol**

Plastic (CR39 and 1.50)

**P**

Polycarbonate

**6**

Plastic High Index (1.60)

**$\pi$**

Plastic High Index (1.66 - 1.67)

**Standard Progressive**

**PAL Design on Front side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Essilor of America, Inc. | Varilux Ellipse 360°

170



**M**

**Materials:**

**no symbol**

Plastic (CR39 and 1.50)

**P**

Polycarbonate

**6**

Plastic High Index (1.60)

**$\pi$**

Plastic High Index (1.66 - 1.67)

**74**

Plastic Ultra High Index (> 1.67)

**Standard Progressive**

**PAL Design on Front side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


13mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Essilor of America, Inc. | Varilux Ipseo IV

171




<b>M</b>	Materials:
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>P</b>	Polycarbonate
<b><math>\pi</math></b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

Standard Progressive  
PAL Design on Front and Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
14mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## Essilor of America, Inc. | Varilux Ipseo IV eyecode

172




<b>M</b>	Materials:
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>P</b>	Polycarbonate
<b><math>\pi</math></b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

Standard Progressive  
PAL Design on Front and Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
14mm  
Available as: Clear; Photochromic; Polarized  
Available in: US Only

## Essilor of America, Inc. | Varilux Physio

173




<b>M</b>	Materials:
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>*</b>	Trivex
<b>P</b>	Polycarbonate
<b>6</b>	Plastic High Index (1.60)
<b><math>\pi</math></b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## Essilor of America, Inc. | Varilux Physio 360°

174




<b>M</b>	Materials:
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>P</b>	Polycarbonate
<b>6</b>	Plastic High Index (1.60)
<b><math>\pi</math></b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

Standard Progressive  
PAL Design on Front and Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## Essilor of America, Inc. | Varilux Physio DRx

175




<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>P</b>	Polycarbonate
<b>6</b>	Plastic High Index (1.60)
<b>Π</b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic; Polarized  
Available in: US Only

## Essilor of America, Inc. | Varilux Physio Enhanced

176




<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>*</b>	Trivex
<b>P</b>	Polycarbonate
<b>6</b>	Plastic High Index (1.60)
<b>Π</b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

Standard Progressive  
PAL Design on Front and Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
14mm  
Available as: Clear; Photochromic; Polarized  
Available in: US Only

## Essilor of America, Inc. | Varilux Physio Enhanced Azio

177




<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>*</b>	Trivex
<b>P</b>	Polycarbonate
<b>6</b>	Plastic High Index (1.60)
<b>Π</b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

Standard Progressive  
PAL Design on Front and Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
14mm  
Available as: Clear; Photochromic; Polarized  
Available in: US Only

## Essilor of America, Inc. | Varilux Physio Enhanced eyecode

178




<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>*</b>	Trivex
<b>P</b>	Polycarbonate
<b>6</b>	Plastic High Index (1.60)
<b>Π</b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

Standard Progressive  
PAL Design on Front and Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
14mm  
Available as: Clear; Photochromic; Polarized  
Available in: US Only

## Essilor of America, Inc. | Varilux Physio Enhanced Fit

179



**M**

no symbol

\*

P

6

Π

74

**Materials:**

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

**Standard Progressive**

**PAL Design on Front and Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only

## Essilor of America, Inc. | Varilux Physio Enhanced India

180



**M**

no symbol

\*

P

6

Π

74

**Materials:**

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

**Standard Progressive**

**PAL Design on Front and Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only

## Essilor of America, Inc. | Varilux Physio Short

181



**M**

no symbol

\*

P

6

Π

**Materials:**

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

**Standard Progressive**

**PAL Design on Front side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


14mm

**Available as:** Clear; Photochromic;

**Available in:** US Only

## Essilor of America, Inc. | Varilux Physio Short 360°

182



**M**

P

Π

**Materials:**

Polycarbonate

Plastic High Index (1.66 - 1.67)

**Standard Progressive**

**PAL Design on Front and Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

14mm


**Available as:** Clear; Photochromic;

**Available in:** US and Canada



## Essilor of America, Inc. | Varilux Physio Short DRx

183



**M**

**no symbol**

**P**

**6**

**π**

**74**

**Materials:**

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only

## Essilor of America, Inc. | Varilux Physio W3+

184



**M**

**\***

**P**

**6**

**π**

**74**

**Materials:**

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**

**PAL Design on Front and Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Essilor of America, Inc. | Varilux Physio W3+ eyecode

185



**M**

**\***

**P**

**6**

**π**

**74**

**Materials:**

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**

**PAL Design on Front and Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Essilor of America, Inc. | Varilux Physio W3+ Fit

186



**M**

**\***

**P**

**6**

**π**

**74**

**Materials:**

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**

**PAL Design on Front and Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Essilor of America, Inc. | Varilux S 4D

187



M

### Materials:

Plastic (CR39 and 1.50)

Trivex

\*

P

Polycarbonate

$\pi$

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Essilor of America, Inc. | Varilux S Design

188



M

### Materials:

Plastic (CR39 and 1.50)

Trivex

\*

P

Polycarbonate

$\pi$

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Essilor of America, Inc. | Varilux S Design Short

189



M

### Materials:

Plastic (CR39 and 1.50)

Trivex

\*

P

Polycarbonate

$\pi$

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Essilor of America, Inc. | Varilux S Fit

190



M

### Materials:

Plastic (CR39 and 1.50)

Trivex

\*

P

Polycarbonate

$\pi$

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Essilor of America, Inc. | Varilux Sport

191



**M**  
**P**

**Materials:**  
Polycarbonate

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Polarized  
Available in: US and Canada

## Essilor of America, Inc. | Varilux Stylistic

192



**M**

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

\*

**P**

$\pi$

**74**

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## Essilor of America, Inc. | Varilux X

193



**M**

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

\*

**P**

$\pi$

**74**

Custom Progressive Design  
PAL Design on Front and Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: ; Photochromic; Polarized  
Available in: US and Canada

## Essilor of America, Inc. | Varilux X 4D

194



**M**

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

\*

**P**

$\pi$

**74**

Custom Progressive Design  
PAL Design on Front and Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: ; Photochromic; Polarized  
Available in: US and Canada

## Essilor of America, Inc. | Varilux X Fit

195



M

### Materials:

Plastic (CR39 and 1.50)  
Trivex

\*

P

Polycarbonate

$\pi$

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


17mm

Available as: ; Photochromic; Polarized

Available in: US and Canada

## Excelite, Inc. | Pro-Freedom

196



M

### Materials:

Plastic (CR39 and 1.50)

### Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

15mm

Available as: Clear

Available in: US and Canada

## Excelite, Inc. | Pro-Freedom Plus

197



M

### Materials:

Plastic High Index (1.60)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

15mm

Available as: Clear

Available in: US and Canada

## Excelite, Inc. | Pro-Freedom Solace

198



M

1

### Materials:

Plastic (CR39 and 1.50)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Excelite, Inc. | Pro-Freedom Sports

199



M

### Materials:

Plastic (CR39 and 1.50)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


15mm

Available as: Clear

Available in: US Only

## Excelite, Inc. | X-Pro Discovery

200




**M**  
**G**  
**V**  
**M**

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Plastic High Index (1.60)

**Standard Progressive**  
**PAL Design on Front side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:**  
20mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Excelite, Inc. | X-Pro Discovery Plus

201




**M**  
**C**  
**H**

**Materials:**  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

**Standard Progressive**  
**PAL Design on Front side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:**  
20mm  
**Available as:** Clear; Photochromic;  
**Available in:** US and Canada

## Excelite, Inc. | X-Pro Discovery Xtra

202




**M**  
**V**  
**H**

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Plastic High Index (1.60)

**Standard Progressive**  
**PAL Design on Front side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:**  
18mm  
**Available as:** Clear; Photochromic;  
**Available in:** US and Canada

## Excelite, Inc. | X-Pro Maxima Plus


203



**M**

**Materials:**  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)

**Near Variable Focus**  
**PAL Design on Front side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:**  
18mm  
**Available as:** Clear  
**Available in:** US and Canada



**M**

**B50** Plastic (CR39 and 1.50)  
**P** Plastic (CR39 and 1.50)  
**TRN** Plastic (CR39 and 1.50)  
**PRY** Plastic (CR39 and 1.50)  
**TPR** Plastic (CR39 and 1.50)  
**TPT** Trivex  
**B53** Trivex  
**H53** Trivex  
**T53** Trivex

**PTX** Trivex  
**PRT** Trivex  
**PLY** Polycarbonate  
**TPY** Polycarbonate  
**PLP** Polycarbonate  
**TPP** Polycarbonate  
**BLY** Polycarbonate  
**ZPY** Polycarbonate  
**B60** Plastic High Index (1.60)  
**HTR** Plastic High Index (1.60)  
**H60** Plastic High Index (1.60)  
**T60** Plastic High Index (1.60)  
**P60** Plastic High Index (1.60)  
**T67** Plastic High Index (1.66 - 1.67)  
**P67** Plastic High Index (1.66 - 1.67)  
**B67** Plastic High Index (1.66 - 1.67)  
**H67** Plastic High Index (1.66 - 1.67)

**Materials:**

**Custom Progressive Design**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

- 13mm
- 15mm
- 17mm
- 19mm

**P** Digitally balanced design for an economically conscious patient with 4 fitting heights. Also available with Blue Blocking filter.

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

**M****P****TRN****PRY****H53****T53****TPP****PLY****TPY****PLP****HTR****H60****T60****P60****H67****T67****P67****H74****T74****Materials:**

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (&gt; 1.67)

Plastic Ultra High Index (&gt; 1.67)

**Custom Progressive Design****PAL Design on Front and Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

14mm

15mm

16mm

17mm

18mm

19mm

20mm

**P** Advanced two-sided digitally well-balanced design that is customized and optimized using Position of Wear values (actual or standard)

**Available as:** Clear; Photochromic; Polarized**Available in:** US and Canada



**M**

**P**

**TRN**

**PRY**

**TPR**

**B50**

**TPT**

**H53**

**B53**

**T53**

**PTX**

**PRT**

**PLY**

**TPY**

**PLP**

**TPP**

**ZPY**

**BLY**

**HTR**

**H60**

**T60**

**P60**

**B60**

**B67**

**T67**

**P67**

**H67**

**H67**

**B74**

**H70**

**T70**

**H74**

**H74**

**T74**

**Materials:**

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Trivex

Trivex

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

14mm

15mm

16mm

17mm

18mm

19mm

20mm

Several

**P** Digitally Personalized and Optimized with Position of Wear (actual or average) for Everyday Use. Also available with Blue Blocking filter.

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada





**M**

**P**

**TRN**

**PRY**

**TPR**

**B50**

**TPT**

**H53**

**B53**

**T53**

**PTX**

**PRT**

**PLY**

**TPY**

**PLP**

**TPP**

**ZPY**

**BLY**

**HTR**

**H60**

**T60**

**P60**

**B60**

**B67**

**T67**

**P67**

**H67**

**H67**

**B74**

**H70**

**T70**

**H74**

**H74**

**T74**

**Materials:**

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Trivex

Trivex

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

14mm

15mm

16mm

17mm

18mm

19mm


20mm

Several

**P** Digitally Balanced Design for Everyday Use. Also available with Blue Blocking filter.

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



**M**

**P**

**TRN**

**PRY**

**H53**

**T53**

**TPP**

**PLY**

**TPY**

**PLP**

**HTR**

**H60**

**T60**

**P60**

**H67**

**T67**

**P67**

**H74**

**T74**

**Materials:**

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**

**PAL Design on Front and Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

14mm

15mm

16mm

17mm

18mm


19mm

20mm

**P** Advanced two-sided digitally well-balanced design that is customized and optimized using Position of Wear values (actual or standard)

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



**M**

**P**

**TRN**

**PRY**

**TPR**

**B50**

**TPT**

**H53**

**B53**

**T53**

**PTX**

**PRT**

**PLY**

**TPY**

**PLP**

**TPP**

**ZPY**

**BLY**

**HTR**

**H60**

**T60**

**P60**

**B60**

**B67**

**T67**

**P67**

**H67**

**B74**

**H70**

**T70**

**H74**

**T74**

**Materials:**

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Trivex

Trivex

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

14mm

15mm

16mm

17mm

18mm

19mm


20mm

Several

**P** Design Highlighting Distance Vision for More Active Patients. Individually compensated and optimized using Position of Wear Measurements (actual or average). Also available with Blue Blocking filter.

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



**M**

**P**

**TRN**

**PRY**

**TPR**

**B50**

**TPT**

**H53**

**B53**

**T53**

**PTX**

**PRT**

**PLY**

**TPY**

**PLP**

**TPP**

**ZPY**

**BLY**

**HTR**

**H60**

**T60**

**P60**

**B60**

**B67**

**T67**

**P67**

**H67**

**H67**

**B74**

**H70**

**T70**

**H74**

**H74**

**T74**

**Materials:**

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Trivex

Trivex

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

**Near Variable Focus**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


18mm

**P** Designs are +0.50 and +0.75 adds.

Relieves visual fatigue symptoms for wearers ages 18 to 45. Also available with Blue Blocking filter.

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



<b>M</b>	<b>Materials:</b>
<b>B50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>TPT</b>	Trivex
<b>B53</b>	Trivex
<b>H53</b>	Trivex
<b>T53</b>	Trivex
<b>PTX</b>	Trivex
<b>PRT</b>	Trivex
<b>PLY</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>PLP</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>BLY</b>	Polycarbonate
<b>ZPY</b>	Polycarbonate
<b>B60</b>	Plastic High Index (1.60)
<b>HTR</b>	Plastic High Index (1.60)
<b>H60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>B67</b>	Plastic High Index (1.66 - 1.67)
<b>H67</b>	Plastic High Index (1.66 - 1.67)

**Custom Progressive Design****PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

13mm

14mm

15mm

16mm

17mm

18mm

Several

**P** Digitally customized and optimized for any frame and fine-tuned compensation with Position of Wear values (standard or actual). Also available with Blue Blocking filter.

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



**M**

**H53**

Materials:  
Trivex

Custom Progressive Design

**T53**

Trivex

PAL Design on Back side

**PRT**

Trivex

Fitting cross location: 4mm above 180 line

**TPT**

Trivex

Rec. minimum fitting height:

**ZPY**

Polycarbonate

16mm

**PLY**

Polycarbonate

18mm

**TPY**

Polycarbonate

**P** Progressive specifically designed for Wrap Frames. Individually compensated and optimized using Position of Wear values (actual or average).

**PLP**

Polycarbonate

Available as: Clear; Photochromic; Polarized

**TPP**

Polycarbonate

Available in: US Only

**T67**

Plastic High Index (1.66 - 1.67)

**P67**

Plastic High Index (1.66 - 1.67)



**M**

**H53**

Materials:  
Trivex

PAL Design on Back side

**T53**

Trivex

Fitting cross location: None

**PRT**

Trivex

Rec. minimum fitting height:

**PRT**

Trivex

**P** SV F.H. within 5 mm of O.C. Single Vision specifically designed for Wrap Frames. Individually compensated and optimized using Position of Wear values (actual or average).

**TPT**

Trivex

Available as: Clear; Photochromic; Polarized

**TPP**

Polycarbonate

Available in: US Only

**ZPY**

Polycarbonate

**PLY**

Polycarbonate

**TPY**

Polycarbonate

**PLP**


Polycarbonate

**T67**

Plastic High Index (1.66 - 1.67)

**P67**

Plastic High Index (1.66 - 1.67)



**M**

**P**

**TRN**

**PRY**

**TPR**

**B50**

**TPT**

**H53**

**B53**

**T53**

**PTX**

**PRT**

**PLY**

**TPY**

**PLP**

**TPP**

**ZPY**

**BLY**

**HTR**

**H60**

**T60**

**P60**

**B60**

**B67**

**T67**

**P67**

**H67**

**H67**

**B74**

**H70**

**H70**

**T70**

**H74**

**H74**

**T74**

**Materials:**

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Trivex

Trivex

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

**Near Variable Focus**

**PAL Design on Back side**

**Fitting cross location:** 2mm above 180 line

**Rec. minimum fitting height:**

14mm

18mm


**P** Digitally design for reducing eye fatigue during extended computer/task specific working conditions. Also available with Blue Blocking filter.

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Eye Kraft Optical, Inc. | DLS Advanced PAL

215



This lens was discontinued in 2020




**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.66 - 1.67)

**Custom Progressive Design**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 13mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only

## Eye Kraft Optical, Inc. | DLS Anti-Fatigue

216



**1.50**  
**1.53**  
**1.58**  
**1.60**  
**1.66**  
**1.74**

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**  
**PAL Design on Back side**  
**Fitting cross location:** On 180 line  
**Rec. minimum fitting height:** 14mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only  
**Manufacturer Tech Specs:** [Click Here](#)

## Eye Kraft Optical, Inc. | DLS Camber Near

217



**1.50**  
**1.53**  
**1.58**  
**1.60**  
**1.66**  
**1.74**

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 14mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only  
**Manufacturer Tech Specs:** [Click Here](#)

## Eye Kraft Optical, Inc. | DLS PAL

218



This lens was discontinued in 2020



**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.66 - 1.67)

**Custom Progressive Design**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 13mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only

## Eye Kraft Optical, Inc. | DLS Pro PAL

219



This lens was discontinued in 2020




**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.66 - 1.67)

**Custom Progressive Design**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 13mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only



## FEA Industries, Inc. | Constitution HD

220



<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>I</b>	Plastic Mid-Index (1.52 - 1.58)
<b>P</b>	Polycarbonate
<b>L</b>	Plastic High Index (1.66 - 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:**  
 17mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## FEA Industries, Inc. | Constitution Short HD

221



<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>I</b>	Plastic Mid-Index (1.52 - 1.58)
<b>P</b>	Polycarbonate
<b>L</b>	Plastic High Index (1.66 - 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:**  
 15mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## FEA Industries, Inc. | Eagle

222



<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>I</b>	Plastic Mid-Index (1.52 - 1.58)
<b>Δ</b>	Trivex
<b>P</b>	Polycarbonate
<b>6</b>	Plastic High Index (1.60)
<b>L</b>	Plastic High Index (1.66 - 1.67)
<b>7</b>	Plastic Ultra High Index (> 1.67)
<b>no symbol</b>	Glass (1.523)
<b>6</b>	Glass Mid-Index (> 1.53)
<b>7</b>	Glass High Index (> 1.60)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:**  
 14mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada



**M**

**Materials:**

**no symbol**

Plastic (CR39 and 1.50)

**I**

Plastic Mid-Index (1.52 - 1.58)

**Δ**

Trivex

**P**

Polycarbonate

**6**

Plastic High Index (1.60)

**⊥**

Plastic High Index (1.66 - 1.67)

**7**

Plastic Ultra High Index (> 1.67)

**no symbol**

Glass (1.523)

**6**

Glass High Index (> 1.60)

**7**

Glass Ultra High Index (> 1.70)

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

16mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



**M**

**Materials:**

**no symbol**

Plastic (CR39 and 1.50)

**I**

Plastic Mid-Index (1.52 - 1.58)

**Δ**

Trivex

**P**

Polycarbonate

**6**

Plastic High Index (1.60)

**⊥**

Plastic High Index (1.66 - 1.67)

**7**

Plastic Ultra High Index (> 1.67)

**no symbol**

Glass (1.523)

**6**

Glass High Index (> 1.60)

**7**

Glass Ultra High Index (> 1.70)

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



**M**

**Materials:**

**no symbol**

Plastic (CR39 and 1.50)

**I**

Plastic Mid-Index (1.52 - 1.58)

**Δ**

Trivex

**P**

Polycarbonate

**6**

Plastic High Index (1.60)

**⊥**

Plastic High Index (1.66 - 1.67)

**7**

Plastic Ultra High Index (> 1.67)

**no symbol**

Glass (1.523)

**6**

Glass High Index (> 1.60)

**7**

Glass Ultra High Index (> 1.70)

**Custom Progressive Design**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

18mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



**M**

**Materials:**

**no symbol**

Plastic (CR39 and 1.50)

**I**

Plastic Mid-Index (1.52 - 1.58)

**Δ**

Trivex

**P**

Polycarbonate

**6**

Plastic High Index (1.60)

**⊥**

Plastic Ultra High Index (> 1.67)

**7**

Plastic Ultra High Index (> 1.67)

**no symbol**

Glass (1.523)

**6**

Glass High Index (> 1.60)

**7**

Glass Ultra High Index (> 1.70)

**Near Variable Focus**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>I</b>	Plastic Mid-Index (1.52 - 1.58)
<b>Δ</b>	Trivex
<b>P</b>	Polycarbonate
<b>6</b>	Plastic High Index (1.60)
<b>⊥</b>	Plastic High Index (1.66 - 1.67)
<b>7</b>	Plastic Ultra High Index (> 1.67)
<b>no symbol</b>	Glass (1.523)
<b>6</b>	Glass High Index (> 1.60)
<b>7</b>	Glass Ultra High Index (> 1.70)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 14mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada



<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>I</b>	Plastic Mid-Index (1.52 - 1.58)
<b>Δ</b>	Trivex
<b>P</b>	Polycarbonate
<b>6</b>	Plastic High Index (1.60)
<b>⊥</b>	Plastic High Index (1.66 - 1.67)
<b>7</b>	Plastic Ultra High Index (> 1.67)
<b>no symbol</b>	Glass (1.523)
<b>6</b>	Glass High Index (> 1.60)
<b>7</b>	Glass Ultra High Index (> 1.70)

**Custom Progressive Design**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 16mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada




<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>I</b>	Plastic Mid-Index (1.52 - 1.58)
<b>Δ</b>	Trivex
<b>P</b>	Polycarbonate
<b>6</b>	Plastic High Index (1.60)
<b>⊥</b>	Plastic High Index (1.66 - 1.67)
<b>7</b>	Plastic Ultra High Index (> 1.67)
<b>no symbol</b>	Glass (1.523)
<b>6</b>	Glass Mid-Index (> 1.53)
<b>7</b>	Glass High Index (> 1.60)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:**  
 10mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada



<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>I</b>	Plastic Mid-Index (1.52 - 1.58)
<b>Δ</b>	Trivex
<b>P</b>	Polycarbonate
<b>6</b>	Plastic High Index (1.60)
<b>⊥</b>	Plastic High Index (1.66 - 1.67)
<b>7</b>	Plastic Ultra High Index (> 1.67)
<b>no symbol</b>	Glass (1.523)
<b>6</b>	Glass Mid-Index (> 1.53)
<b>7</b>	Glass High Index (> 1.60)

**Near Variable Focus**  
**PAL Design on Back side**  
**Fitting cross location:** 8mm above 180 line  
**Rec. minimum fitting height:**  
 18mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada



**M**

**Materials:**

**no symbol**

Plastic (CR39 and 1.50)

**I**

Plastic Mid-Index (1.52 - 1.58)

**Δ**

Trivex

**P**

Polycarbonate

**6**

Plastic High Index (1.60)

**⊥**

Plastic High Index (1.66 - 1.67)

**7**

Plastic Ultra High Index (> 1.67)

**no symbol**

Glass (1.523)

**6**

Glass High Index (> 1.60)

**7**

Glass Ultra High Index (> 1.70)

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



**M**

**Materials:**

**no symbol**

Plastic (CR39 and 1.50)

**I**

Plastic Mid-Index (1.52 - 1.58)

**Δ**

Trivex

**P**

Polycarbonate

**6**

Plastic High Index (1.60)

**⊥**

Plastic High Index (1.66 - 1.67)

**7**

Plastic High Index (1.66 - 1.67)

**no symbol**

Glass (1.523)

**6**

Glass High Index (> 1.60)

**7**

Glass Ultra High Index (> 1.70)

**Standard Progressive**

**PAL Design on Back side**


**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



**M**

**Materials:**

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**

**PAL Design on Front side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

13mm




**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only

## GSRx | epik DRV 110/110 N+D4

234



### Materials:

Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

**PAL Design on Front side**

**Fitting cross location:** On 180 line

**Rec. minimum fitting height:**


**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only

N+D4 variant will have "+" instead of diamond

## GSRx | epik DRV 50/50 N+D4

235



### Materials:

Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

**PAL Design on Front side**

**Fitting cross location:** On 180 line

**Rec. minimum fitting height:**


**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only

N+D4 variant will have "+" instead of diamond

## GSRx | epik DRV 80/80 N+D4

236



### Materials:

Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

**PAL Design on Front side**

**Fitting cross location:** On 180 line

**Rec. minimum fitting height:**


**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only

N+D4 variant will have "+" instead of diamond

## GSRx | epik iBifocal

237



### Materials:

Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)

### Custom Progressive Design

**PAL Design on Front side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only

## GSRx | epik ice UltraHD, Book/Room/Desk

238



### Materials:

Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

### Custom Progressive Design

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm




Available as: Clear; Photochromic;

Available in: US Only

Distance Symbols: **OR** : Room, **OD** : Desk, **OB** : Book

## GSRx | epik Standard 14/17

239



### Materials:

Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm




Available as: Clear; Photochromic; Polarized

Available in: US Only

## GSRx | epik Variable Active/Active N+D4

240



### Materials:

Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

15mm




Available as: Clear; Photochromic; Polarized

Available in: US Only

N+D4 variant will have "+" instead of diamond

## GSRx | epik Variable Device/Device N+D4

241



### Materials:

Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

15mm



Available as: Clear; Photochromic; Polarized


Available in: US Only

N+D4 variant will have "+" instead of diamond




## GSRx | epik Variable/Variable N+D4

242




M

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**  
**PAL Design on Front side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 15mm   
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only  
N+D4 variant will have "+" instead of diamond

## Hoya Vision Care | Amplitude

243



This lens has been replaced by Amplitude BKS.

M

1

X

P

3

5

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

**Standard Progressive**  
**PAL Design on Front side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:** 19mm  
**Available as:** Clear; Photochromic;  
**Available in:** US Only

## Hoya Vision Care | Amplitude BKS

244



M

1

X

P

3

5

7

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 19mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only

## Hoya Vision Care | Amplitude iQ

245



This lens has been replaced by Amplitude BKS.

M

1

X

P

3

5

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

**Custom Progressive Design**  
**PAL Design on Front side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:** 19mm  
**Available as:** Clear; Photochromic;  
**Available in:** US Only

## Hoya Vision Care | Amplitude Mini

246



This lens has been replaced by Amplitude Mini BKS.

**M**

**1**

**X**

**P**

**3**

**5**

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

### Standard Progressive

**PAL Design on Front side**

**Fitting cross location:** 2mm above 180 line

**Rec. minimum fitting height:**


14mm

**Available as:** Clear; Photochromic;

**Available in:** US Only

## Hoya Vision Care | Amplitude Mini BKS

247



**M**

**1**

**X**

**P**

**3**

**5**

**7**

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only

## Hoya Vision Care | Amplitude Mini iQ

248



This lens has been replaced by Amplitude Mini BKS.

**M**

**1**

**X**

**P**

**3**

**5**

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

### Custom Progressive Design

**PAL Design on Front side**

**Fitting cross location:** 2mm above 180 line

**Rec. minimum fitting height:**

14mm

**Available as:** Clear; Photochromic;

**Available in:** US Only

## Hoya Vision Care | Array

249



**M**

**1**

**X**

**P**

**3**

**5**

**7**

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


Several

**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only

## Hoya Vision Care | Array 2

250



M

1

X

P

3

5

4

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Glass Ultra High Index (> 1.70)

### Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


Several \*

Available as:

Available in: US Only

## Hoya Vision Care | Array Wrap

251



M

1

X

P

3

5

7

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

## Hoya Vision Care | Hoyalux GP

252



This lens has been replaced by Hoya GP Wide.

M

1

### Materials:

Plastic (CR39 and 1.50)

### Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US Only

## Hoya Vision Care | Hoyalux GPW

253



This lens has been replaced by Hoya GP Wide.

M

1

X

3

4

### Materials:

Plastic (CR39 and 1.50)

Trivex

Plastic High Index (1.60)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear

Available in: US Only

## Hoya Vision Care | Hoyalux Tact (EP40 and 60)

254



This lens has been replaced by Tact 40/60 BKS.

M

1

3

### Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

### Near Variable Focus

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear

Available in: US Only

## Hoya Vision Care | ID InStyle

255



This lens has been replaced by Amplitude HD3.

M

X

3

5

4

### Materials:

Trivex

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic;

Available in: US Only

## Hoya Vision Care | ID Lifestyle

256



This lens has been replaced by iD LifeStyle 3.

M

1

X

P

3

5

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

### Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

## Hoya Vision Care | iD LifeStyle 2 Clarity

257



This product was discontinued on March 12, 2023.

M

1

X

P

3

5

7

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Hoya Vision Care | ID LifeStyle 2 Clarity cd

258



**M**

1

X

P

3

5

7

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Hoya Vision Care | ID LifeStyle 2 Harmony

259



**M**

1

X

P

3

5

7

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Hoya Vision Care | ID LifeStyle 2 Harmony cd

260



**M**

1

X

P

3

5

7

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Hoya Vision Care | ID Lifestyle cd

261



This lens has been replaced by Amplitude Mini HD3.

**M**

1

X

P

3

5

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

### Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

## Hoya Vision Care | ID Mystyle

262



This lens has been replaced by iD MyStyle 2.

**M**

**1**

**X**

**3**

**5**

### Materials:

Plastic (CR39 and 1.50)

Trivex

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

### Custom Progressive Design

**PAL Design on Front and Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


15mm

**Available as:** Clear; Photochromic;

**Available in:** US and Canada

## Hoya Vision Care | Summit cd

263



This lens has been replaced by Summit cd BKS.

**M**

**1**

**X**

**P**

**3**

**5**

**4**

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

**PAL Design on Front side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

14mm

**Available as:** Clear; Photochromic;

**Available in:** US Only

## Hoya Vision Care | Summit cd iQ

264



This lens has been replaced by Summit cd BKS.

**M**

**1**

**X**

**P**

**3**

**5**

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

### Custom Progressive Design

**PAL Design on Front side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

14mm

**Available as:** Clear; Photochromic;

**Available in:** US Only

## Hoya Vision Care | Summit ecp

265



This lens has been replaced by Summit ecp BKS.

**M**

**1**

**X**

**P**

**3**

**5**

**4**

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

**PAL Design on Front side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

18mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Hoya Vision Care | Summit ecp iQ

266



This lens has been replaced by Summit ecp BKS.

M

1

X

P

3

5

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

## Hoya Vision Care | TACT 40 BKS and TACT 60 BKS

267



M

1

X

P

3

5

7

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic;

Available in: US and Canada

## Interstate Optical | Intellego 3

268



M

Materials:

PAL Design on Front side

Fitting cross location: On 180 line

Rec. minimum fitting height:


13mm

Available as:

Available in: US and Canada

## Interstate Optical | Intellego 3 14

269



M

Materials:

PAL Design on Front side

Fitting cross location: On 180 line

Rec. minimum fitting height:


13mm

Available as:

Available in: US and Canada

## Interstate Optical | Intellego 3 16

270



M

Materials:

PAL Design on Front side

Fitting cross location: On 180 line

Rec. minimum fitting height:


13mm

Available as:

Available in: US and Canada

## Interstate Optical | Intellego 3 18

271




Materials:

PAL Design on Front side  
Fitting cross location: On 180 line  
Rec. minimum fitting height:  
13mm  
Available as:  
Available in: US and Canada

## IOT | Camber Steady Plus Progressive

272




Materials:

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
14mm  
15mm  
16mm  
17mm  
18mm  
Available as:  
Available in: US and Canada

## IOT | Camber Steady Plus Progressive | Distance Vision

273




Materials:

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
14mm  
15mm  
16mm  
17mm  
18mm  
Available as:  
Available in: US and Canada

## IOT | Camber Steady Plus Progressive | Intermediate Vision

274




Materials:

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
14mm  
15mm  
16mm  
17mm  
18mm  
Available as:  
Available in: US and Canada

## IOT | Camber Steady Plus Progressive | Near Vision

275



Materials:

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
14mm  
15mm  
16mm  
17mm  
18mm  
Available as:  
Available in: US and Canada



## IOT | Endless Anti-fatigue Single Vision | 0.50 D

276



Materials:

Fitting cross location: On 180 line

Rec. minimum fitting height:

16mm


18mm

Available as:

Available in: US and Canada

## IOT | Endless Anti-fatigue Single Vision | 0.75 D

277



Materials:

Fitting cross location: On 180 line

Rec. minimum fitting height:

16mm


18mm

Available as:

Available in: US and Canada

## IOT | Endless Anti-fatigue Single Vision | 1.00 D

278



Materials:

Fitting cross location: On 180 line

Rec. minimum fitting height:

16mm


18mm

Available as:

Available in: US and Canada

## IOT | Endless Bifocal

279



Materials:

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as:

Available in: US and Canada

## IOT | Endless Drive Progressive

280



Materials:

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm

18mm

Available as:

Available in: US and Canada

## IOT | Endless Drive Single Vision

281



Materials:

Fitting cross location: On 180 line

Rec. minimum fitting height:

Available as:

Available in: US and Canada

## IOT | Endless ice

282



Materials:

Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
14mm  
18mm  
Available as:  
Available in: US and Canada

## IOT | Endless ice | 1.3 m

283



Materials:

Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
14mm  
18mm  
Available as:  
Available in: US and Canada

## IOT | Endless ice | 2 m

284



Materials:

Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
14mm  
18mm  
Available as:  
Available in: US and Canada

## IOT | Endless ice | 4 m

285



Materials:

Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
14mm  
18mm  
Available as:  
Available in: US and Canada

## IOT | Endless Pilot Progressive

286



Materials:

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
16mm  
18mm  
Available as:  
Available in: US and Canada

## IOT | Endless Single Vision

287



Materials:

Fitting cross location: On 180 line  
Rec. minimum fitting height:  
Available as:  
Available in: US and Canada

## IOT | Endless Sport Progressive

288



M

Materials:

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm


18mm

Available as:

Available in: US and Canada

## IOT | Endless Steady Progressive

289



M

Materials:

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm

18mm

Available as:

Available in: US and Canada

## IOT | Endless Steady Progressive | Distance Vision

290



M

Materials:

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm

18mm

Available as:

Available in: US and Canada

## IOT | Endless Steady Progressive | Intermediate Vision

291



M

Materials:

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm

18mm

Available as:

Available in: US and Canada

## IOT | Endless Steady Progressive | Near Vision

292



M

Materials:

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm

18mm

Available as:

Available in: US and Canada

## IOT | Essential Steady Progressive

293



Materials:

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm


18mm

Available as:

Available in: US and Canada

## IOT | Essential Steady Progressive | Distance Vision

294



Materials:

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm


18mm

Available as:

Available in: US and Canada

## IOT | Essential Steady Progressive | Intermediate Vision

295



Materials:

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm

18mm

Available as:

Available in: US and Canada

## IOT | Essential Steady Progressive | Near Vision

296



Materials:

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm

18mm

Available as:

Available in: US and Canada

## IOT | inMotion

297



Materials:

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm


18mm

Available as:

Available in: US and Canada

## IOT | IOT Endless

298



Materials:

Fitting cross location: On 180 line  
Rec. minimum fitting height:  
Available as:  
Available in: US and Canada

## IOT | IOT Endless Plus 0.50D

299




Materials:

Fitting cross location: On 180 line  
Rec. minimum fitting height:  
16mm  
18mm  
Available as:  
Available in: US and Canada

## IOT | IOT Endless Plus 0.75D

300




Materials:

Fitting cross location: On 180 line  
Rec. minimum fitting height:  
16mm  
18mm  
Available as:  
Available in: US and Canada

## IOT | IOT Endless Plus 1.00D

301




Materials:

Fitting cross location: On 180 line  
Rec. minimum fitting height:  
16mm  
18mm  
Available as:  
Available in: US and Canada

## KBco, Inc. | EOS

302




Materials:  
Plastic (CR39 and 1.50)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear Polarized  
Available in: US and Canada

## KBco, Inc. | EOS Wrap

303




Materials:  
Polycarbonate

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear Polarized  
Available in: US and Canada

## KBco, Inc. | iRx Pro

304




M

**Materials:**  
Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52 - 1.58)  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## KBco, Inc. | iRx Short

305




M

**Materials:**  
Plastic Mid-Index (1.52 - 1.58)  
Polycarbonate

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
14mm  
Available as: Clear Polarized  
Available in: US and Canada

## KBco, Inc. | Xplore

306



M

P

F




**Materials:**  
Plastic (CR39 and 1.50)  
Polycarbonate

**Filters:**  
Polarized

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Polarized  
Available in: US and Canada

## L.B.I. | Ce-Tru Normal Corridor

307



M

**Materials:**  
Plastic (CR39 and 1.50)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
22mm  
Available as: Clear  
Available in: US and Canada

## L.B.I. | Ce-Tru Polarized Progressive

308




M

**Materials:**  
Plastic (CR39 and 1.50)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
22mm  
Available as: Polarized  
Available in: US Only

## L.B.I. | Ce-Tru Short Corridor

309




**Materials:**  
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
16mm  
Available as: Clear  
Available in: US and Canada

## L.B.I. | Ce-Tru Short Corridor Photochr

310



**Materials:**  
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
16mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## L.B.I. | Ce-Tru SunSensor

311




**Materials:**  
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
22mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## Landon Lens | Channel 14 Plastic II

312




**Materials:**  
Plastic (CR39 and 1.50)  
Polycarbonate

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
14mm  
Available as: Clear  
Available in: US and Canada

## Landon Lens | Channel 14 Poly II

313




**Materials:**  
Polycarbonate

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
14mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## Landon Lens | Channel 14 Variations Gray & B

314



**Materials:**  
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 3mm above 180 line  
Rec. minimum fitting height:  
16mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## Landon Lens | Channel 14 Variations Poly Pho

315




**Materials:**  
Polycarbonate

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
14mm  
Available as: ; Photochromic;  
Available in: US and Canada

## Landon Lens | Mvp Platinum Plastic II

316



**Materials:**  
Plastic (CR39 and 1.50)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear  
Available in: US and Canada

## Landon Lens | Variations

317



**Materials:**  
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: ; Photochromic;  
Available in: US and Canada

## Lenscrafters | Blue IQ Variable Progressive

318



**Materials:**

Near Variable Focus  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
11mm  
Available as:  
Available in: US Only



## MacLens Optical | PolySensus

319



**Materials:**  
Polycarbonate

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
16mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## MacLens Optical | Promult

320



**Materials:**  
Plastic (CR39 and 1.50)  
Glass (1.523)  
Glass Ultra High Index (> 1.70)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## Maui Jim | Maui Passport Progressive

321



**Materials:**  
Polycarbonate  
Plastic High Index (1.60)

Custom Progressive Design  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
Several  
Available as: Polarized  
Available in: US and Canada

## Melibrad | Melibrad Progressive

322



**Materials:**  
Plastic (CR39 and 1.50)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Polarized  
Available in: US and Canada

## Melibrad | Polar-Ray Progressive

323




**Materials:**  
Plastic (CR39 and 1.50)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
22mm  
Available as: ; Photochromic;  
Available in: US and Canada

## Melibrad | Polar-Ray Progressive

324




**Materials:**  
Plastic (CR39 and 1.50)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
16mm  
Available as: Polarized  
Available in: US and Canada

## Nassau Lens Company | Nalco Progressive

325



**Materials:**  
Plastic (CR39 and 1.50)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
19mm  
Available as: Clear; Photochromic;  
Available in: US Only

## Nexus Vision Group | Proprius DS

326



P

**Materials:**  
Plastic (CR39 and 1.50)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
16mm  
Available as: Clear  
Available in: US Only

## Nikon Optical Canada | Balance Digital 12

327



**Materials:**  
Plastic (CR39 and 1.50)

Near Variable Focus  
PAL Design on Back side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
15mm  
Available as: Clear; Photochromic;  
Available in: Canada Only

## Nikon Optical Canada | Balance Digital 14

328



**Materials:**  
Plastic (CR39 and 1.50)

Near Variable Focus  
PAL Design on Back side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic;  
Available in: Canada Only

## Nikon Optical Canada | MOVE

329




**Materials:**  
Plastic (CR39 and 1.50)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear; Photochromic;  
Available in: Canada Only

## Nikon Optical Canada | MOVE Short

330



**Materials:**  
Plastic (CR39 and 1.50)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
16mm  
Available as: Clear; Photochromic;  
Available in: Canada Only

## Nikon Optical Canada | Nikon Go

331




**Materials:**  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear  
Available in: Canada Only

## Nikon Optical Canada | Nikon Go Digital

332




**Materials:**  
Plastic (CR39 and 1.50)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear  
Available in: Canada Only

## Nikon Optical Canada | Nikon i

333



**Materials:**  
Plastic (CR39 and 1.50)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
16mm  
Available as: Clear  
Available in: Canada Only

## Nikon Optical Canada | Nikon i Digital

334



**Materials:**  
Plastic (CR39 and 1.50)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:**  
16mm  
**Available as:** Clear  
**Available in:** Canada Only

## Nikon Optical Canada | Nikon Online

335



**Materials:**  
Plastic (CR39 and 1.50)

**Near Variable Focus**  
**PAL Design on Front side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:**  
15mm  
**Available as:** Clear  
**Available in:** US and Canada

## Nikon Optical Canada | Nikon W

336



**Materials:**  
Plastic (CR39 and 1.50)

**Standard Progressive**  
**PAL Design on Front and Back side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:**  
17mm  
**Available as:** Clear  
**Available in:** US and Canada

## Nikon Optical Canada | Presio Power 12/13/14

337



**Materials:**  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

**Standard Progressive**  
**PAL Design on Front and Back side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:**  
Several  
**Available as:** Clear; Photochromic;  
**Available in:** US and Canada

## Nikon Optical Canada | SeeMax Power 12/13/14

338



**Materials:**  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

**Standard Progressive**  
**PAL Design on Front and Back side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:**  
Several  
**Available as:** Clear; Photochromic;  
**Available in:** US and Canada

## Nikon Optical Canada | SeeMaxProgressive 12

339




**Materials:**  
Plastic High Index (1.60)

**Standard Progressive**  
**PAL Design on Front and Back side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:**  
15mm  
**Available as:** Clear; Photochromic;  
**Available in:** Canada Only

## Nikon Optical Canada | SeeMaxProgressive 14

340




**Materials:**  
Plastic High Index (1.60)

**Standard Progressive**  
**PAL Design on Front and Back side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:**  
17mm  
**Available as:** Clear; Photochromic;  
**Available in:** Canada Only

## Nikon Optical USA | Move Digital 13

341




**Materials:**  
Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:**  
16mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only

## Nikon Optical USA | Move Digital 15

342




**Materials:**  
Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:**  
18mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only

## Nikon Optical USA | Nikon Online

343



**Materials:**  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

**Near Variable Focus**  
**PAL Design on Front side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:**  
15mm  
**Available as:** Clear  
**Available in:** US and Canada

## Nikon Optical USA | Nikon W

344



M

PC

NC

NC

N5

### Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear

Available in: US and Canada

## Nikon Optical USA | Nikon W Short

345



M

PC

NC

NC

N5

### Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:


15mm

Available as: Clear; Photochromic;

Available in: US Only

## Nikon Optical USA | Presio Digital i Short

346



M

### Materials:

Plastic (CR39 and 1.50)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic;

Available in: US Only

## Nikon Optical USA | Presio i

347



M

PC

NC

NC

N5

### Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US Only

## Nikon Optical USA | Presio i Digital

348



M

### Materials:

Plastic (CR39 and 1.50)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic;

Available in: US Only

## Nikon Optical USA | Presio i Digital 12

349



M

NB

NB

NB

NB

N5B

### Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:


15mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

## Nikon Optical USA | Presio i Digital 14

350



M

NB

NB

NB

NB

N5B

### Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

## Nikon Optical USA | Presio i Digital Short

351



M

### Materials:

Plastic High Index (1.60)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

## Nikon Optical USA | Presio i Short

352



M

PC

NC

NC

N5

### Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic;

Available in: US Only

## Nikon Optical USA | Presio Power 12/13/14

353



**M**

**N1**

**N3**

**N4**

**N5**

### Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

**PAL Design on Front and Back side**

**Fitting cross location:** 2mm above 180 line

**Rec. minimum fitting height:**

Several

**Available as:** Clear; Photochromic;

**Available in:** US and Canada

## Nikon Optical USA | SeeMax Power 12/13/14

354



**M**

**N3**

**N4**

**N5**

### Materials:

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

**PAL Design on Front and Back side**

**Fitting cross location:** 2mm above 180 line

**Rec. minimum fitting height:**


Several

**Available as:** Clear; Photochromic;

**Available in:** US and Canada

## PFO Global | Acuity 9/11/13

355



**M**



### Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

### Standard Progressive

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


16mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## PFO Global | identity home 9/11/13

356



**M**



### Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

16mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



## PFO Global | identity play 9/11/13

357



M



### Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## PFO Global | identity pro

358



M



### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Near Variable Focus

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:


15mm

Available as: Clear

Available in: US and Canada

## PFO Global | identity smart 9/11/13

359



M



### Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## PFO Optima LLC | HyperPro

360



M



### Materials:

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


17mm

Available as: Clear

Available in: US and Canada

## PFO Optima LLC | Resolution Response

361




**Materials:**  
Polycarbonate

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 5mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## Polycore Optical | Futureise

362



**Materials:**  
Plastic (CR39 and 1.50)  
Polycarbonate

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada


## Polycore Optical | Micro

363



**Materials:**  
Plastic (CR39 and 1.50)  
Polycarbonate

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
16mm  
Available as: Clear; Photochromic;  
Available in: US and Canada



**M**

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>PRT</b>	Trivex
<b>T53</b>	Trivex
<b>PLP</b>	Polycarbonate
<b>PLY</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Materials:**

**Standard Progressive**

**PAL Design on Back side**


**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

16mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



**M**

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>PRT</b>	Trivex
<b>T53</b>	Trivex
<b>PLP</b>	Polycarbonate
<b>PLY</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Materials:**

**Standard Progressive**

**PAL Design on Back side**


**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

18mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

**M****PRY****Materials:**

Plastic (CR39 and 1.50)

**TPR**

Plastic (CR39 and 1.50)

**TRN**

Plastic (CR39 and 1.50)

**F50**

Plastic (CR39 and 1.50)

**P**

Plastic (CR39 and 1.50)

**H53**

Trivex

**PRT**

Trivex

**T53**

Trivex

**PLP**

Polycarbonate

**TPP**

Polycarbonate

**TPY**

Polycarbonate

**H60**

Plastic High Index (1.60)

**P60**

Plastic High Index (1.60)

**T60**

Plastic High Index (1.60)

**H67**

Plastic High Index (1.66 - 1.67)

**P67**

Plastic High Index (1.66 - 1.67)

**T67**

Plastic High Index (1.66 - 1.67)

**H74**

Plastic Ultra High Index (&gt; 1.67)

**Standard Progressive****PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

20mm

**Available as:** Clear; Photochromic; Polarized**Available in:** US and Canada



**M**

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>PRT</b>	Trivex
<b>T53</b>	Trivex
<b>PLP</b>	Polycarbonate
<b>PLY</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Materials:**

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** On 180 line

**Rec. minimum fitting height:**

14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



**M**

**Materials:**

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>PRT</b>	Trivex
<b>T53</b>	Trivex
<b>PLP</b>	Polycarbonate
<b>PLY</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** On 180 line

**Rec. minimum fitting height:**

16mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

**M**

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>PRT</b>	Trivex
<b>T53</b>	Trivex
<b>PLP</b>	Polycarbonate
<b>PLY</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Materials:****Standard Progressive****PAL Design on Back side****Fitting cross location:** On 180 line**Rec. minimum fitting height:**

18mm

**Available as:** Clear; Photochromic; Polarized**Available in:** US and Canada



**M**

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>PRT</b>	Trivex
<b>T53</b>	Trivex
<b>PLP</b>	Polycarbonate
<b>PLY</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Materials:****Standard Progressive****PAL Design on Back side****Fitting cross location:** On 180 line**Rec. minimum fitting height:**

17mm

**Available as:** Clear; Photochromic; Polarized**Available in:** US and Canada

**M****PRY****Materials:**

Plastic (CR39 and 1.50)

**TPR**

Plastic (CR39 and 1.50)

**TRN**

Plastic (CR39 and 1.50)

**F50**

Plastic (CR39 and 1.50)

**P**

Plastic (CR39 and 1.50)

**H53**

Trivex

**PRT**

Trivex

**T53**

Trivex

**PLP**

Polycarbonate

**PLY**

Polycarbonate

**TPP**

Polycarbonate

**TPY**

Polycarbonate

**H60**

Plastic High Index (1.60)

**P60**

Plastic High Index (1.60)

**T60**

Plastic High Index (1.60)

**H67**

Plastic High Index (1.66 - 1.67)

**P67**

Plastic High Index (1.66 - 1.67)

**T67**

Plastic High Index (1.66 - 1.67)

**H74**

Plastic Ultra High Index (&gt; 1.67)

**Standard Progressive****PAL Design on Back side****Fitting cross location:** On 180 line**Rec. minimum fitting height:**

19mm

**Available as:** Clear; Photochromic; Polarized**Available in:** US and Canada



**M**

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>PRT</b>	Trivex
<b>T53</b>	Trivex
<b>PLP</b>	Polycarbonate
<b>PLY</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Materials:**

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** On 180 line

**Rec. minimum fitting height:**

15mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



**M**

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>PRT</b>	Trivex
<b>T53</b>	Trivex
<b>PLP</b>	Polycarbonate
<b>PLY</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Materials:**

**Standard Progressive**

**PAL Design on Back side**


**Fitting cross location:** On 180 line

**Rec. minimum fitting height:**

17mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



M

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>PRT</b>	Trivex
<b>T53</b>	Trivex
<b>PLP</b>	Polycarbonate
<b>PLY</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Materials:****Standard Progressive****PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

14mm

**Available as:** Clear; Photochromic; Polarized**Available in:** US and Canada



**M**

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>PRT</b>	Trivex
<b>T53</b>	Trivex
<b>PLP</b>	Polycarbonate
<b>PLY</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Materials:**

**Standard Progressive**

**PAL Design on Back side**


**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

16mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



**M**

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>PRT</b>	Trivex
<b>T53</b>	Trivex
<b>PLP</b>	Polycarbonate
<b>PLY</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Materials:**

**Standard Progressive**

**PAL Design on Back side**


**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

18mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



**M**

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>T53</b>	Trivex
<b>PRT</b>	Trivex
<b>PLP</b>	Polycarbonate
<b>PLY</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Materials:**

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line


**Rec. minimum fitting height:**

20mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada





**M**

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>PRT</b>	Trivex
<b>T53</b>	Trivex
<b>PLP</b>	Polycarbonate
<b>PLY</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Materials:**

**Standard Progressive**

**PAL Design on Back side**


**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada


**M**

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>PRT</b>	Trivex
<b>T53</b>	Trivex
<b>PLY</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>PLP</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Materials:****Standard Progressive****PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

16mm

**Available as:** Clear; Photochromic; Polarized**Available in:** US and Canada



**M**

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>PRT</b>	Trivex
<b>T53</b>	Trivex
<b>PLY</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>PLP</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Materials:**

**Standard Progressive**

**PAL Design on Back side**


**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

18mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



**M**

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>PRT</b>	Trivex
<b>T53</b>	Trivex
<b>PLY</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>PLP</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Materials:**

**Standard Progressive**

**PAL Design on Back side**


**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

20mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



**M**

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>T53</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>PRT</b>	Trivex
<b>PLY</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>PLP</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Materials:**

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

**M****PRY****Materials:**

Plastic (CR39 and 1.50)

**TPR**

Plastic (CR39 and 1.50)

**F50**

Plastic (CR39 and 1.50)

**P**

Plastic (CR39 and 1.50)

**TRN**

Plastic (CR39 and 1.50)

**H53**

Trivex

**PRT**

Trivex

**T53**

Trivex

**PLY**

Polycarbonate

**TPY**

Polycarbonate

**PLP**

Polycarbonate

**TPP**

Polycarbonate

**H60**

Plastic High Index (1.60)

**T60**

Plastic High Index (1.60)

**P60**

Plastic High Index (1.60)

**T67**

Plastic High Index (1.66 - 1.67)

**P67**

Plastic High Index (1.66 - 1.67)

**H67**

Plastic High Index (1.66 - 1.67)


**H74**

Plastic Ultra High Index (&gt; 1.67)

**Standard Progressive****PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

16mm

**Available as:** Clear; Photochromic; Polarized**Available in:** US and Canada



**M**

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>PRT</b>	Trivex
<b>T53</b>	Trivex
<b>PLY</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>PLP</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Materials:**

**Standard Progressive**

**PAL Design on Back side**


**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

18mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

**M****PRY****Materials:**

Plastic (CR39 and 1.50)

**TPR**

Plastic (CR39 and 1.50)

**F50**

Plastic (CR39 and 1.50)

**P**

Plastic (CR39 and 1.50)

**TRN**

Plastic (CR39 and 1.50)

**H53**

Trivex

**PRT**

Trivex

**T53**

Trivex

**PLY**

Polycarbonate

**TPY**

Polycarbonate

**PLP**

Polycarbonate

**TPP**

Polycarbonate

**H60**

Plastic High Index (1.60)

**T60**

Plastic High Index (1.60)

**P60**

Plastic High Index (1.60)

**T67**

Plastic High Index (1.66 - 1.67)

**P67**

Plastic High Index (1.66 - 1.67)

**H67**

Plastic High Index (1.66 - 1.67)

**H74**


Plastic Ultra High Index (&gt; 1.67)

**Standard Progressive****PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

20mm

**Available as:** Clear; Photochromic; Polarized**Available in:** US and Canada





**M**

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>PRT</b>	Trivex
<b>T53</b>	Trivex
<b>PLY</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>PLP</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Materials:**

**Standard Progressive**

**PAL Design on Back side**


**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

18mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



**M**

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>PRT</b>	Trivex
<b>T53</b>	Trivex
<b>PLY</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>PLP</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Materials:**

**Near Variable Focus**

**PAL Design on Back side**


**Fitting cross location:** 2mm above 180 line

**Rec. minimum fitting height:**

18mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



**M**

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>PRT</b>	Trivex
<b>T53</b>	Trivex
<b>PLY</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>PLP</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Materials:**

**Standard Progressive**

**PAL Design on Back side**


**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

15mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada


**M**

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>PRT</b>	Trivex
<b>T53</b>	Trivex
<b>PLY</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>PLP</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Materials:****Standard Progressive****PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

17mm

**Available as:** Clear; Photochromic; Polarized**Available in:** US and Canada



**M**

<b>PRY</b>	Plastic (CR39 and 1.50)
<b>TPR</b>	Plastic (CR39 and 1.50)
<b>F50</b>	Plastic (CR39 and 1.50)
<b>P</b>	Plastic (CR39 and 1.50)
<b>TRN</b>	Plastic (CR39 and 1.50)
<b>H53</b>	Trivex
<b>PRT</b>	Trivex
<b>T53</b>	Trivex
<b>PLY</b>	Polycarbonate
<b>TPY</b>	Polycarbonate
<b>PLP</b>	Polycarbonate
<b>TPP</b>	Polycarbonate
<b>H60</b>	Plastic High Index (1.60)
<b>T60</b>	Plastic High Index (1.60)
<b>P60</b>	Plastic High Index (1.60)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>P67</b>	Plastic High Index (1.66 - 1.67)
<b>H67</b>	Plastic High Index (1.66 - 1.67)
<b>H74</b>	Plastic Ultra High Index (> 1.67)

**Materials:**

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

19mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada



**M**

<b>50</b>	Plastic (CR39 and 1.50)
<b>56</b>	Plastic Mid-Index (1.52 - 1.58)
<b>53</b>	Trivex
<b>58</b>	Polycarbonate
<b>60</b>	Plastic High Index (1.60)
<b>67</b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

**Materials:**

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** On 180 line

**Rec. minimum fitting height:**

Several

**Available as:** Clear; Photochromic; Polarized

**Available in:** Canada Only

## Riverside Opticalab Ltd. | Persona ice

392



**M**

**50**

**Materials:**

Plastic (CR39 and 1.50)

**56**

Plastic Mid-Index (1.52 - 1.58)

**53**

Trivex

**58**

Polycarbonate

**60**

Plastic High Index (1.60)

**67**

Plastic High Index (1.66 - 1.67)

**74**

Plastic Ultra High Index (> 1.67)

**Near Variable Focus**

**PAL Design on Back side**

**Fitting cross location:** On 180 line

**Rec. minimum fitting height:**


15mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** Canada Only

## Riverside Opticalab Ltd. | Persona G4

393



**M**

**50**

**Materials:**

Plastic (CR39 and 1.50)

**56**

Plastic Mid-Index (1.52 - 1.58)

**53**

Trivex

**58**

Polycarbonate

**60**

Plastic High Index (1.60)

**67**

Plastic High Index (1.66 - 1.67)

**74**

Plastic Ultra High Index (> 1.67)

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** On 180 line

**Rec. minimum fitting height:**


13mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** Canada Only

## Riverside Opticalab Ltd. | Persona Novice

394



**M**

**50**

**Materials:**

Plastic (CR39 and 1.50)

**56**

Plastic Mid-Index (1.52 - 1.58)

**53**

Trivex

**58**

Polycarbonate

**60**

Plastic High Index (1.60)

**67**

Plastic High Index (1.66 - 1.67)

**74**

Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**

**PAL Design on Back side**

**Fitting cross location:** On 180 line

**Rec. minimum fitting height:**


13mm

**Available as:** Clear; Photochromic;

**Available in:** Canada Only

## Riverside Opticalab Ltd. | Persona Phd

395



**M**

**50**

**Materials:**

Plastic (CR39 and 1.50)

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** On 180 line

**Rec. minimum fitting height:**

13mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** Canada Only

**56**

Plastic Mid-Index (1.52 - 1.58)

**53**

Trivex

**58**

Polycarbonate

**60**

Plastic High Index (1.60)

**67**

Plastic High Index (1.66 - 1.67)

**74**

Plastic Ultra High Index (> 1.67)

## Riverside Opticalab Ltd. | Persona Phd Distance

396



**M**

**50**

**Materials:**

Plastic (CR39 and 1.50)

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** On 180 line

**Rec. minimum fitting height:**

13mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** Canada Only

**56**

Plastic Mid-Index (1.52 - 1.58)

**53**

Trivex

**58**

Polycarbonate

**60**

Plastic High Index (1.60)

**67**

Plastic High Index (1.66 - 1.67)

**74**

Plastic Ultra High Index (> 1.67)

## Riverside Opticalab Ltd. | Persona Phd Near

397



**M**

**50**

**Materials:**

Plastic (CR39 and 1.50)

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** On 180 line

**Rec. minimum fitting height:**

13mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** Canada Only

**56**

Plastic Mid-Index (1.52 - 1.58)

**53**

Trivex

**58**

Polycarbonate

**60**

Plastic High Index (1.60)

**67**


Plastic High Index (1.66 - 1.67)

**74**

Plastic Ultra High Index (> 1.67)

## Riverside Opticalab Ltd. | Persona Quattro

398



**M**

**50**

**Materials:**

Plastic (CR39 and 1.50)

**56**

Plastic Mid-Index (1.52 - 1.58)

**53**

Trivex

**60**

Plastic High Index (1.60)

**67**

Plastic High Index (1.66 - 1.67)

**74**

Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


13mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** Canada Only

## Riverside Opticalab Ltd. | Persona Quattro Sport

399



**M**

**50**

**Materials:**

Plastic (CR39 and 1.50)

**56**

Plastic Mid-Index (1.52 - 1.58)

**53**

Trivex

**58**

Polycarbonate

**60**

Plastic High Index (1.60)

**67**

Plastic High Index (1.66 - 1.67)

**74**

Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

15mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** Canada Only

## Riverside Opticalab Ltd. | Signature HD

400



**M**

**50**

**Materials:**

Plastic (CR39 and 1.50)

**56**

Plastic Mid-Index (1.52 - 1.58)

**53**

Trivex

**58**

Polycarbonate

**60**

Plastic High Index (1.60)

**67**

Plastic High Index (1.66 - 1.67)

**74**

Plastic Ultra High Index (> 1.67)

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** 2mm above 180 line

**Rec. minimum fitting height:**

14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** Canada Only



## Robertson Optical Laboratories, Inc. | COZE ADL ADVANCED 401



**M**

**50**

**54**

**58**

**16**

**67**

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

### Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

## Robertson Optical Laboratories, Inc. | COZE CASATA 402



**M**

**50**

**54**

**58**

**16**

**67**

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

### Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line


Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

## Robertson Optical Laboratories, Inc. | COZE HDW 403



**M**

**50**

**54**

**58**

**16**

**67**

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

### Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

## Robertson Optical Laboratories, Inc. | COZE SOFT 404



**M**

**50**

**54**

**58**

**16**

**67**

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

### Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

## Robertson Optical Laboratories, Inc. | COZE WRAP

405



M

50

54

58

16

67

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

### Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

## Robertson Optical Laboratories, Inc. | Vista

406



M

50

54

58

16

67

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

### Custom Progressive Design

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:


Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

## Robertson Optical Laboratories, Inc. | VISTA CP

407



M

50

54

58

16

67

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

### Custom Progressive Design

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

## Robertson Optical Laboratories, Inc. | VISTA WS

408



M

50

54

58

16

67

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

### Custom Progressive Design

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

## Robertson Optical Laboratories, Inc. | XP HD

409



**M**

**50**

**54**

**58**

**16**

**67**

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

### Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

## Rodenstock Canada | ClassicLife Free XS. M or L

410



**M**

**50**

**54**

**60**

**67**

### Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Plastic High Index (1.60)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic;

Available in: US and Canada

## Rodenstock Canada | Impression 2 XS, M, or L

411



**M**

**5**

**54**

**60**

**67**

**74**

**60**

### Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Glass High Index (> 1.60)

### Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic;

Available in: US and Canada

## Rodenstock Canada | Impression Ergo 2 Book

412



**M**

**60**

### Materials:

Plastic High Index (1.60)

### Near Variable Focus

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

14mm

Available as: Clear

Available in: US and Canada

## Rodenstock Canada | Impression Ergo 2 PC or Room

413



**M**  
**60**

**Materials:**  
Plastic High Index (1.60)

**Near Variable Focus**  
**PAL Design on Back side**  
**Fitting cross location:** On 180 line  
**Rec. minimum fitting height:**  
18mm  
**Available as:** Clear  
**Available in:** US and Canada

## Rodenstock Canada | Impression Ergo FreeSign 2

414




**M**  
**60**

**Materials:**  
Plastic High Index (1.60)

**Near Variable Focus**  
**PAL Design on Front and Back side**  
**Fitting cross location:** On 180 line  
**Rec. minimum fitting height:**  
14mm  
**Available as:** Clear  
**Available in:** US and Canada

## Rodenstock Canada | Impression FreeSign 2

415




**M**  
**60**  
**67**  
**74**

**Materials:**  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** On 180 line  
**Rec. minimum fitting height:**  
13mm  
**Available as:** Clear; Photochromic;  
**Available in:** US and Canada

## Rodenstock Canada | Impression Hyperop

416




**M**  
**7**

**Materials:**  
Plastic High Index (1.66 - 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** On 180 line  
**Rec. minimum fitting height:**  
18mm  
**Available as:** Clear; Photochromic;  
**Available in:** US and Canada

## Rodenstock Canada | Impression Hyperop XS

417




**M**  
**7**

**Materials:**  
Plastic High Index (1.66 - 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** On 180 line  
**Rec. minimum fitting height:**  
14mm  
**Available as:** Clear; Photochromic;  
**Available in:** US and Canada

## Rodenstock Canada | Impression Myop

418



**M**  
7

**Materials:**  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: On 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## Rodenstock Canada | Impression Myop XS

419



**M**  
7

**Materials:**  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: On 180 line  
Rec. minimum fitting height:  
14mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## Rodenstock Canada | Impression Sport 2

420



**M**  
54  
6

**Materials:**  
Plastic Mid-Index (1.52 - 1.58)  
Plastic High Index (1.60)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: On 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## Rodenstock Canada | Multigressiv MyView 2 XS, M, L

421



**M**  
50  
54  
60  
67  
74

**Materials:**  
Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52 - 1.58)  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: On 180 line  
Rec. minimum fitting height:  
14mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## Rodenstock Canada | MyView Ergo 2 Book

422



**M**  
50  
60

**Materials:**  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)

Near Variable Focus  
PAL Design on Back side  
Fitting cross location: On 180 line  
Rec. minimum fitting height:  
14mm  
Available as: Clear  
Available in: US and Canada

## Rodenstock Canada | MyView Ergo 2 PC or Room

423



M

50

60

### Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

### Near Variable Focus

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:


18mm

Available as: Clear

Available in: US and Canada

## Rodenstock Canada | Nexyma Computer (80)

424



M

5

### Materials:

Plastic (CR39 and 1.50)

### Near Variable Focus

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

20mm

Available as: Clear

Available in: US and Canada

## Rodenstock Canada | Nexyma Reading (40)

425



M

5

### Materials:

Plastic (CR39 and 1.50)

### Near Variable Focus

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear

Available in: US and Canada

## Rodenstock Canada | Progressiv ClassicLife

426



M

5

6

### Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

### Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US and Canada

## Rodenstock Canada | Progressiv ClassicLife XS

427



M

5

6

### Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

### Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear

Available in: US and Canada

## Rodenstock Canada | Progressiv Life 2

428



M

Materials:  
Polycarbonate

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear  
Available in: US and Canada

## Rodenstock Canada | Progressiv Life 2 XS

429




M  
P

Materials:  
Polycarbonate

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
14mm  
Available as: Clear  
Available in: US and Canada

## Rodenstock Canada | Progressiv Purelife

430




M

Materials:  
5 Plastic (CR39 and 1.50)  
5 Plastic Mid-Index (1.52 - 1.58)  
6 Plastic High Index (1.60)  
7 Plastic High Index (1.66 - 1.67)  
6 Glass High Index (> 1.60)  
8 Glass Ultra High Index (> 1.70)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## Rodenstock Canada | Progressiv Purelife XS

431



M

Materials:  
5 Plastic (CR39 and 1.50)  
5 Plastic Mid-Index (1.52 - 1.58)  
6 Plastic High Index (1.60)  
7 Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
14mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

# Rodenstock Canada | ProgressivPureLife Free XS,M,L

432



M

50

54

1.53

60

67

## Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Trivex

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

## Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

# Seiko Optical Products | AF2

433



M

A

C

S

## Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

## Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 3mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear

Available in: US and Canada

# Seiko Optical Products | DC mini

434



M

## Materials:

Polycarbonate

## Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

19mm

Available as: Clear

Available in: US Only

# Seiko Optical Products | PCWide

435



M



## Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

## Near Variable Focus

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

15mm

Available as: Clear; Photochromic;

Available in: US Only



## Seiko Optical Products | Perfas Premier II

436



M

50

53

59

60

67

74

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

## Seiko Optical Products | Perfas Prominent

437



M

50

53

59

60

67

74

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

## Seiko Optical Products | Proceed II Short

438



M

### Materials:

Plastic High Index (1.66 - 1.67)

### Standard Progressive

PAL Design on Front and Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic;

Available in: US Only

## Seiko Optical Products | Proceed III Super Short

439



M

### Materials:

Plastic High Index (1.66 - 1.67)

### Standard Progressive

PAL Design on Front and Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic;

Available in: US Only

## Seiko Optical Products | Succeed

440



M

### Materials:

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

17mm

Available as: Clear

Available in: US and Canada

## Seiko Optical Products | Succeed WS

441




M

**Materials:**  
Plastic Ultra High Index (> 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: On 180 line  
Rec. minimum fitting height:  
15mm  
Available as: Clear  
Available in: US and Canada

## Seiko Optical Products | Supercede

442




M

**Materials:**  
Plastic Ultra High Index (> 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: On 180 line  
Rec. minimum fitting height:  
Several  
Available as: Clear  
Available in: US and Canada

## Seiko Optical Products | Supercede II

443



M

50

**Materials:**  
Plastic (CR39 and 1.50)

53

Trivex

59

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: On 180 line  
Rec. minimum fitting height:  
14mm  
Available as: Clear; Photochromic; Polarized  
Available in: US Only

## Seiko Optical Products | Supercede WS

444



M

**Materials:**  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: On 180 line  
Rec. minimum fitting height:  
14mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## Seiko Optical Products | Superior

445



M

50

**Materials:**  
Plastic (CR39 and 1.50)

53

Trivex

59

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)


74

Plastic Ultra High Index (> 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: On 180 line  
Rec. minimum fitting height:  
12  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## Seiko Optical Products | Supernal

446



M

50

53

59

60

67

74

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

## Seiko Optical Products | Surmount

447



M

50

59

### Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

## Seiko Optical Products | Surmount Ws

448



M

50

53

59

60

67

74

### Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

### Standard Progressive

PAL Design on Back side


Fitting cross location: On 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only




**M**

<b>15</b>	Plastic (CR39 and 1.50)
<b>TR</b>	Plastic (CR39 and 1.50)
<b>X5</b>	Plastic (CR39 and 1.50)
<b>PZ</b>	Plastic (CR39 and 1.50)
<b>56</b>	Plastic Mid-Index (1.52 - 1.58)
	Trivex
<b>TX</b>	Trivex
<b>TTX</b>	Trivex
<b>XX</b>	Trivex
<b>VX</b>	Trivex

<b>PC</b>	Polycarbonate
<b>PT</b>	Polycarbonate
<b>PX</b>	Polycarbonate
<b>PV</b>	Polycarbonate
<b>PD</b>	Polycarbonate
<b>16</b>	Plastic High Index (1.60)
<b>T6</b>	Plastic High Index (1.60)
<b>X6</b>	Plastic High Index (1.60)
<b>PZ6</b>	Plastic High Index (1.60)
<b>67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>X67</b>	Plastic High Index (1.66 - 1.67)
<b>PZ67</b>	Plastic High Index (1.66 - 1.67)

Custom Progressive Design  
 PAL Design on Back side  
 Fitting cross location: 4mm above 180 line  
 Rec. minimum fitting height:  
 15mm  
 Available as:  
 Available in: US Only



**M**

**Materials:**

Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Custom Progressive Design  
 PAL Design on Back side  
 Fitting cross location: 4mm above 180 line  
 Rec. minimum fitting height:  
 18mm  
 Available as: Clear; Photochromic; Polarized  
 Available in: US Only

## Shamir Insight Inc. | Attitude III Sport

451



### Materials:

Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52 - 1.58)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

### Custom Progressive Design

**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 18mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only

## Shamir Insight Inc. | Autograph II -Fixed & Var. Des

452



### Materials:


Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 11mm  
**Available as:** Clear  
**Available in:** US Only

## Shamir Insight Inc. | Autograph II Attitude

453



### Materials:

Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52 - 1.58)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

### Custom Progressive Design

**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 15mm  
18mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only

## Shamir Insight Inc. | Autograph II ice

454



### Materials:


Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.60)

### Near Variable Focus

**PAL Design on Back side**  
**Fitting cross location:** On 180 line  
**Rec. minimum fitting height:** 16mm  
**Available as:** Clear  
**Available in:** US Only

## Shamir Insight Inc. | Autograph III Fixed & VAR.

455



M

**PZ**  
**X5**  
**15**  
**TR**  
**56**  
**TX**  
**PC**  
**16**  
**74**

### Materials:

Plastic (CR39 and 1.50)  
Plastic (CR39 and 1.50)  
Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52 - 1.58)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:**  
11mm  
13mm  
15mm  
18mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only

## Shamir Insight Inc. | Autograph Intelligence Fixed & VARI.

456



M

### Materials:

Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:**  
11mm  
13mm  
15mm  
18mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Shamir Insight Inc. | Autograph II+ Fixed & VARI.

457



M

### Materials:

Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

### Custom Progressive Design

**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:**  
11mm  
13mm  
15mm  
18mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only

## Shamir Insight Inc. | Autograph Relax

458



M

### Materials:

Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

### PAL Design on Back side

**Fitting cross location:** On 180 line  
**Rec. minimum fitting height:**  
16mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only

## Shamir Insight Inc. | Computer

459



**Materials:**  
Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52 - 1.58)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)

**Near Variable Focus**  
**PAL Design on Back side**  
**Fitting cross location:** On 180 line  
**Rec. minimum fitting height:**  
14mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only

## Shamir Insight Inc. | Element

460




**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:**  
19mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only

## Shamir Insight Inc. | Element Short

461



**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:**  
16mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only

## Shamir Insight Inc. | First PAL

462



**Materials:**  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)

**Custom Progressive Design**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:**  
15mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only

## Shamir Insight Inc. | Golf

463



**Materials:**  
Trivex  
Polycarbonate  
Plastic High Index (1.60)

**Custom Progressive Design**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:**  
18mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only

## Shamir Insight Inc. | Spectrum

464



M

**Materials:**  
Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52 - 1.58)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

**Custom Progressive Design**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:**  
14mm  
16mm  
19mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only

## Shamir Insight Inc. | WorkSpace

465



M

**Materials:**  
Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52 - 1.58)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)

**Near Variable Focus**  
**PAL Design on Back side**  
**Fitting cross location:** On 180 line  
**Rec. minimum fitting height:**  
14mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only

## Shore Lens Company | Executive/ ShoreView ES

466



M

S

$\pi$

S

F



**Materials:**  
Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.60)  
**Filters:**  
Photochromic

**Standard Progressive**  
**PAL Design on Front side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:**  
18mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Shore Lens Company | ShoreView / Shoreview Mini

467



M

TTX

TTX

TV

**Materials:**  
Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52 - 1.58)  
Trivex  
Polycarbonate

**Standard Progressive**  
**PAL Design on Front side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:**  
15mm  
**Available as:** Clear; Photochromic;  
**Available in:** US and Canada



## Shore Lens Company | Shoreview Mini ES

468



**M**

**S**

**S**

**S**

**S**

**F**



### Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

### Filters:

Photochromic

### Standard Progressive

**PAL Design on Front side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


15mm

**Available as:** Clear; Photochromic;

**Available in:** US Only

## Signet Armorlite, Inc. | Crossbows Custom U

469



**M**

**I**

**Δ**

**P**

**◇**

**⊥**

### Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

### Custom Progressive Design

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


13mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Signet Armorlite, Inc. | Crossbows Custom V

470



**M**

**I**

**Δ**

**P**

**◇**

**⊥**

### Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

### Custom Progressive Design

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

13mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Signet Armorlite, Inc. | Crossbows Junior

471



**M**

**I**

**P**

**⊥**

### Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Polycarbonate

Plastic High Index (1.66 - 1.67)

### Standard Progressive

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**


13mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Signet Armorlite, Inc. | DirecTek

472




<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>I</b>	Plastic Mid-Index (1.52 - 1.58)
<b>Δ</b>	Trivex
<b>P</b>	Polycarbonate
<b>⊥</b>	Plastic High Index (1.66 - 1.67)
<b>7</b>	Plastic Ultra High Index (> 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
16.5mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## Signet Armorlite, Inc. | DirecTek Short

473




<b>M</b>	<b>Materials:</b>
<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>I</b>	Plastic Mid-Index (1.52 - 1.58)
<b>Δ</b>	Trivex
<b>P</b>	Polycarbonate
<b>⊥</b>	Plastic High Index (1.66 - 1.67)
<b>7</b>	Plastic Ultra High Index (> 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
13.5mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## Signet Armorlite, Inc. | Kodak Precise

474




<b>M</b>	<b>Materials:</b>
	Plastic (CR39 and 1.50)
<b>P</b>	Polycarbonate
<b>⊥</b>	Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## Signet Armorlite, Inc. | KODAK Precise PB

475




<b>M</b>	<b>Materials:</b>
	Plastic (CR39 and 1.50)
<b>I</b>	Plastic Mid-Index (1.52 - 1.58)
<b>Δ</b>	Trivex
<b>P</b>	Polycarbonate
<b>◇</b>	Plastic High Index (1.60)
<b>⊥</b>	Plastic High Index (1.66 - 1.67)
<b>7</b>	Plastic Ultra High Index (> 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## Signet Armorlite, Inc. | Kodak Precise Short

476



**M**

no symbol

**P**

**Materials:**

Plastic (CR39 and 1.50)

Polycarbonate

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic;

Available in: US and Canada

## Signet Armorlite, Inc. | KODAK Precise Short PB

477



**M**

**I**

**Δ**

**P**

**◇**

**⊥**

**7**

**Materials:**

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Signet Armorlite, Inc. | KODAK SoftWear

478



**M**

**M**

**I**

**P**

**⊥**

**Materials:**

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Polycarbonate

Plastic High Index (1.66 - 1.67)

Near Variable Focus

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:


17mm

Available as: Clear

Available in: US and Canada

## Signet Armorlite, Inc. | Kodak Unique

479



**M**

no symbol

**I**

**Δ**

**P**

**6**

**⊥**

**7**

**Materials:**

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

## Signet Armorlite, Inc. | KODAK Unique DRO

480



**M**

### Materials:

Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52 - 1.58)  
Trivex

### Standard Progressive

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

13mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

**I**

**Δ**

**P**

**◇**

**⊥**

**7**

Polycarbonate


Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

## Signet Armorlite, Inc. | KODAK Unique DRO HD

481



**M**

### Materials:

Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52 - 1.58)  
Trivex

### Custom Progressive Design

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

13mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

**I**

**Δ**

**P**

**◇**

**⊥**

**7**

Polycarbonate


Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

## Signet Armorlite, Inc. | Navigator FBS

482



**M**

### Materials:

Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52 - 1.58)  
Trivex

### Standard Progressive

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

18mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

**I**

**Δ**

**P**

**⊥**

**7**

Polycarbonate

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

## Signet Armorlite, Inc. | Navigator Precision

483



**M**

**no symbol**

### Materials:

Plastic (CR39 and 1.50)

### Standard Progressive

**PAL Design on Front side**

**Fitting cross location:** 2mm above 180 line

**Rec. minimum fitting height:**


20mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US and Canada

## Signet Armorlite, Inc. | Navigator Short

484



M  
O

**Materials:**  
Plastic (CR39 and 1.50)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
14mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## SOLA Optical | Compact ULTRA HD

485



This lens was discontinued in 2016


M  
H  
T  
P  
F  
M

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic Ultra High Index (> 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
13mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## SOLA Optical | Percepta

486



This lens was discontinued in 2010


M  
H  
S  
P  
6

**Materials:**  
Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52 - 1.58)  
Polycarbonate  
Plastic High Index (1.60)  
Glass High Index (> 1.60)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## SOLA Optical | SOLA HDV

487



This lens was discontinued in 2016

M  
H  
T  
P  
F  
M

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
13mm  
Available as: Clear; Photochromic; Polarized  
Available in: Canada Only

## SOLA Optical | SOLAOne HD

488



This lens was discontinued in 2016

M  
H  
T  
P  
F  
M

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## SOLA Optical | VIP Gold

489



This lens was discontinued in 2012

M

**Materials:**  
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## SOLA Optical | Visuality

490



This lens was discontinued in 2009

M  
H  
S  
P

**Materials:**  
Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52 - 1.58)  
Polycarbonate

PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## SOLA Optical | XL

491



This lens was discontinued in 2010

M

**Materials:**  
Plastic (CR39 and 1.50)  
Polycarbonate  
Glass (1.523)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## SOLA Optical | XL Gold

492



This lens was discontinued in 2010

M

**Materials:**  
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## SOMO Optical | EZ View Mini

493



M

**Materials:**  
Polycarbonate

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
16mm  
Available as: Clear  
Available in: US and Canada

## SOMO Optical | EZ View Std

494



M

**Materials:**  
Polycarbonate

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
20mm  
Available as: Clear  
Available in: US and Canada

## Sutherlin Optical, Inc. | Overture

495



M

\*  
P  
6  
67

**Materials:**  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## US Optical | Advanced HD

496



M


15  
TR  
TX  
PC  
16  
67  
74

**Materials:**  
Plastic (CR39 and 1.50)  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66 - 1.67)  
Plastic Ultra High Index (> 1.67)

Standard Progressive  
PAL Design on Back side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
14mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## US Optical | Ultimate HD

497



M

15  
TR  
TX  
PC  
16  
74

**Materials:**  
Plastic (CR39 and 1.50)  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic Ultra High Index (> 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 14mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## US Optical | Wrap HD

498



M


15  
TR  
TX  
PC  
16  
74

**Materials:**  
Plastic (CR39 and 1.50)  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic Ultra High Index (> 1.67)

**Standard Progressive**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:** 14mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US and Canada

## Vision Dynamics Lab/Optical Dynamics | Continual Focus Lens (CFL)

499




M

**Materials:**  
Plastic Mid-Index (1.52 - 1.58)

**Standard Progressive**  
**PAL Design on Front side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:** 18mm  
**Available as:** Clear; Photochromic;  
**Available in:** US and Canada

## Vision Dynamics Lab/Optical Dynamics | Paradigm Progressive 500



M

**Materials:**  
Plastic Mid-Index (1.52 - 1.58)

**Standard Progressive**  
**PAL Design on Front side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:** 20mm  
**Available as:** Clear; Photochromic;  
**Available in:** US and Canada



## Vision Dynamics Lab/Optical Dynamics | Paradigm Short Corridor



M

**Materials:**  
Plastic Mid-Index (1.52 - 1.58)

**501**

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
16mm  
Available as: Clear; Photochromic;  
Available in: US and Canada

## Vision Warehouse | Stealth 15




M

**Materials:**  
Trivex

**502**

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear  
Available in: US and Canada

## Vision-Ease Lens, Inc. | Illumina



This lens was discontinued in 2016


M

**Materials:**  
Plastic (CR39 and 1.50)  
Polycarbonate

**503**

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## Vision-Ease Lens, Inc. | Novel




M

**Materials:**  
Polycarbonate

**504**

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
16mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## Vision-Ease Lens, Inc. | Novella Short Corridor




M

**Materials:**  
Plastic (CR39 and 1.50)  
Polycarbonate

**505**

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
14mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada



**Materials:**

Plastic (CR39 and 1.50)  
Polycarbonate

**Standard Progressive**

**PAL Design on Front side**


**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

18mm

**Available as:**

**Available in:** US and Canada



**Materials:**

<b>15</b>	Plastic (CR39 and 1.50)
<b>TR</b>	Plastic (CR39 and 1.50)
<b>PZ</b>	Plastic (CR39 and 1.50)
<b>X5</b>	Plastic (CR39 and 1.50)
<b>Dw</b>	Plastic (CR39 and 1.50)
<b>TX</b>	Trivex
<b>TTX</b>	Trivex
<b>XX</b>	Trivex
<b>PC</b>	Polycarbonate
<b>PPZ</b>	Polycarbonate
<b>PX</b>	Polycarbonate
<b>PD</b>	Polycarbonate
<b>16</b>	Plastic High Index (1.60)
<b>T6</b>	Plastic High Index (1.60)
<b>PZ6</b>	Plastic High Index (1.60)
<b>X6</b>	Plastic High Index (1.60)
<b>67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>PZ67</b>	Plastic High Index (1.66 - 1.67)
<b>X67</b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

**Standard Progressive**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

Several

**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only



<b>M</b>	<b>Materials:</b>
<b>15</b>	Plastic (CR39 and 1.50)
<b>TR</b>	Plastic (CR39 and 1.50)
<b>PZ</b>	Plastic (CR39 and 1.50)
<b>X5</b>	Plastic (CR39 and 1.50)
<b>Dw</b>	Plastic (CR39 and 1.50)
<b>TX</b>	Trivex
<b>TTX</b>	Trivex
<b>XX</b>	Trivex
	Trivex
<b>PC</b>	Polycarbonate
<b>PPZ</b>	Polycarbonate
<b>PX</b>	Polycarbonate
<b>PD</b>	Polycarbonate
	Polycarbonate
<b>16</b>	Plastic High Index (1.60)
<b>T6</b>	Plastic High Index (1.60)
<b>PZ6</b>	Plastic High Index (1.60)
<b>X6</b>	Plastic High Index (1.60)
<b>67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>PZ67</b>	Plastic High Index (1.66 - 1.67)
<b>X67</b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

**Standard Progressive****PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

Several

**Available as:** Clear; Photochromic; Polarized**Available in:** US Only



	<b>M</b>	Materials:
<b>15</b>		Plastic (CR39 and 1.50)
<b>TR</b>		Plastic (CR39 and 1.50)
<b>PZ</b>		Plastic (CR39 and 1.50)
<b>X5</b>		Plastic (CR39 and 1.50)
<b>Dw</b>		Plastic (CR39 and 1.50)
<b>TX</b>		Trivex
<b>TTX</b>		Trivex
<b>XX</b>		Trivex
		Trivex
<b>PC</b>		Polycarbonate
<b>PPZ</b>		Polycarbonate
<b>PX</b>		Polycarbonate
<b>PD</b>		Polycarbonate
		Polycarbonate
<b>16</b>		Plastic High Index (1.60)
<b>T6</b>		Plastic High Index (1.60)
<b>PZ6</b>		Plastic High Index (1.60)
<b>X6</b>		Plastic High Index (1.60)
<b>67</b>		Plastic High Index (1.66 - 1.67)
<b>T67</b>		Plastic High Index (1.66 - 1.67)
<b>PZ67</b>		Plastic High Index (1.66 - 1.67)
<b>X67</b>		Plastic High Index (1.66 - 1.67)
<b>74</b>		Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**

**PAL Design on Back side**


**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

14mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only

**M**

<b>15</b>	Plastic (CR39 and 1.50)
<b>TR</b>	Plastic (CR39 and 1.50)
<b>PZ</b>	Plastic (CR39 and 1.50)
<b>X5</b>	Plastic (CR39 and 1.50)
<b>Dw</b>	Plastic (CR39 and 1.50)
<b>TX</b>	Trivex
<b>TTX</b>	Trivex
<b>XX</b>	Trivex
	Trivex
<b>PC</b>	Polycarbonate
<b>PPZ</b>	Polycarbonate
<b>PX</b>	Polycarbonate
<b>PD</b>	Polycarbonate
	Polycarbonate
<b>16</b>	Plastic High Index (1.60)
<b>T6</b>	Plastic High Index (1.60)
<b>PZ6</b>	Plastic High Index (1.60)
<b>X6</b>	Plastic High Index (1.60)
<b>67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>PZ67</b>	Plastic High Index (1.66 - 1.67)
<b>X67</b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

**Materials:****Custom Progressive Design****PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

12mm

**Available as:** Clear; Photochromic; Polarized**Available in:** US Only



<b>M</b>	<b>Materials:</b>
<b>15</b>	Plastic (CR39 and 1.50)
<b>TR</b>	Plastic (CR39 and 1.50)
<b>PZ</b>	Plastic (CR39 and 1.50)
<b>X5</b>	Plastic (CR39 and 1.50)
<b>Dw</b>	Plastic (CR39 and 1.50)
<b>TX</b>	Trivex
<b>TTX</b>	Trivex
<b>XX</b>	Trivex
	Trivex
<b>PC</b>	Polycarbonate
<b>PPZ</b>	Polycarbonate
<b>PX</b>	Polycarbonate
<b>PD</b>	Polycarbonate
	Polycarbonate
<b>16</b>	Plastic High Index (1.60)
<b>T6</b>	Plastic High Index (1.60)
<b>PZ6</b>	Plastic High Index (1.60)
<b>X6</b>	Plastic High Index (1.60)
<b>67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>PZ67</b>	Plastic High Index (1.66 - 1.67)
<b>X67</b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

12mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only



<b>M</b>	<b>Materials:</b>
<b>15</b>	Plastic (CR39 and 1.50)
<b>TR</b>	Plastic (CR39 and 1.50)
<b>PZ</b>	Plastic (CR39 and 1.50)
<b>X5</b>	Plastic (CR39 and 1.50)
<b>Dw</b>	Plastic (CR39 and 1.50)
<b>TX</b>	Trivex
<b>TTX</b>	Trivex
<b>XX</b>	Trivex
	Trivex
<b>PC</b>	Polycarbonate
<b>PPZ</b>	Polycarbonate
<b>PX</b>	Polycarbonate
<b>PD</b>	Polycarbonate
	Polycarbonate
<b>16</b>	Plastic High Index (1.60)
<b>T6</b>	Plastic High Index (1.60)
<b>PZ6</b>	Plastic High Index (1.60)
<b>X6</b>	Plastic High Index (1.60)
<b>67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>PZ67</b>	Plastic High Index (1.66 - 1.67)
<b>X67</b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**

**PAL Design on Back side**

**Fitting cross location:** 4mm above 180 line

**Rec. minimum fitting height:**

12mm

**Available as:** Clear; Photochromic; Polarized

**Available in:** US Only

**M**

<b>15</b>	Plastic (CR39 and 1.50)
<b>TR</b>	Plastic (CR39 and 1.50)
<b>PZ</b>	Plastic (CR39 and 1.50)
<b>X5</b>	Plastic (CR39 and 1.50)
<b>Dw</b>	Plastic (CR39 and 1.50)
<b>TX</b>	Trivex
<b>TTX</b>	Trivex
<b>XX</b>	Trivex
	Trivex
<b>PC</b>	Polycarbonate
<b>PPZ</b>	Polycarbonate
<b>PX</b>	Polycarbonate
<b>PD</b>	Polycarbonate
	Polycarbonate
<b>16</b>	Plastic High Index (1.60)
<b>T6</b>	Plastic High Index (1.60)
<b>PZ6</b>	Plastic High Index (1.60)
<b>X6</b>	Plastic High Index (1.60)
<b>67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>PZ67</b>	Plastic High Index (1.66 - 1.67)
<b>X67</b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

**Materials:**

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (&gt; 1.67)

**Near Variable Focus****PAL Design on Back side****Fitting cross location:** 2mm above 180 line**Rec. minimum fitting height:**

14mm

**Available as:** Clear; Photochromic; Polarized**Available in:** US Only



**M**

<b>15</b>	Plastic (CR39 and 1.50)
<b>TR</b>	Plastic (CR39 and 1.50)
<b>PZ</b>	Plastic (CR39 and 1.50)
<b>X5</b>	Plastic (CR39 and 1.50)
<b>Dw</b>	Plastic (CR39 and 1.50)
<b>TX</b>	Trivex
<b>TTX</b>	Trivex
<b>XX</b>	Trivex
	Trivex
<b>PC</b>	Polycarbonate
<b>PPZ</b>	Polycarbonate
<b>PX</b>	Polycarbonate
<b>PD</b>	Polycarbonate
	Polycarbonate
<b>16</b>	Plastic High Index (1.60)
<b>T6</b>	Plastic High Index (1.60)
<b>PZ6</b>	Plastic High Index (1.60)
<b>X6</b>	Plastic High Index (1.60)
<b>67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>PZ67</b>	Plastic High Index (1.66 - 1.67)
<b>X67</b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

**Materials:**

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (&gt; 1.67)

**Near Variable Focus****PAL Design on Back side****Fitting cross location:** 2mm above 180 line**Rec. minimum fitting height:**


14mm

**Available as:** Clear; Photochromic; Polarized**Available in:** US Only



<b>M</b>	<b>Materials:</b>
<b>15</b>	Plastic (CR39 and 1.50)
<b>TR</b>	Plastic (CR39 and 1.50)
<b>PZ</b>	Plastic (CR39 and 1.50)
<b>X5</b>	Plastic (CR39 and 1.50)
<b>Dw</b>	Plastic (CR39 and 1.50)
<b>TX</b>	Trivex
<b>TTX</b>	Trivex
<b>XX</b>	Trivex
	Trivex
<b>PC</b>	Polycarbonate
<b>PPZ</b>	Polycarbonate
<b>PX</b>	Polycarbonate
<b>PD</b>	Polycarbonate
	Polycarbonate
<b>16</b>	Plastic High Index (1.60)
<b>T6</b>	Plastic High Index (1.60)
<b>PZ6</b>	Plastic High Index (1.60)
<b>X6</b>	Plastic High Index (1.60)
<b>67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>PZ67</b>	Plastic High Index (1.66 - 1.67)
<b>X67</b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

**Custom Progressive Design**  
**PAL Design on Back side**  
**Fitting cross location:** 4mm above 180 line  
**Rec. minimum fitting height:**  
 12mm  
**Available as:** Clear; Photochromic; Polarized  
**Available in:** US Only



**M**

<b>15</b>	Plastic (CR39 and 1.50)
<b>TR</b>	Plastic (CR39 and 1.50)
<b>PZ</b>	Plastic (CR39 and 1.50)
<b>X5</b>	Plastic (CR39 and 1.50)
<b>Dw</b>	Plastic (CR39 and 1.50)
<b>TX</b>	Trivex
<b>TTX</b>	Trivex
<b>XX</b>	Trivex
	Trivex
<b>PC</b>	Polycarbonate
<b>PPZ</b>	Polycarbonate
<b>PX</b>	Polycarbonate
<b>PD</b>	Polycarbonate
	Polycarbonate
<b>16</b>	Plastic High Index (1.60)
<b>T6</b>	Plastic High Index (1.60)
<b>PZ6</b>	Plastic High Index (1.60)
<b>X6</b>	Plastic High Index (1.60)
<b>67</b>	Plastic High Index (1.66 - 1.67)
<b>T67</b>	Plastic High Index (1.66 - 1.67)
<b>PZ67</b>	Plastic High Index (1.66 - 1.67)
<b>X67</b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

12mm

Available as: Clear; Photochromic; Polarized

Available in: US Only



**M**

<b>no symbol</b>	Plastic (CR39 and 1.50)
<b>TX</b>	Trivex
<b>P</b>	Polycarbonate
<b>6</b>	Plastic High Index (1.60)
<b>67</b>	Plastic High Index (1.66 - 1.67)
<b>74</b>	Plastic Ultra High Index (> 1.67)

Near Variable Focus

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

## X-CEL Optical | Freedom ID

518




M

**Materials:**  
Trivex  
Polycarbonate

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## X-CEL Optical | Freedom ID

519



M

**Materials:**  
Plastic (CR39 and 1.50)  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## X-CEL Optical | Freedom ID

520




M

**Materials:**  
Glass (1.523)  
Glass High Index (> 1.60)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
17mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## Younger Optics | Adage

521



M

**Materials:**  
Trivex  
Polycarbonate

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
13mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## Younger Optics | Image

522



M

HI

**Materials:**  
Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.66 - 1.67)

Standard Progressive  
PAL Design on Front side  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
18mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

## Younger Optics | Image

523



M

**Materials:**  
Trivex

**Standard Progressive**  
**PAL Design on Front side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:**  
18mm  
**Available as:** Clear; Photochromic;  
**Available in:** US and Canada

## Zeal Optics | Zeal Digital Progressive

524



M

**Materials:**  
Polycarbonate

**Custom Progressive Design**  
**PAL Design on Back side**  
**Fitting cross location:** 2mm above 180 line  
**Rec. minimum fitting height:**  
18mm  
**Available as:** Polarized  
**Available in:** US and Canada