

How to Use This Catalog

Each lens in this catalog is labeled with a sequential number (Item Number), shown in the right hand corner of the lens entry. In each index, symbols and lens characteristics are listed along with their relevant lens item numbers. To find a lens in the catalog, locate the item number(s) in one of the indexes below and then simply flip to the section containing the relevant item numbers.

Index by Symbol

| Symbol | Item # | Symbol | Item # | Symbol | Item # |
|--------|---|--------|---------------------------|--------|---|
| * | 70, 79, 82, 85-87, 90, 92-94, 96 | | 106 | | 450-454, 459-465 |
| — | 172 | | 315, 317 | | 444 |
| == | 178-179 | | 308 | | 517 |
| ^ | 40, 52, 54-55, 58, 304 | | 523 | | 441 |
| | 298-301 | | 105 | | 315, 331, 336, 340, 344, 347, 424-425 |
| | 311 | | 123-124 | | 333, 339, 345, 352 |
| | 521 | | 483-484 | | 358 |
| ○ | 1-2, 5-8, 10-11, 15, 23-24, 45, 47, 63-64, 73-74, 76-77, 98-110, 113-118, 120-121, 123-124, 126-158, 160-219, 222-232, 243-256, 261-267, 302-306, 308-314, 318-326, 328-329, 332, 334, 337-338, 342, 346, 348, 350-351, 353-355, 361, 364-399, 401-409, 421-423, 433, 435-437, 440-444, 446-448, 466-468, 495, 500, 502, 504-517, 519 | | 463 | | 400 |
| | 59 | | 449-450 | | 172, 187, 192 |
| | 9, 43, 485 | | 180 | | 160, 171, 182, 188-190 |
| | 23, 74 | | 411-420 | + | 133, 469-484, 499, 501 |
| | 330, 341, 360 | | 177 | | 427, 429-430 |
| | 24, 73, 77, 327, 335, 343, 349 | | 475, 477 | | 312, 431 |
| | 16, 36, 490 | | 472-473 | | 257-260 |
| | 59 | | 191 | | 410, 432 |
| | 97 | | 135 | | 115, 145-147 |
| | 486 | | 192 | | 134 |
| | 233-242, 426, 428 | | 193-195 | | 27 |
| | 112, 125, 317, 356-359, 434, 493-494, 518 | | 120 | | 27, 159, 435, 503 |
| | 61-62 | | 121, 169-170 | | 20-22, 25-26, 28-35, 60, 65-72, 75, 78-96 |
| | 305 | | 160, 171-172 | | 41, 488 |
| | 37, 39-40, 42, 44, 46, 48-58 | | 161-162, 164-168, 178-180 | | 495 |
| | 140 | | 181-183 | | 307, 316 |
| | 141 | | 173-175, 177, 184-186 | | 355-359 |
| | 138, 142 | | 187 | | 11-14 |
| | 144 | | 163 | | 520 |
| | 136 | | 452 | | 451 |
| | 143 | | 176 | | 220-221, 472-474 |
| | | | 337 | | 198, 252 |
| | | | 116-117, 151-152, 154 | | 216-217 |
| | | | 118, 156-158 | | 411-413, 415, 426, 437 |
| | | | 503 | | 364-366 |
| | | | 487 | | 370-371 |
| | | | 524 | | 372-373 |
| | | | 442 | | |
| | | | 449, 455 | | |

Symbol

Item #

137, 139

Symbol


Item #

360

440



| Symbol | Item # | Symbol | Item # | Symbol | Item # |
|----------------|---|----------------|---------------------------|-------------------|--|
| 2N | 31 | CC | 402 | ES | 46, 207, 209, 461 |
| 2S50 | 367-369 | CD | 263-264 | ESP | 228 |
| 2S59 | 374-377 | CE | 18 | ET | 214 |
| 2S60 | 378-381 | CH | 65, 403 | EUS | 229 |
| 2S67 | 382-385 | CHD | 220 | EV | 19, 48, 242 |
| 3 | 243-249, 251, 253-267 | CHS | 221 | EW | 49-50 |
| 3 | 20, 360, 386, 445 | CHV | 40 | E <u>W</u> | 167, 185 |
| 3V60 | 388-390 | C _J | 471 | EWP | 230 |
| 3V | 32 | CL | 426 | EXC | 208 |
| 4D | 194 | CN | 217 | F | 10, 17-19, 39-42, 44, 46, 48, 50-59, 61-62, 195, 255-262, 485, 487-488 |
| 5 | 424-425 | CP | 16, 66 | FF | 198, 453 |
| 6 | 47, 113-115, 118, 121, 123-124, 127-128, 130-131, 136-137, 141, 143-147, 154-158, 161-165, 169-170, 173-181, 183, 420, 426-427, 430-431, 479, 517 | CS | 404 | FFC | 459 |
| 7 | 9, 416-419 | C _U | 469 | FFO | 454 |
| 15 | 449 | CU | 43, 485 | FFW | 465 |
| 16 | 401-409, 455, 496-498, 507-516 | C _V | 470 | F <u>W</u> | 168, 186 |
| 50 | 21, 245, 248, 264, 266, 447 | CV | 67 | G4 | 393 |
| 60 | 22, 26, 28-34, 43, 65-72, 78-96, 98-106, 391-400, 410-415, 421-423, 432, 436-437, 443, 445-446, 448 | CW | 405 | G | 252 |
| 67 | 75, 116-117, 126, 129, 132-134, 138-139, 142, 150-153 | CX | 427 | H53 | 212-213 |
| 100 | 85 | D3 | 132-133 | H60 | 364-390 |
| 200 | 86 | D | 68, 113-114, 130-131, 202 | H | 5, 36-37, 109, 201-202, 259-260, 416, 490 |
| 360° | 387 | DS | 69 | h | 315, 317 |
| 400 | 87 | DEM | 72 | I2 | 79 |
| A ₃ | 455 | DLS | 216-217 | I | 78, 255, 356 |
| A | 36, 125-126, 129, 215, 243-245, 496 | DNA | 204 | / | 26 |
| a | 33-34 | DSI | 70 | IB | 237 |
| A | 30 | E | 108, 222, 233, 460 | III6 | 112 |
| ABC | 105-106 | e | 231 | IS | 310 |
| AC | 38-39 | EA | 42, 223, 240 | K ₊ | 474-475 |
| AF | 216 | EBA | 224, 232 | K | 478 |
| AO+ | 6 | EDR | 225, 234-236 | KB | 302-303, 306 |
| AO | 3 | EH | 75 | K _{DRO} | 480 |
| AOB | 7 | EK | 215, 218-219 | K _{DSII} | 481 |
| AOT | 8 | EI | 298 | Ks | 476-477 |
| AS | 246-248, 355, 453 | EIP 1 | 301 | K _U | 479 |
| B | 21-22, 412, 422 | EIP 5 | 299 | L3v | 82 |
| B | 15, 64 | EIP 7 | 300 | L | 256-261, 430 |
| bA | 1 | EL | 206 | LD | 80-81 |
| BIQ | 318 | ELC | 205 | LX | 410 |
| BPS | 196 | EM | 44 | M | 49, 200, 204-208, 210-214, 262, 298-301, 418, 478 |
| C | 45, 220-221, 257-258, 433 | EN | 241 | MK | 83 |
| c | 361 | EOH | 238 | MKI | 84 |
| CA | 401 | EP | 227 | N3 | 353-354 |
| CAO2 | 62 | EPC | 226 | N4 | 425 |
| CAOC | 61 | ER | 210 | N8A | 424 |

| Symbol | Item # | Symbol | Item # | Symbol | Item # |
|------------|---|---|---|------------|---|
| N | 394, 482 | PX | 432, 507 | UHV | 56 |
| <i>Nb</i> | 349-350 | Q | 499 | V | 318, 406 |
| <i>NC</i> | 343-345, 347, 352 | QS | 399 | VCP | 407 |
| NE | 148 | QU | 398 | Ve | 511 |
| <i>NM</i> | 341-342 | <i>R</i> | 410-411, 414-421, 424-431 | VEL | 506 |
| no symbol | 2, 45, 107-110, 120, 125, 159, 222-232, 476, 483 | RD | 27 | VG | 489 |
| NS | 149, 326 | RNA | 211 | VI | 510 |
| NX | 150 | ROL | 391-399 | Vo1 | 513 |
| O | 357, 484 | S | 28, 63, 107, 114, 129, 131, 159, 183, 239, 359, 420, 438-439, 445, 447, 466, 468, 484 | Vo5 | 514 |
| ODC | 500 |  | 17-19, 38, 41, 486-489, 491-492 | Vm | 512 |
| OFF | 392 | SA | 98 | Vp | 515 |
| ONM | 102 | SB | 99 | Vw | 516 |
| OOM | 103 | SC | 100, 501 | VW | 408 |
| OPM | 104 | SD | 101 | VX | 203 |
| OS | 85-87 | SE | 17 | W | 244, 247, 249, 251, 253, 336, 344-345, 438, 448 439, 473, 498 |
| p2 | 88 | SH | 53 | W | 166, 184 |
| P2 | 89 | SIG | 400 | WG | 57 |
| P | 12, 97, 135, 148-149, 191, 204-211, 214, 219, 326, 362-363, 413, 423, 429 | SIN | 93 | WO | 58 |
| <i>p</i> | 3-4 | SL | 446 | WR | 59 |
| PC | 434, 494 | SP3 | 256, 261, 414 | WR | 139 |
| PE | 2 | SP | 265-266, 309, 339-340 | X | 11, 13-14, 201, 250 |
| PE | 10 | SPL | 94 | X/H | 417 |
| PEM | 71 | SPP | 338, 354 | XL | 491 |
| PF | 396 | SPU | 95 | XLG | 492 |
| PH | 51, 395 | SSB | 96 | X/M | 419 |
| PL | 90 | STY | 192 | XP | 409 |
| PM | 320, 363 | SW | 478 | XPV | 212 |
| PN | 397 | T | 8, 29, 200, 254, 267 | XS | 76 |
| PP | 353 | TLX | 324 | XSV | 213 |
| PRO | 4 | TTX | 467 | Y | 244, 247, 249, 251, 267, 322, 522 |
| PS | 92, 319, 362 | U | 497 | Z | 110 |
| PU | 91 | UH | 54 | | |
| PW | 509 | UHC | 55 | | |

Index by Lens Name

| Lens Name | Company Name | Item # | Lens Name | Company Name | Item # |
|--|------------------------------------|--------|-----------------------------|--------------------------------------|--------|
| Acclaim OEM PAL #1 and #2** | Walman - Soderberg | 517 | Ce-Tru Normal Corridor | L.B.I. | 307 |
| Accolade | Essilor of America, Inc. | 123 | Ce-Tru Polarized | L.B.I. | 308 |
| Accolade Freedom | Essilor of America, Inc. | 124 | Progressive | | |
| Acuity 9/11/13 | PFO Global | 355 | Ce-Tru Short Corridor | L.B.I. | 309 |
| Adage | Younger Optics | 521 | Ce-Tru Short Corridor | L.B.I. | 310 |
| Adaptar | Essilor Canada | 111 | Photochr | | |
| Adaptar | Essilor of America, Inc. | 125 | Ce-Tru SunSensor | L.B.I. | 311 |
| Adaptar Digital | Essilor of America, Inc. | 126 | Channel 14 Plastic II | Landon Lens | 312 |
| Adaptar DS | Essilor Canada | 112 | Channel 14 Poly II | Landon Lens | 313 |
| Adaptar DS (Canada) | Essilor of America, Inc. | 127 | Channel 14 Variations Gray | Landon Lens | 314 |
| Adaptar DS Short (Canada) | Essilor of America, Inc. | 128 | & B | | |
| Adaptar Short Digital | Essilor of America, Inc. | 129 | Channel 14 Variations Poly | Landon Lens | 315 |
| Advanced HD | US Optical | 496 | Pho | | |
| AF2 | Seiko Optical Products | 433 | Clarlet Business | Carl Zeiss Vision | 15 |
| Amplitude | Hoya Vision Care | 243 | ClassicLife Free XS. M or L | Rodenstock Canada | 410 |
| Amplitude BKS | Hoya Vision Care | 244 | CLEARi Absolute-W 12 | CLEARi | 98 |
| Amplitude IQ | Hoya Vision Care | 245 | CLEARi DED 14 | CLEARi | 99 |
| Amplitude Mini | Hoya Vision Care | 246 | CLEARi DED 16 | CLEARi | 100 |
| Amplitude Mini BKS | Hoya Vision Care | 247 | CLEARi DED 19 | CLEARi | 101 |
| Amplitude Mini IQ | Hoya Vision Care | 248 | CLEARi OFFICE BOOK | CLEARi | 102 |
| AO b'Active | | 1 | CLEARi OFFICE | CLEARi | 103 |
| AO Easy | | 2 | COMPUTER | | |
| AO Easy | American Optical | 9 | CLEARi OFFICE ROOM | CLEARi | 104 |
| AO Easy HD | American Optical | 10 | Compact ULTRA HD | SOLA Optical | 485 |
| AO Force 55 | | 3 | Computer | Shamir Insight Inc. | 459 |
| AO Pro 15 | | 4 | Constitution HD | FEA Industries, Inc. | 220 |
| AO Pro 16 | | 5 | Constitution Short HD | FEA Industries, Inc. | 221 |
| APEX | Classic Optical Laboratories, Inc. | 97 | Continual Focus Lens (CFL) | Vision Dynamics Lab/Optical Dynamics | 499 |
| Array | Hoya Vision Care | 249 | Continuum | Carl Zeiss Vision | 16 |
| Array 2 | Hoya Vision Care | 250 | COZE ADL ADVANCED | Robertson Optical Laboratories, Inc. | 401 |
| Array Wrap | Hoya Vision Care | 251 | COZE CASATA | Robertson Optical Laboratories, Inc. | 402 |
| Attitude III Fashion 15 | Shamir Insight Inc. | 449 | COZE HDW | Robertson Optical Laboratories, Inc. | 403 |
| Attitude III Fashion 18 | Shamir Insight Inc. | 450 | COZE SOFT | Robertson Optical Laboratories, Inc. | 404 |
| Attitude III Sport | Shamir Insight Inc. | 451 | COZE WRAP | Robertson Optical Laboratories, Inc. | 405 |
| Augen HD Trinity Spacia SF | Augen Optics | 11 | Crossbows Custom U | Signet Armormlite, Inc. | 469 |
| AugenSol HD Trinity 13/17 | Augen Optics | 12 | Crossbows Custom V | Signet Armormlite, Inc. | 470 |
| Autograph II -Fixed & Var. Des | Shamir Insight Inc. | 452 | Crossbows Junior | Signet Armormlite, Inc. | 471 |
| Autograph II Attitude | Shamir Insight Inc. | 453 | DC mini | Seiko Optical Products | 434 |
| Autograph II Office | Shamir Insight Inc. | 454 | Definity | Essilor Canada | 113 |
| Autograph III Fixed & VAR. | Shamir Insight Inc. | 455 | Definity Short | Essilor of America, Inc. | 130 |
| Autograph Intelligence Fixed & VARI. | Shamir Insight Inc. | 456 | Definity Short | Essilor Canada | 114 |
| Autograph II+ Fixed & VARI. | Shamir Insight Inc. | 457 | Definity 3 | Essilor of America, Inc. | 131 |
| Autograph Relax | Shamir Insight Inc. | 458 | Definity 3 Plus | Essilor of America, Inc. | 133 |
| Balance Digital 12 | Nikon Optical Canada | 327 | DirecTek | Signet Armormlite, Inc. | 472 |
| Balance Digital 14 | Nikon Optical Canada | 328 | DirecTek Short | Signet Armormlite, Inc. | 473 |
| Blue IQ Variable Progressive | Lenscrafters | 318 | DLS Advanced PAL | Eye Kraft Optical, Inc. | 215 |
| Camber Steady Plus Progressive | IOT | 272 | DLS Anti-Fatigue | Eye Kraft Optical, Inc. | 216 |
| Camber Steady Plus Progressive | IOT | 273 | DLS Camber Near | Eye Kraft Optical, Inc. | 217 |
| Distance Vision | | | DLS PAL | Eye Kraft Optical, Inc. | 218 |
| Camber Steady Plus Progressive | IOT | 274 | DLS Pro PAL | Eye Kraft Optical, Inc. | 219 |
| Intermediate Vision | | | Eagle | FEA Industries, Inc. | 222 |
| Camber Steady Plus Progressive Near Vision | IOT | 275 | Eagle Apprentice | FEA Industries, Inc. | 223 |
| | | | Eagle Balance | FEA Industries, Inc. | 224 |
| | | | Eagle Driver | FEA Industries, Inc. | 225 |

| <u>Lens Name</u> | <u>Company Name</u> | <u>Item #</u> | <u>Lens Name</u> | <u>Company Name</u> | <u>Item #</u> |
|--|----------------------------|---------------|--|----------------------------------|---------------|
| Eagle PC | FEA Industries, Inc. | 226 | Essilor Ideal Advanced Fit | Essilor of America, Inc. | 138 |
| Eagle Precision | FEA Industries, Inc. | 227 | Essilor Ideal Advanced Wrap | Essilor of America, Inc. | 139 |
| Eagle Sport | FEA Industries, Inc. | 228 | Essilor Ideal Computer | Essilor of America, Inc. | 140 |
| Eagle Ultra Short | FEA Industries, Inc. | 229 | Essilor Ideal Driving | Essilor of America, Inc. | 141 |
| Eagle Workplace | FEA Industries, Inc. | 230 | Essilor Ideal Fit | Essilor of America, Inc. | 142 |
| Eaglet | FEA Industries, Inc. | 231 | Essilor Ideal Short | Essilor of America, Inc. | 143 |
| Eaglet Balance | FEA Industries, Inc. | 232 | Essilor Ideal Sport | Essilor of America, Inc. | 144 |
| EasyLux | Dehlawi Optical Industries | 105 | Essilor Natural | Essilor of America, Inc. | 145 |
| | | | Essilor Natural / Natural DS | Essilor Canada | 115 |
| Elan HD | Carl Zeiss Vision | 17 | Essilor Natural Digital | Essilor of America, Inc. | 146 |
| Elan HD Short | Carl Zeiss Vision | 18 | Executive/ ShoreView ES | Shore Lens Company | 466 |
| Elan HDV | Carl Zeiss Vision | 19 | Expert DNA™ | Expert Optics | 204 |
| Element | Shamir Insight Inc. | 460 | Expert Elite C™ | Expert Optics | 205 |
| Element Short | Shamir Insight Inc. | 461 | Expert Elite™ | Expert Optics | 206 |
| Endless Anti-fatigue Single Vision 0.50 D | IOT | 276 | Expert Essential® | Expert Optics | 207 |
| | | | Expert Extreme C™ | Expert Optics | 208 |
| Endless Anti-fatigue Single Vision 0.75 D | IOT | 277 | Expert Extreme™ | Expert Optics | 209 |
| | | | Expert Relief™ 50 and 75 | Expert Optics | 210 |
| Endless Anti-fatigue Single Vision 1.00 D | IOT | 278 | Expert RNA™ | Expert Optics | 211 |
| | | | Expert Sport Wrap XPV™ | Expert Optics | 212 |
| Endless Bifocal | IOT | 279 | (progressive) | | |
| Endless Drive Progressive | IOT | 280 | Expert Sport Wrap XSV™ (single vision) | Expert Optics | 213 |
| Endless Drive Single Vision | IOT | 281 | Expert Tween™ 1.3; 2.0; 4.0 | Expert Optics | 214 |
| Endless Office | IOT | 282 | EZ View Mini | SOMO Optical | 493 |
| Endless Office 1.3 m | IOT | 283 | EZ View Std | SOMO Optical | 494 |
| Endless Office 2 m | IOT | 284 | First PAL | Shamir Insight Inc. | 462 |
| Endless Office 4 m | IOT | 285 | Freedom ID | X-CEL Optical | 518-520 |
| Endless Pilot Progressive | IOT | 286 | Futureise | Polycore Optical | 362 |
| Endless Single Vision | IOT | 287 | Geo-FORM 11 | Rite-Style Optical Company, Inc. | 364 |
| Endless Sport Progressive | IOT | 288 | Geo-FORM 13 | Rite-Style Optical Company, Inc. | 365 |
| Endless Steady Progressive | IOT | 289 | Geo-FORM 15 | Rite-Style Optical Company, Inc. | 366 |
| Endless Steady Progressive Distance Vision | IOT | 290 | Geo-FORM AW 10 | Rite-Style Optical Company, Inc. | 367 |
| Endless Steady Progressive Intermediate Vision | IOT | 291 | Geo-FORM AW 12 | Rite-Style Optical Company, Inc. | 368 |
| Endless Steady Progressive Near Vision | IOT | 292 | Geo-FORM AW 14 | Rite-Style Optical Company, Inc. | 369 |
| EOS | KBco, Inc. | 302 | Geo-FORM EZ 13 | Rite-Style Optical Company, Inc. | 370 |
| EOS Wrap | KBco, Inc. | 303 | Geo-FORM EZ 15 | Rite-Style Optical Company, Inc. | 371 |
| epik Day 13/15/17/19/21 | GSRx | 233 | Geo-FORM EZ S 11 | Rite-Style Optical Company, Inc. | 372 |
| epik DRV 110/110 N+D4 | GSRx | 234 | Geo-FORM EZ S 13 | Rite-Style Optical Company, Inc. | 373 |
| epik DRV 50/50 N+D4 | GSRx | 235 | Golf | Shamir Insight Inc. | 463 |
| epik DRV 80/80 N+D4 | GSRx | 236 | Gradal 3 | Carl Zeiss Vision | 20 |
| epik iBifocal | GSRx | 237 | Gradal Brevis 1.5 | Carl Zeiss Vision | 21 |
| epik Office UltraHD, Book/Room/Desk | GSRx | 238 | Gradal Brevis 1.6 | Carl Zeiss Vision | 22 |
| epik Standard 14/17 | GSRx | 239 | Gradal Brevity 1.59 | Carl Zeiss Vision | 23 |
| epik Variable Active/Active N+D4 | GSRx | 240 | Gradal Brevity 1.67 | Carl Zeiss Vision | 24 |
| epik Variable Device/Device N+D4 | GSRx | 241 | Gradal HS (All) | Carl Zeiss Vision | 25 |
| epik Variable/Variable N+D4 | GSRx | 242 | Gradal Individual | Carl Zeiss Vision | 26 |
| Essential Steady Progressive | IOT | 293 | Gradal RD | Carl Zeiss Vision | 27 |
| Essential Steady Progressive Distance Vision | IOT | 294 | Gradal Shorti | Carl Zeiss Vision | 28 |
| | | | Gradal Top | Carl Zeiss Vision | 29 |
| Essential Steady Progressive Intermediate Vision | IOT | 295 | GT2 | Carl Zeiss Vision | 30 |
| | | | GT2 3D | Carl Zeiss Vision | 31 |
| Essential Steady Progressive Near Vision | IOT | 296 | | | |
| Essilor Anti-Fatigue | Essilor of America, Inc. | 134 | | | |
| Essilor Computer | Essilor of America, Inc. | 135 | | | |
| Essilor Ideal | Essilor of America, Inc. | 136 | | | |
| Essilor Ideal Advanced | Essilor of America, Inc. | 137 | | | |

| Lens Name | Company Name | Item # | Lens Name | Company Name | Item # |
|------------------------------|------------------------|---------------|---------------------------|---|---------------|
| GT2 3D 3DV | Carl Zeiss Vision | 32 | Kodak Unique | Signet Armorlite, Inc. | 479 |
| GT2 3D Short | Carl Zeiss Vision | 33 | KODAK Unique DRO | Signet Armorlite, Inc. | 480 |
| GT2 Short | Carl Zeiss Vision | 34 | KODAK Unique DRO HD | Signet Armorlite, Inc. | 481 |
| HD Trinity 13/17 SF | Augen Optics | 13 | Maui Passport Progressive | Maui Jim | 321 |
| HD Trinity 8/12 SF | Augen Optics | 14 | Melibrad Progressive | Melibrad | 322 |
| Hoyalux GP | Hoya Vision Care | 252 | Micro | Polycore Optical | 363 |
| Hoyalux GPW | Hoya Vision Care | 253 | MOVE | Nikon Optical Canada | 329 |
| Hoyalux Tact (EP40 and 60) | Hoya Vision Care | 254 | Move Digital 13 | Nikon Optical USA | 341 |
| HyperPro | PFO Optima LLC | 360 | Move Digital 15 | Nikon Optical USA | 342 |
| ID InStyle | Hoya Vision Care | 255 | MOVE Short | Nikon Optical Canada | 330 |
| ID Lifestyle | Hoya Vision Care | 256 | Multigressiv MyView 2 XS, | Rodenstock Canada | 421 |
| iD LifeStyle 2 Clarity | Hoya Vision Care | 257 | M, L | | |
| ID LifeStyle 2 Clarity cd | Hoya Vision Care | 258 | Mvp Platinum Plastic II | Landon Lens | 316 |
| ID LifeStyle 2 Harmony | Hoya Vision Care | 259 | MyView Ergo 2 Book | Rodenstock Canada | 422 |
| ID LifeStyle 2 Harmony cd | Hoya Vision Care | 260 | MyView Ergo 2 PC or Room | Rodenstock Canada | 423 |
| ID Lifestyle cd | Hoya Vision Care | 261 | Nalco Progressive | Nassau Lens Company | 325 |
| ID Mystyle | Hoya Vision Care | 262 | Natural DS (Canada) | Essilor of America, Inc. | 147 |
| identity home 9/11/13 | PFO Global | 356 | Navigator FBS | Signet Armorlite, Inc. | 482 |
| identity play 9/11/13 | PFO Global | 357 | Navigator Precision | Signet Armorlite, Inc. | 483 |
| identity pro | PFO Global | 358 | Navigator Short | Signet Armorlite, Inc. | 484 |
| identity smart 9/11/13 | PFO Global | 359 | Nexyma Computer (80) | Rodenstock Canada | 424 |
| Illumina | Vision-Ease Lens, Inc. | 503 | Nexyma Reading (40) | Rodenstock Canada | 425 |
| Image | Younger Optics | 522 | Nikon Eyes Advanced | Essilor of America, Inc. | 148 |
| Image | Younger Optics | 523 | Nikon Eyes Advanced Short | Essilor of America, Inc. | 149 |
| Impression 2 XS, M, or L | Rodenstock Canada | 411 | Nikon Eyes Customized | Essilor of America, Inc. | 150 |
| Impression Ergo 2 Book | Rodenstock Canada | 412 | Nikon Go | Nikon Optical Canada | 331 |
| Impression Ergo 2 PC or Room | Rodenstock Canada | 413 | Nikon Go Digital | Nikon Optical Canada | 332 |
| Impression Ergo FreeSign 2 | Rodenstock Canada | 414 | Nikon i | Nikon Optical Canada | 333 |
| Impression FreeSign 2 | Rodenstock Canada | 415 | Nikon i Digital | Nikon Optical Canada | 334 |
| Impression Hyperop | Rodenstock Canada | 416 | Nikon Online | Nikon Optical Canada | 335 |
| Impression Hyperop XS | Rodenstock Canada | 417 | Nikon Online | Nikon Optical USA | 343 |
| Impression Myop | Rodenstock Canada | 418 | Nikon W | Nikon Optical Canada | 336 |
| Impression Myop XS | Rodenstock Canada | 419 | Nikon W | Nikon Optical USA | 344 |
| Impression Sport 2 | Rodenstock Canada | 420 | Nikon W Short | Nikon Optical USA | 345 |
| inMotion | IOT | 297 | Novel | Vision-Ease Lens, Inc. | 504 |
| Intellego 3 | Interstate Optical | 268 | Novella Short Corridor | Vision-Ease Lens, Inc. | 505 |
| Intellego 3 14 | Interstate Optical | 269 | Outlook | Vision-Ease Lens, Inc. | 506 |
| Intellego 3 16 | Interstate Optical | 270 | Ovation | Essilor Canada | 116 |
| Intellego 3 18 | Interstate Optical | 271 | Ovation | Essilor of America, Inc. | 151 |
| IOT Endless | IOT | 298 | Ovation ADS | Essilor Canada | 117 |
| IOT Endless Plus 0.50D | IOT | 299 | Ovation ADS (Canada) | Essilor of America, Inc. | 152 |
| IOT Endless Plus 0.75D | IOT | 300 | Ovation ADS Short | Essilor of America, Inc. | 153 |
| IOT Endless Plus 1.00D | IOT | 301 | (Canada) | | |
| iRx Pro | KBco, Inc. | 304 | Ovation Digital | Essilor of America, Inc. | 154 |
| iRx Short | KBco, Inc. | 305 | Ovation DS (Canada) | Essilor of America, Inc. | 155 |
| Kodak Precise | Signet Armorlite, Inc. | 474 | Overture | Sutherlin Optical, Inc. | 495 |
| KODAK Precise PB | Signet Armorlite, Inc. | 475 | Paradigm Progressive | Vision Dynamics Lab/Optical Dynamics | 500 |
| Kodak Precise Short | Signet Armorlite, Inc. | 476 | | | |
| KODAK Precise Short PB | Signet Armorlite, Inc. | 477 | Paradigm Short Corridor | Vision Dynamics Lab/Optical Dynamics | 501 |
| KODAK SoftWear | Signet Armorlite, Inc. | 478 | | | |
| | | | PCWide | Seiko Optical Products | 435 |
| | | | Percepta | SOLA Optical | 486 |
| | | | Perfas Premier II | Seiko Optical Products | 436 |
| | | | Perfas Prominent | Seiko Optical Products | 437 |

| <u>Lens Name</u> | <u>Company Name</u> | <u>Item #</u> | <u>Lens Name</u> | <u>Company Name</u> | <u>Item #</u> |
|--------------------------------|-------------------------------|---------------|---|----------------------------------|---------------|
| Persona | Riverside Opticalab Ltd. | 391 | SmallFit / SmallFit DS | Essilor Canada | 118 |
| Persona Office | Riverside Opticalab Ltd. | 392 | SmallFit Digital | Essilor of America, Inc. | 157 |
| Persona G4 | Riverside Opticalab Ltd. | 393 | Smallfit DS (Canada) | Essilor of America, Inc. | 158 |
| Persona Novice | Riverside Opticalab Ltd. | 394 | SOLA HDV | SOLA Optical | 487 |
| Persona Phd | Riverside Opticalab Ltd. | 395 | SOLAMAX | Carl Zeiss Vision | 36 |
| Persona Phd Distance | Riverside Opticalab Ltd. | 396 | SOLAOne HD | SOLA Optical | 488 |
| Persona Phd Near | Riverside Opticalab Ltd. | 397 | Spectrum | Shamir Insight Inc. | 464 |
| Persona Quattro | Riverside Opticalab Ltd. | 398 | Stealth 15 | Vision Warehouse | 502 |
| Persona Quattro Sport | Riverside Opticalab Ltd. | 399 | Succeed | Seiko Optical Products | 440 |
| Polar-Ray Progressive | Melibrad | 323-324 | Succeed WS | Seiko Optical Products | 441 |
| PolySensus | MacLens Optical | 319 | Summit cd | Hoya Vision Care | 263 |
| Presio Digital i Short | Nikon Optical USA | 346 | Summit cd iQ | Hoya Vision Care | 264 |
| Presio i | Nikon Optical USA | 347 | Summit ecp | Hoya Vision Care | 265 |
| Presio i Digital | Nikon Optical USA | 348 | Summit ecp iQ | Hoya Vision Care | 266 |
| Presio i Digital 12 | Nikon Optical USA | 349 | Super No-Line | Essilor Canada | 119 |
| Presio i Digital 14 | Nikon Optical USA | 350 | Super No-Line | Essilor of America, Inc. | 159 |
| Presio i Digital Short | Nikon Optical USA | 351 | Supercede | Seiko Optical Products | 442 |
| Presio i Short | Nikon Optical USA | 352 | Supercede II | Seiko Optical Products | 443 |
| Presio Power 12/13/14 | Nikon Optical Canada | 337 | Supercede WS | Seiko Optical Products | 444 |
| Presio Power 12/13/14 | Nikon Optical USA | 353 | Superior | Seiko Optical Products | 445 |
| Privo Advance | Dehlawi Optical Industries | 106 | Supernal | Seiko Optical Products | 446 |
| Pro-Freedom | Excelite, Inc. | 196 | Surmount | Seiko Optical Products | 447 |
| Pro-Freedom Plus | Excelite, Inc. | 197 | Surmount Ws | Seiko Optical Products | 448 |
| Pro-Freedom Solace | Excelite, Inc. | 198 | Synchrony | Carl Zeiss Vision | 37 |
| Pro-Freedom Sports | Excelite, Inc. | 199 | synchrony Access | Carl Zeiss Vision | 38 |
| Proceed II Short | Seiko Optical Products | 438 | synchrony Access HD (075, 125, 175) | Carl Zeiss Vision | 39 |
| Proceed III Super Short | Seiko Optical Products | 439 | synchrony Curves HDC | Carl Zeiss Vision | 40 |
| Progressiv ClassicLife | Rodenstock Canada | 426 | synchrony Easy Adapt | Carl Zeiss Vision | 41 |
| Progressiv ClassicLife XS | Rodenstock Canada | 427 | synchrony Easy Adapt HD | Carl Zeiss Vision | 42 |
| Progressiv Life 2 | Rodenstock Canada | 428 | synchrony Easy M | Carl Zeiss Vision | 43 |
| Progressiv Life 2 XS | Rodenstock Canada | 429 | synchrony Easy M HD | Carl Zeiss Vision | 44 |
| Progressiv Purelife | Rodenstock Canada | 430 | synchrony Easy S | Carl Zeiss Vision | 45 |
| Progressiv Purelife XS | Rodenstock Canada | 431 | synchrony Easy S HD | Carl Zeiss Vision | 46 |
| ProgressivPureLife Free XS,M,L | Rodenstock Canada | 432 | synchrony Easy View | Carl Zeiss Vision | 47 |
| Promult | MacLens Optical | 320 | synchrony Easy View HD | Carl Zeiss Vision | 48 |
| Proprius DS | Nexus Vision Group | 326 | synchrony Easy Wear | Carl Zeiss Vision | 49 |
| Punktal Gradal HS | Carl Zeiss Vision | 35 | synchrony Easy Wear HD | Carl Zeiss Vision | 50 |
| PureSite Easy Fit | Diversified Ophthalmics, Inc. | 107 | synchrony Performance HD (13, 15, 17, 19) | Carl Zeiss Vision | 51 |
| PureSite Enhanced | Diversified Ophthalmics, Inc. | 108 | synchrony Performance HDV | Carl Zeiss Vision | 52 |
| PureSite Premier | Diversified Ophthalmics, Inc. | 109 | synchrony Starter HD | Carl Zeiss Vision | 53 |
| PureSite Ultima | Diversified Ophthalmics, Inc. | 110 | synchrony Ultra HD (13, 15, 17, 19, 21) | Carl Zeiss Vision | 54 |
| Resolution Response | PFO Optima LLC | 361 | synchrony Ultra HDC | Carl Zeiss Vision | 55 |
| SeeMax Power 12/13/14 | Nikon Optical Canada | 338 | synchrony Ultra HDV | Carl Zeiss Vision | 56 |
| SeeMax Power 12/13/14 | Nikon Optical USA | 354 | synchrony Work & Go HD | Carl Zeiss Vision | 57 |
| SeeMaxProgressive 12 | Nikon Optical Canada | 339 | synchrony Work & Office HD | Carl Zeiss Vision | 58 |
| SeeMaxProgressive 14 | Nikon Optical Canada | 340 | synchrony Work & Read HD | Carl Zeiss Vision | 59 |
| ShoreView / Shoreview Mini | Shore Lens Company | 467 | TACT 40 BKS and TACT 60 BKS | Hoya Vision Care | 267 |
| Shoreview Mini ES | Shore Lens Company | 468 | TR1-Far AW 14 | Rite-Style Optical Company, Inc. | 374 |
| Signature HD | Riverside Opticalab Ltd. | 400 | TR1-Far AW 16 | Rite-Style Optical Company, Inc. | 375 |
| Smallfit | Essilor of America, Inc. | 156 | TR1-Far AW 18 | Rite-Style Optical Company, Inc. | 376 |

| <u>Lens Name</u> | <u>Company Name</u> | <u>Item #</u> | <u>Lens Name</u> | <u>Company Name</u> | <u>Item #</u> |
|------------------------------------|----------------------------------|---------------|--|--------------------------------------|---------------|
| TR1-Far AW 20 | Rite-Style Optical Company, Inc. | 377 | Varilux Physio Enhanced | Essilor of America, Inc. | 176 |
| | | | Varilux Physio Enhanced Azio | Essilor of America, Inc. | 177 |
| TR2-Basic 14 | Rite-Style Optical Company, Inc. | 378 | Varilux Physio Enhanced eyecode | Essilor of America, Inc. | 178 |
| TR2-Basic 16 | Rite-Style Optical Company, Inc. | 379 | Varilux Physio Enhanced Fit | Essilor of America, Inc. | 179 |
| | | | Varilux Physio Enhanced India | Essilor of America, Inc. | 180 |
| TR2-Basic 18 | Rite-Style Optical Company, Inc. | 380 | Varilux Physio Short | Essilor of America, Inc. | 181 |
| | | | Varilux Physio Short 360° | Essilor of America, Inc. | 182 |
| TR2-Basic 20 | Rite-Style Optical Company, Inc. | 381 | Varilux Physio Short DRx | Essilor of America, Inc. | 183 |
| | | | Varilux Physio W3+ | Essilor of America, Inc. | 184 |
| TR3-Demand AW 14 | Rite-Style Optical Company, Inc. | 382 | Varilux Physio W3+ eyecode | Essilor of America, Inc. | 185 |
| | | | Varilux Physio W3+ Fit | Essilor of America, Inc. | 186 |
| TR3-Demand AW 16 | Rite-Style Optical Company, Inc. | 383 | Varilux S 4D | Essilor of America, Inc. | 187 |
| | | | Varilux S Design | Essilor of America, Inc. | 188 |
| TR3-Demand AW 18 | Rite-Style Optical Company, Inc. | 384 | Varilux S Design Short | Essilor of America, Inc. | 189 |
| | | | Varilux S Fit | Essilor of America, Inc. | 190 |
| TR3-Demand AW 20 | Rite-Style Optical Company, Inc. | 385 | Varilux Sport | Essilor Canada | 122 |
| | | | Varilux Sport | Essilor of America, Inc. | 191 |
| TR4-Highway AW | Rite-Style Optical Company, Inc. | 386 | Varilux Stylistic | Essilor of America, Inc. | 192 |
| | | | Varilux X | Essilor of America, Inc. | 193 |
| TR5-Zone 13 | Rite-Style Optical Company, Inc. | 387 | Varilux X 4D | Essilor of America, Inc. | 194 |
| | | | Varilux X Fit | Essilor of America, Inc. | 195 |
| TR8-Active AW 15 | Rite-Style Optical Company, Inc. | 388 | VIP | Carl Zeiss Vision | 63 |
| | | | VIP Gold | SOLA Optical | 489 |
| TR8-Active AW 17 | Rite-Style Optical Company, Inc. | 389 | Vista | Robertson Optical Laboratories, Inc. | 406 |
| TR8-Active AW 19 | Rite-Style Optical Company, Inc. | 390 | VISTA CP | Robertson Optical Laboratories, Inc. | 407 |
| TruVision | | 6 | VISTA WS | Robertson Optical Laboratories, Inc. | 408 |
| TruVision Omni | | 7 | | | |
| TruVision Technica | | 8 | Visuality | SOLA Optical | 490 |
| Ultimate HD | US Optical | 497 | WorkSpace | Shamir Insight Inc. | 465 |
| Umbramatic SR Gradal HS | Carl Zeiss Vision | 60 | Wrap HD | US Optical | 498 |
| UNITY PLx | VSP | 507 | X-Pro Discovery | Excelite, Inc. | 200 |
| UNITY PLxtra | VSP | 508 | X-Pro Discovery Plus | Excelite, Inc. | 201 |
| Unity PLxtreme | VSP | 509 | X-Pro Discovery Xtra | Excelite, Inc. | 202 |
| Unity Via | VSP | 510 | X-Pro Maxima Plus | Excelite, Inc. | 203 |
| Unity Via Elite | VSP | 511 | XL | SOLA Optical | 491 |
| Unity Via Mobile | VSP | 512 | XL Gold | SOLA Optical | 492 |
| Unity Via OfficePro 10ft | VSP | 513 | XP HD | Robertson Optical Laboratories, Inc. | 409 |
| Unity Via OfficePro 5ft | VSP | 514 | | | |
| Unity Via Plus | VSP | 515 | Xplore | KBco, Inc. | 306 |
| Unity Via Wrap | VSP | 516 | Zeal Digital Progressive | Zeal Optics | 524 |
| Universa HD Office (075, 125, 175) | Carl Zeiss Vision | 61 | ZEISS Business | Carl Zeiss Vision | 64 |
| | | | ZEISS Choice (13, 15, 17, 19) | Carl Zeiss Vision | 65 |
| Universa2 HD | Carl Zeiss Vision | 62 | ZEISS Choice Plus (13, 15, 17, 19, 21) | Carl Zeiss Vision | 66 |
| Variations | Landon Lens | 317 | | | |
| Varilux Ipseo IV | Essilor of America, Inc. | 160 | ZEISS Choice Plus V | Carl Zeiss Vision | 67 |
| Varilux Comfort | Essilor of America, Inc. | 161 | ZEISS Digital Lens | Carl Zeiss Vision | 68 |
| Varilux Comfort / Comfort DSx | Essilor Canada | 120 | ZEISS DriveSafe | Carl Zeiss Vision | 69 |
| Varilux Comfort Drx | Essilor of America, Inc. | 162 | ZEISS DriveSafe Individual | Carl Zeiss Vision | 70 |
| Varilux Comfort Enhanced | Essilor of America, Inc. | 163 | ZEISS EnergizeMe (14, 16, 18) | Carl Zeiss Vision | 71 |
| Varilux Comfort Short | Essilor of America, Inc. | 164 | ZEISS EnergizeMe Digital | Carl Zeiss Vision | 72 |
| Varilux Comfort Short DRx | Essilor of America, Inc. | 165 | ZEISS Experience | Carl Zeiss Vision | 73-74 |
| Varilux Comfort W3+ | Essilor of America, Inc. | 166 | ZEISS Experience HD2 | Carl Zeiss Vision | 75 |
| Varilux Comfort W3+ eyecode | Essilor of America, Inc. | 167 | ZEISS Experience Short | Carl Zeiss Vision | 76-77 |
| Varilux Comfort W3+ Fit | Essilor of America, Inc. | 168 | | | |
| Varilux Ellipse | Essilor of America, Inc. | 169 | | | |
| Varilux Ellipse / Ellipse 360 | Essilor Canada | 121 | | | |
| Varilux Ellipse 360° | Essilor of America, Inc. | 170 | | | |
| Varilux Ipseo IV | Essilor of America, Inc. | 171 | | | |
| Varilux Ipseo IV eyecode | Essilor of America, Inc. | 172 | | | |
| Varilux Physio | Essilor of America, Inc. | 173 | | | |
| Varilux Physio 360° | Essilor of America, Inc. | 174 | | | |
| Varilux Physio DRx | Essilor of America, Inc. | 175 | | | |

| Lens Name | Company Name | Item # | Lens Name | Company Name | Item # |
|------------------------------|---------------------|---------------|---|---------------------|---------------|
| ZEISS Individual | Carl Zeiss Vision | 78 | ZEISS Plus 2 Short Sport | Carl Zeiss Vision | 88 |
| ZEISS Individual 2 | Carl Zeiss Vision | 79 | ZEISS Plus 2 Sport | Carl Zeiss Vision | 89 |
| ZEISS Light D (14, 18) | Carl Zeiss Vision | 80 | ZEISS Precision Plus | Carl Zeiss Vision | 90 |
| ZEISS Light H (14, 16, 18) | Carl Zeiss Vision | 81 | ZEISS Precision Pure (13, 15, 17, 19, 21) | Carl Zeiss Vision | 91 |
| ZEISS Light V | Carl Zeiss Vision | 82 | ZEISS Precision Superb | Carl Zeiss Vision | 92 |
| ZEISS MyoKids Pro | Carl Zeiss Vision | 83 | ZEISS SmartLife Individual | Carl Zeiss Vision | 93 |
| ZEISS MyoKids Pro Individual | Carl Zeiss Vision | 84 | ZEISS SmartLife Plus | Carl Zeiss Vision | 94 |
| ZEISS Officelens Book | Carl Zeiss Vision | 85 | ZEISS SmartLife Pure (S, M, L) | Carl Zeiss Vision | 95 |
| ZEISS Officelens Desk | Carl Zeiss Vision | 86 | ZEISS SmartLife Superb | Carl Zeiss Vision | 96 |
| ZEISS Officelens Room | Carl Zeiss Vision | 87 | | | |

Extended ADD Range Index

| ADD Range | Lens Name | Item # | ADD Range | Lens Name | Item # | ADD Range | Lens Name | Item # |
|-----------|-----------------------------|--------|-----------|---------------------------|--------|-----------|--------------------------------------|--------|
| to 0.50 | Acuity 9/11/13 | 355 | to 0.50 | Persona Phd Near | 397 | to | Advanced HD | 496 |
| | CLEARi Absolute-W 12 | 98 | | Persona Quattro | 398 | 0.75 | | |
| | CLEARi DED 14 | 99 | | Persona Quattro Sport | 399 | | Amplitude | 243 |
| | CLEARi DED 16 | 100 | | Privo Advance | 106 | | Amplitude BKS | 244 |
| | CLEARi DED 19 | 101 | | Proceed II Short | 438 | | Amplitude iQ | 245 |
| | CLEARi OFFICE BOOK | 102 | | Proceed III Super Short | 439 | | Amplitude Mini | 246 |
| | CLEARi OFFICE COMPUTER | 103 | | Signature HD | 400 | | Amplitude Mini BKS | 247 |
| | CLEARi OFFICE ROOM | 104 | | Smallfit DS (Canada) | 158 | | Amplitude Mini iQ | 248 |
| | COZE ADL ADVANCED | 401 | | Succeed | 440 | | AO Easy | 2 |
| | COZE CASATA | 402 | | Succeed WS | 441 | | AO Easy HD | 10 |
| | COZE HDW | 403 | | Summit ecp | 265 | | AO Force 55 | 3 |
| | COZE SOFT | 404 | | Summit ecp iQ | 266 | | Array | 249 |
| | COZE WRAP | 405 | | Supercede | 442 | | Array 2 | 250 |
| | DLS Anti-Fatigue | 216 | | Supercede II | 443 | | Array Wrap | 251 |
| | DLS Camber Near | 217 | | Supercede WS | 444 | | Attitude III Fashion 15 | 449 |
| | Eagle | 222 | | Superior | 445 | | Attitude III Fashion 18 | 450 |
| | Eagle Apprentice | 223 | | Supernal | 446 | | Attitude III Sport | 451 |
| | Eagle Balance | 224 | | Surmount | 447 | | Augen HD Trinity Spacia SF | 11 |
| | Eagle Driver | 225 | | Surmount Ws | 448 | | Autograph II -Fixed & Var. Des | 452 |
| | Eagle Precision | 227 | | synchrony Starter HD | 53 | | Autograph II Attitude | 453 |
| | Eagle Sport | 228 | | TR1-Far AW 14 | 374 | | Autograph II Office | 454 |
| | Eagle Ultra Short | 229 | | TR1-Far AW 16 | 375 | | Autograph III Fixed & VAR. | 455 |
| | Eagle Workplace | 230 | | TR1-Far AW 18 | 376 | | Autograph Intelligence Fixed & VARI. | 456 |
| | Eaglet | 231 | | TR1-Far AW 20 | 377 | | | |
| | Eaglet Balance | 232 | | TR2-Basic 14 | 378 | | Autograph II+ Fixed & VARI. | 457 |
| | EasyLux | 105 | | TR2-Basic 16 | 379 | | Balance Digital 12 | 327 |
| | epik DRV 110/110 N+D4 | 234 | | TR2-Basic 18 | 380 | | Balance Digital 14 | 328 |
| | epik DRV 50/50 N+D4 | 235 | | TR2-Basic 20 | 381 | | Ce-Tru Normal Corridor | 307 |
| | epik DRV 80/80 N+D4 | 236 | | TR3-Demand AW 14 | 382 | | ClassicLife Free XS, M or L | 410 |
| | Expert Elite™ | 206 | | TR3-Demand AW 16 | 383 | | Compact ULTRA HD | 485 |
| | Expert Essential® | 207 | | TR3-Demand AW 18 | 384 | | Computer | 459 |
| | Expert Extreme™ | 209 | | TR3-Demand AW 20 | 385 | | Constitution HD | 220 |
| | Expert Relief™ 50 and 75 | 210 | | TR4-Highway AW | 386 | | Constitution Short HD | 221 |
| | Expert Tween™ 1.3; 2.0; 4.0 | 214 | | TR5-Zone 13 | 387 | | Crossbows Custom U | 469 |
| | Geo-FORM 11 | 364 | | TR8-Active AW 15 | 388 | | Crossbows Custom V | 470 |
| | Geo-FORM 13 | 365 | | TR8-Active AW 17 | 389 | | Crossbows Junior | 471 |
| | Geo-FORM 15 | 366 | | TR8-Active AW 19 | 390 | | DirecTek | 472 |
| | Geo-FORM AW 10 | 367 | | Unity Via | 510 | | DirecTek Short | 473 |
| | Geo-FORM AW 12 | 368 | | Unity Via Elite | 511 | | DLS Advanced PAL | 215 |
| | Geo-FORM AW 14 | 369 | | Unity Via Mobile | 512 | | DLS PAL | 218 |
| | Geo-FORM EZ 13 | 370 | | Unity Via Plus | 515 | | DLS Pro PAL | 219 |
| | Geo-FORM EZ 15 | 371 | | Unity Via Wrap | 516 | | Elan HD | 17 |
| | Geo-FORM EZ S 11 | 372 | | Vista | 406 | | Elan HD Short | 18 |
| | Geo-FORM EZ S 13 | 373 | | VISTA CP | 407 | | Elan HDV | 19 |
| | identity home 9/11/13 | 356 | | VISTA WS | 408 | | Element | 460 |
| | identity play 9/11/13 | 357 | | XP HD | 409 | | Element Short | 461 |
| | identity smart 9/11/13 | 359 | to 0.75 | Accolade | 123 | | epik Day 13/15/17/19/21 | 233 |
| | Perfas Premier II | 436 | | Accolade Freedom | 124 | | epik iBifocal | 237 |
| | Perfas Prominent | 437 | | Adage | 521 | | epik Standard 14/17 | 239 |
| | Persona | 391 | | Adaptar | 125 | | epik Variable Active/Active N+D4 | 240 |
| | Persona Office | 392 | | Adaptar Digital | 126 | | | |
| | Persona G4 | 393 | | Adaptar DS | 112 | | epik Variable Device/Device N+D4 | 241 |
| | Persona Novice | 394 | | Adaptar DS (Canada) | 127 | | | |
| | Persona Phd | 395 | | Adaptar DS Short (Canada) | 128 | | epik Variable/Variable N+D4 | 242 |
| | Persona Phd Distance | 396 | | Adaptar Short Digital | 129 | | Essilor Ideal | 136 |
| | | | | | | | Essilor Ideal Advanced | 137 |
| | | | | | | | Essilor Ideal Advanced Fit | 138 |
| | | | | | | | Essilor Ideal Advanced Wrap | 139 |
| | | | | | | | Essilor Ideal Computer | 140 |

| ADD Range | Lens Name | Item # | ADD Range | Lens Name | Item # | ADD Range | Lens Name | Item # |
|-----------|------------------------------|--------|-----------|--------------------------------|--------|-----------|---|--------|
| to 0.75 | Essilor Ideal Driving | 141 | to | Move Digital 15 | 342 | to | SmallFit / SmallFit DS | 118 |
| | Essilor Ideal Fit | 142 | 0.75 | | | 0.75 | | |
| | Essilor Ideal Short | 143 | | MOVE Short | 330 | | SmallFit Digital | 157 |
| | Essilor Ideal Sport | 144 | | Multigressiv MyView 2 XS, M, L | 421 | | SOLA HDV | 487 |
| | Essilor Natural | 145 | | MyView Ergo 2 Book | 422 | | SOLAOne HD | 488 |
| | Essilor Natural / Natural DS | 115 | | MyView Ergo 2 PC or Room | 423 | | Spectrum | 464 |
| | Essilor Natural Digital | 146 | | Natural DS (Canada) | 147 | | Summit cd | 263 |
| | Executive/ ShoreView ES | 466 | | Navigator FBS | 482 | | Summit cd iQ | 264 |
| | Expert DNA™ | 204 | | Nikon Eyes Advanced | 148 | | Super No-Line | 159 |
| | Expert Elite C™ | 205 | | Nikon Eyes Advanced Short | 149 | | synchrony Access HD (075, 125, 175) | 39 |
| | Expert Extreme C™ | 208 | | Nikon Eyes Customized | 150 | | synchrony Curves HDC | 40 |
| | Expert RNA™ | 211 | | Nikon Go | 331 | | synchrony Easy Adapt HD | 42 |
| | First PAL | 462 | | Nikon Go Digital | 332 | | synchrony Easy M | 43 |
| | Golf | 463 | | Nikon i | 333 | | synchrony Easy M HD | 44 |
| | Gradal Individual | 26 | | Nikon i Digital | 334 | | synchrony Easy S | 45 |
| | Gradal Shorti | 28 | | Nikon W | 336 | | synchrony Easy S HD | 46 |
| | Gradal Top | 29 | | Nikon W | 344 | | synchrony Easy View | 47 |
| | GT2 | 30 | | Nikon W Short | 345 | | synchrony Easy View HD | 48 |
| | GT2 3D | 31 | | Novel | 504 | | synchrony Easy Wear HD | 50 |
| | GT2 3D Short | 33 | | Outlook | 506 | | synchrony Performance HD (13, 15, 17, 19) | 51 |
| | GT2 Short | 34 | | Ovation | 116 | | synchrony Performance HDV | 52 |
| | Hoyalux GP | 252 | | Ovation | 151 | | synchrony Ultra HD (13, 15, 17, 19, 21) | 54 |
| | Hoyalux GPW | 253 | | Ovation ADS | 117 | | synchrony Ultra HDC | 55 |
| | HyperPro | 360 | | Ovation ADS (Canada) | 152 | | synchrony Ultra HDV | 56 |
| | ID InStyle | 255 | | Ovation ADS Short (Canada) | 153 | | synchrony Work & Go HD | 57 |
| | ID Lifestyle | 256 | | Ovation Digital | 154 | | synchrony Work & Office HD | 58 |
| | iD LifeStyle 2 Clarity | 257 | | Ovation DS (Canada) | 155 | | synchrony Work & Read HD | 59 |
| | ID LifeStyle 2 Clarity cd | 258 | | Percepta | 486 | | TACT 40 BKS and TACT 60 BKS | 267 |
| | ID LifeStyle 2 Harmony | 259 | | Presio Digital i Short | 346 | | Ultimate HD | 497 |
| | ID LifeStyle 2 Harmony cd | 260 | | Presio i | 347 | | Umbramatic SR Gradal HS | 60 |
| | ID Lifestyle cd | 261 | | Presio i Digital | 348 | | UNITY PLx | 507 |
| | ID Mystyle | 262 | | Presio i Digital 12 | 349 | | UNITY PLxtra | 508 |
| | identity pro | 358 | | Presio i Digital 14 | 350 | | Unity PLxtreme | 509 |
| | Illumina | 503 | | Presio i Digital Short | 351 | | Universa HD Office (075, 125, 175) | 61 |
| | Impression 2 XS, M, or L | 411 | | Presio i Short | 352 | | Universa2 HD | 62 |
| | Impression Ergo 2 Book | 412 | | Presio Power 12/13/14 | 337 | | Varilux Ipseo IV | 160 |
| | Impression Ergo 2 PC or Room | 413 | | Presio Power 12/13/14 | 353 | | Varilux Comfort | 161 |
| | Impression Ergo FreeSign 2 | 414 | | Pro-Freedom Solace | 198 | | Varilux Comfort Drx | 162 |
| | Impression FreeSign 2 | 415 | | Progressiv ClassicLife | 426 | | Varilux Comfort Enhanced | 163 |
| | Impression Hyperop | 416 | | Progressiv ClassicLife XS | 427 | | Varilux Comfort Short | 164 |
| | Impression Hyperop XS | 417 | | Progressiv Life 2 | 428 | | Varilux Comfort Short DRx | 165 |
| | Impression Myop | 418 | | Progressiv Life 2 XS | 429 | | Varilux Comfort W3+ | 166 |
| | Impression Myop XS | 419 | | Progressiv Purelife | 430 | | Varilux Comfort W3+ eyecode | 167 |
| | Intellego 3 | 268 | | Progressiv Purelife XS | 431 | | Varilux Comfort W3+ Fit | 168 |
| | Intellego 3 14 | 269 | | ProgressivPureLife Free | 432 | | Varilux Ellipse | 169 |
| | Intellego 3 16 | 270 | | XS,M,L | | | Varilux Ellipse / Ellipse 360° | 170 |
| | Intellego 3 18 | 271 | | Proprius DS | 326 | | Varilux Ipseo IV | 171 |
| | KODAK Precise PB | 475 | | PureSite Easy Fit | 107 | | Varilux Ipseo IV eyecode | 172 |
| | KODAK Precise Short PB | 477 | | PureSite Enhanced | 108 | | Varilux Physio | 173 |
| | KODAK SoftWear | 478 | | PureSite Premier | 109 | | Varilux Physio 360° | 174 |
| | Kodak Unique | 479 | | PureSite Ultima | 110 | | Varilux Physio DRx | 175 |
| | KODAK Unique DRO | 480 | | SeeMax Power 12/13/14 | 338 | | Varilux Physio Enhanced | 176 |
| | KODAK Unique DRO HD | 481 | | SeeMax Power 12/13/14 | 354 | | Varilux Physio Enhanced Azio | 177 |
| | MOVE | 329 | | SeeMaxProgressive 12 | 339 | | Varilux Physio Enhanced eyecode | 178 |
| | Move Digital 13 | 341 | | SeeMaxProgressive 14 | 340 | | Varilux Physio Enhanced Fit | 179 |
| | | | | Shoreview Mini ES | 468 | | | |
| | | | | Smallfit | 156 | | | |

| ADD Range | Lens Name | Item # | ADD Range | Lens Name | Item # | ADD Range | Lens Name | Item # |
|--------------|---|--------|--------------|--------------------------------------|--------|--------------|------------------------------|--------|
| to 0.75 | Varilux Physio Enhanced India | 180 | to 3.50 | Adaptar DS | 112 | to 3.50 | Endless Office 2 m | 284 |
| | Varilux Physio Short | 181 | | Adaptar DS (Canada) | 127 | | Endless Office 4 m | 285 |
| | Varilux Physio Short 360° | 182 | | Adaptar DS Short (Canada) | 128 | | epik Day 13/15/17/19/21 | 233 |
| | Varilux Physio Short DRx | 183 | | Advanced HD | 496 | | epik iBifocal | 237 |
| | Varilux Physio W3+ | 184 | | Amplitude | 243 | | epik Office UltraHD, | 238 |
| | Varilux Physio W3+ eyecode | 185 | | Amplitude BKS | 244 | | Book/Room/Desk | |
| | Varilux Physio W3+ Fit | 186 | | Amplitude iQ | 245 | | epik Standard 14/17 | 239 |
| | Varilux S 4D | 187 | | Amplitude Mini | 246 | | epik Variable Active/Active | 240 |
| | Varilux S Design | 188 | | Amplitude Mini BKS | 247 | | N+D4 | |
| | Varilux S Design Short | 189 | | Amplitude Mini iQ | 248 | | epik Variable Device/Device | 241 |
| | Varilux S Fit | 190 | | AO b'Active | 1 | | N+D4 | |
| | Varilux Sport | 122 | | AO Easy | 2 | | epik Variable/Variable N+D4 | 242 |
| | Varilux Sport | 191 | | AO Easy HD | 10 | | Essilor Ideal | 136 |
| | Varilux Stylistic | 192 | | AO Force 55 | 3 | | Essilor Ideal Advanced | 137 |
| | Varilux X | 193 | | APEX | 97 | | Essilor Ideal Advanced Fit | 138 |
| | Varilux X 4D | 194 | | Array | 249 | | Essilor Ideal Computer | 140 |
| | Varilux X Fit | 195 | | Array 2 | 250 | | Essilor Ideal Driving | 141 |
| | VIP | 63 | | Array Wrap | 251 | | Essilor Ideal Fit | 142 |
| | VIP Gold | 489 | | Attitude III Fashion 15 | 449 | | Essilor Ideal Sport | 144 |
| | Visuality | 490 | | Attitude III Fashion 18 | 450 | | Essilor Natural | 145 |
| | WorkSpace | 465 | | Attitude III Sport | 451 | | Essilor Natural / Natural DS | 115 |
| | Wrap HD | 498 | | Augen HD Trinity Spacia SF | 11 | | Essilor Natural Digital | 146 |
| | XL | 491 | | Autograph II Attitude | 453 | | Executive/ ShoreView ES | 466 |
| | XL Gold | 492 | | Autograph II Office | 454 | | Expert DNA™ | 204 |
| | ZEISS Choice (13, 15, 17, 19) | 65 | | Autograph Intelligence Fixed & VARI. | 456 | | Expert Elite C™ | 205 |
| | ZEISS Choice Plus (13, 15, 17, 19, 21) | 66 | | Autograph II+ Fixed & VARI. | 457 | | Expert Extreme C™ | 208 |
| | ZEISS Choice Plus V | 67 | | Ce-Tru Normal Corridor | 307 | | Expert RNA™ | 211 |
| | ZEISS Digital Lens | 68 | | CLEARi Absolute-W 12 | 98 | | Expert Tween™ 1.3; 2.0; 4.0 | 214 |
| | ZEISS DriveSafe | 69 | | CLEARi DED 14 | 99 | | First PAL | 462 |
| | ZEISS DriveSafe Individual | 70 | | CLEARi DED 16 | 100 | | Futureise | 362 |
| | ZEISS EnergizeMe (14, 16, 18) | 71 | | CLEARi DED 19 | 101 | | Geo-FORM 11 | 364 |
| | ZEISS EnergizeMe Digital | 72 | | CLEARi OFFICE BOOK | 102 | | Geo-FORM 13 | 365 |
| | ZEISS Experience HD2 | 75 | | CLEARi OFFICE COMPUTER | 103 | | Geo-FORM 15 | 366 |
| | ZEISS Individual | 78 | | CLEARi OFFICE ROOM | 104 | | Geo-FORM AW 10 | 367 |
| | ZEISS Individual 2 | 79 | | Compact ULTRA HD | 485 | | Geo-FORM AW 12 | 368 |
| | ZEISS Light D (14, 18) | 80 | | Constitution HD | 220 | | Geo-FORM AW 14 | 369 |
| | ZEISS Light H (14, 16, 18) | 81 | | Constitution Short HD | 221 | | Geo-FORM EZ 13 | 370 |
| | ZEISS Light V | 82 | | COZE HDW | 403 | | Geo-FORM EZ 15 | 371 |
| | ZEISS Officelens Book | 85 | | COZE SOFT | 404 | | Geo-FORM EZ S 11 | 372 |
| | ZEISS Officelens Desk | 86 | | COZE WRAP | 405 | | Geo-FORM EZ S 13 | 373 |
| | ZEISS Officelens Room | 87 | | Crossbows Custom U | 469 | | Golf | 463 |
| | ZEISS Plus 2 Short Sport | 88 | | Crossbows Custom V | 470 | | Gradal Individual | 26 |
| | ZEISS Plus 2 Sport | 89 | | Crossbows Junior | 471 | | Gradal Shorti | 28 |
| | ZEISS Precision Plus | 90 | | DirecTek | 472 | | Gradal Top | 29 |
| | ZEISS Precision Pure (13, 15, 17, 19, 21) | 91 | | DirecTek Short | 473 | | GT2 | 30 |
| | ZEISS Precision Superb | 92 | | DLS Advanced PAL | 215 | | GT2 3D | 31 |
| | ZEISS SmartLife Individual | 93 | | DLS PAL | 218 | | GT2 3D 3DV | 32 |
| | ZEISS SmartLife Plus | 94 | | DLS Pro PAL | 219 | | GT2 3D Short | 33 |
| | ZEISS SmartLife Pure (S, M, L) | 95 | | Elan HD | 17 | | GT2 Short | 34 |
| | ZEISS SmartLife Superb | 96 | | Elan HD Short | 18 | | Hoyalux GP | 252 |
| to 3.50 | Accolade | 123 | | Elan HDV | 19 | | Hoyalux GPW | 253 |
| | Accolade Freedom | 124 | | Element | 460 | | HyperPro | 360 |
| | Acuity 9/11/13 | 355 | | Element Short | 461 | | ID InStyle | 255 |
| | Adage | 521 | | Endless Office | 282 | | ID Lifestyle | 256 |
| | Adaptar | 125 | | Endless Office 1.3 m | 283 | | iD LifeStyle 2 Clarity | 257 |
| | | | | | | | ID LifeStyle 2 Clarity cd | 258 |
| | | | | | | | ID LifeStyle 2 Harmony | 259 |
| | | | | | | | ID LifeStyle 2 Harmony cd | 260 |

| ADD Range | Lens Name | Item # | ADD Range | Lens Name | Item # | ADD Range | Lens Name | Item # |
|-----------|--------------------------------|--------|-----------|---|--------|-----------|--|--------|
| 3.50 | ID Lifestyle cd | 261 | 3.50 | Presio i Digital Short | 351 | 3.50 | synchrony Ultra HDV | 56 |
| | ID Mystyle | 262 | | Presio i Short | 352 | | synchrony Work & Go HD | 57 |
| | Illumina | 503 | | Presio Power 12/13/14 | 337 | | synchrony Work & Office HD | 58 |
| | Impression 2 XS, M, or L | 411 | | Presio Power 12/13/14 | 353 | | synchrony Work & Read HD | 59 |
| | Impression Ergo 2 Book | 412 | | Pro-Freedom | 196 | | TACT 40 BKS and TACT 60 BKS | 267 |
| | Impression Ergo 2 PC or Room | 413 | | Pro-Freedom Plus | 197 | | Ultimate HD | 497 |
| | Impression Ergo FreeSign 2 | 414 | | Pro-Freedom Solace | 198 | | Umbramatic SR Gradal HS | 60 |
| | Impression FreeSign 2 | 415 | | Pro-Freedom Sports | 199 | | UNITY PLx | 507 |
| | Intellego 3 | 268 | | Proceed II Short | 438 | | UNITY PLxtra | 508 |
| | Intellego 3 14 | 269 | | Proceed III Super Short | 439 | | Unity PLxtreme | 509 |
| | Intellego 3 16 | 270 | | Progressiv Life 2 | 428 | | Unity Via OfficePro 10ft | 513 |
| | Intellego 3 18 | 271 | | Progressiv Purelife | 430 | | Unity Via OfficePro 5ft | 514 |
| | iRx Pro | 304 | | ProgressivPureLife Free XS,M,L | 432 | | Universa HD Office (075, 125, 175) | 61 |
| | KODAK Precise PB | 475 | | Promult | 320 | | Universa2 HD | 62 |
| | KODAK Precise Short PB | 477 | | Proprius DS | 326 | | Varilux Ipseo IV | 160 |
| | KODAK SoftWear | 478 | | PureSite Easy Fit | 107 | | Varilux Comfort | 161 |
| | Kodak Unique | 479 | | PureSite Enhanced | 108 | | Varilux Comfort Drx | 162 |
| | KODAK Unique DRO | 480 | | PureSite Premier | 109 | | Varilux Comfort Enhanced | 163 |
| | KODAK Unique DRO HD | 481 | | PureSite Ultima | 110 | | Varilux Ipseo IV | 171 |
| | Micro | 363 | | SeeMax Power 12/13/14 | 338 | | Varilux Ipseo IV eyecode | 172 |
| | MOVE | 329 | | SeeMax Power 12/13/14 | 354 | | Varilux Physio Enhanced | 176 |
| | Move Digital 13 | 341 | | SeeMaxProgressive 12 | 339 | | Varilux Sport | 122 |
| | Move Digital 15 | 342 | | SeeMaxProgressive 14 | 340 | | Varilux Sport | 191 |
| | MOVE Short | 330 | | Smallfit DS (Canada) | 158 | | Varilux Stylistic | 192 |
| | Multigressiv MyView 2 XS, M, L | 421 | | SOLA HDV | 487 | | VIP | 63 |
| | Mvp Platinum Plastic II | 316 | | SOLAOne HD | 488 | | VIP Gold | 489 |
| | MyView Ergo 2 Book | 422 | | Spectrum | 464 | | Vista | 406 |
| | MyView Ergo 2 PC or Room | 423 | | Succeed | 440 | | VISTA CP | 407 |
| | Natural DS (Canada) | 147 | | Succeed WS | 441 | | VISTA WS | 408 |
| | Navigator FBS | 482 | | Summit cd | 263 | | Visuality | 490 |
| | Nikon Eyes Advanced | 148 | | Summit cd iQ | 264 | | WorkSpace | 465 |
| | Nikon Eyes Customized | 150 | | Super No-Line | 159 | | Wrap HD | 498 |
| | Nikon Go | 331 | | Supercede | 442 | | X-Pro Discovery | 200 |
| | Nikon Go Digital | 332 | | Supercede II | 443 | | X-Pro Discovery Plus | 201 |
| | Nikon i | 333 | | Supercede WS | 444 | | X-Pro Discovery Xtra | 202 |
| | Nikon i Digital | 334 | | Supernal | 446 | | XL | 491 |
| | Nikon W | 336 | | Surmount | 447 | | XL Gold | 492 |
| | Nikon W | 344 | | Surmount Ws | 448 | | ZEISS Choice (13, 15, 17, 19) | 65 |
| | Nikon W Short | 345 | | Synchrony | 37 | | ZEISS Choice Plus (13, 15, 17, 19, 21) | 66 |
| | Novel | 504 | | synchrony Access HD (075, 125, 175) | 39 | | ZEISS Choice Plus V | 67 |
| | Novella Short Corridor | 505 | | synchrony Curves HDC | 40 | | ZEISS Digital Lens | 68 |
| | Outlook | 506 | | synchrony Easy Adapt | 41 | | ZEISS DriveSafe | 69 |
| | Ovation | 116 | | synchrony Easy Adapt HD | 42 | | ZEISS DriveSafe Individual | 70 |
| | Ovation | 151 | | synchrony Easy M | 43 | | ZEISS EnergizeMe (14, 16, 18) | 71 |
| | Ovation ADS | 117 | | synchrony Easy M HD | 44 | | ZEISS EnergizeMe Digital | 72 |
| | Ovation ADS (Canada) | 152 | | synchrony Easy S | 45 | | ZEISS Experience HD2 | 75 |
| | Ovation Digital | 154 | | synchrony Easy S HD | 46 | | ZEISS Individual 2 | 79 |
| | Ovation DS (Canada) | 155 | | synchrony Easy View | 47 | | ZEISS Light D (14, 18) | 80 |
| | Percepta | 486 | | synchrony Easy View HD | 48 | | ZEISS Light H (14, 16, 18) | 81 |
| | Perfas Premier II | 436 | | synchrony Easy Wear | 49 | | ZEISS Light V | 82 |
| | Perfas Prominent | 437 | | synchrony Easy Wear HD | 50 | | ZEISS Officelens Book | 85 |
| | PolySensus | 319 | | synchrony Performance HD (13, 15, 17, 19) | 51 | | ZEISS Officelens Desk | 86 |
| | Presio Digital i Short | 346 | | synchrony Performance HDV | 52 | | ZEISS Officelens Room | 87 |
| | Presio i | 347 | | synchrony Ultra HD (13, 15, 17, 19, 21) | 54 | | ZEISS Plus 2 Short Sport | 88 |
| | Presio i Digital | 348 | | synchrony Ultra HDV | 52 | | ZEISS Plus 2 Sport | 89 |
| | | | | synchrony Ultra HD (13, 15, 17, 19, 21) | 54 | | | |
| | | | | synchrony Ultra HDC | 55 | | | |

| ADD Range | Lens Name | Item # | ADD Range | Lens Name | Item # | ADD Range | Lens Name | Item # |
|--------------|---|--------|--------------|--|--------|--------------|--|--------|
| to 3.50 | ZEISS Precision Plus | 90 | to 4.00 | Varilux Physio 360° | 174 | to 4.50 | Eaglet Balance | 232 |
| | ZEISS Precision Pure (13, 15, 17, 19, 21) | 91 | | Varilux Physio DRx | 175 | | Endless Drive Progressive | 280 |
| | ZEISS Precision Superb | 92 | | Varilux Physio Enhanced Azio | 177 | | Endless Steady Progressive | 289 |
| | ZEISS SmartLife Individual | 93 | | Varilux Physio Enhanced eyecode | 178 | | Endless Steady Progressive Distance Vision | 290 |
| | ZEISS SmartLife Plus | 94 | | Varilux Physio Enhanced Fit | 179 | | Endless Steady Progressive Intermediate Vision | 291 |
| | ZEISS SmartLife Pure (S, M, L) | 95 | | Varilux Physio Enhanced India | 180 | | Endless Steady Progressive Near Vision | 292 |
| | ZEISS SmartLife Superb | 96 | | Varilux Physio W3+ | 184 | | Expert Elite™ | 206 |
| to 4.00 | Autograph II -Fixed & Var. Des | 452 | | Varilux Physio W3+ eyecode | 185 | | Expert Essential® | 207 |
| | Autograph III Fixed & VAR. | 455 | | Varilux Physio W3+ Fit | 186 | | Expert Extreme™ | 209 |
| | Balance Digital 12 | 327 | | Varilux S 4D | 187 | | Persona Quattro | 398 |
| | Balance Digital 14 | 328 | | Varilux S Design | 188 | | Persona Quattro Sport | 399 |
| | Definity 3 | 132 | | Varilux S Design Short | 189 | | TR1-Far AW 14 | 374 |
| | Definity 3 Plus | 133 | | Varilux S Fit | 190 | | TR1-Far AW 16 | 375 |
| | EasyLux | 105 | | Varilux X | 193 | | TR1-Far AW 18 | 376 |
| | Essential Steady Progressive | 293 | | Varilux X 4D | 194 | | TR1-Far AW 20 | 377 |
| | identity home 9/11/13 | 356 | to 4.50 | Varilux X Fit | 195 | | TR2-Basic 14 | 378 |
| | identity play 9/11/13 | 357 | | XP HD | 409 | | TR2-Basic 16 | 379 |
| | identity smart 9/11/13 | 359 | | to Camber Steady Plus Progressive | 272 | | TR2-Basic 18 | 380 |
| | Persona | 391 | | Camber Steady Plus Progressive Distance Vision | 273 | | TR2-Basic 20 | 381 |
| | Persona G4 | 393 | | Camber Steady Plus Progressive Intermediate Vision | 274 | | TR3-Demand AW 14 | 382 |
| | Persona Phd | 395 | | Camber Steady Plus Progressive Near Vision | 275 | | TR3-Demand AW 16 | 383 |
| | Persona Phd Distance | 396 | | COZE ADL ADVANCED | 401 | | TR3-Demand AW 18 | 384 |
| | Persona Phd Near | 397 | | COZE CASATA | 402 | | TR3-Demand AW 20 | 385 |
| | Presio i Digital 12 | 349 | | DLS Camber Near | 217 | | TR4-Highway AW | 386 |
| | Presio i Digital 14 | 350 | | Eagle | 222 | | TR5-Zone 13 | 387 |
| | Privo Advance | 106 | | Eagle Apprentice | 223 | | TR8-Active AW 15 | 388 |
| | Signature HD | 400 | | Eagle Balance | 224 | | TR8-Active AW 17 | 389 |
| | Summit ecp | 265 | | Eagle Driver | 225 | | TR8-Active AW 19 | 390 |
| | Summit ecp iQ | 266 | | Eagle PC | 226 | | Unity Via | 510 |
| | Superior | 445 | | Eagle Precision | 227 | | Unity Via Elite | 511 |
| | Varilux Comfort W3+ | 166 | | Eagle Sport | 228 | | Unity Via Mobile | 512 |
| | Varilux Comfort W3+ eyecode | 167 | | Eagle Ultra Short | 229 | | Unity Via Plus | 515 |
| | Varilux Comfort W3+ Fit | 168 | | Eagle Workplace | 230 | | Unity Via Wrap | 516 |
| | Varilux Physio | 173 | | Eaglet | 231 | | | |

Index of Companies

| Company Name | Item # | Company Name | Item # |
|------------------------------------|---------------|--------------------------------------|---------------|
| American Optical | 9 | Nikon Optical Canada | 327 |
| Augen Optics | 11 | Nikon Optical USA | 341 |
| Carl Zeiss Vision | 15 | PFO Global | 355 |
| Classic Optical Laboratories, Inc. | 97 | PFO Optima LLC | 360 |
| CLEARi | 98 | Polycore Optical | 362 |
| Dehlawi Optical Industries | 105 | Rite-Style Optical Company, Inc. | 364 |
| Diversified Ophthalmics, Inc. | 107 | Riverside Opticalab Ltd. | 391 |
| Essilor Canada | 111 | Robertson Optical Laboratories, Inc. | 401 |
| Essilor of America, Inc. | 123 | Rodenstock Canada | 410 |
| Excelite, Inc. | 196 | Seiko Optical Products | 433 |
| Expert Optics | 204 | Shamir Insight Inc. | 449 |
| Eye Kraft Optical, Inc. | 215 | Shore Lens Company | 466 |
| FEA Industries, Inc. | 220 | Signet Armorlite, Inc. | 469 |
| GSRx | 233 | SOLA Optical | 485 |
| Hoya Vision Care | 243 | SOMO Optical | 493 |
| Interstate Optical | 268 | Sutherlin Optical, Inc. | 495 |
| IOT | 272 | US Optical | 496 |
| KBco, Inc. | 302 | Vision Dynamics Lab/Optical Dynamics | 499 |
| L.B.I. | 307 | Vision Warehouse | 502 |
| Landon Lens | 312 | Vision-Ease Lens, Inc. | 503 |
| Lenscrafters | 318 | VSP | 507 |
| MacLens Optical | 319 | Walman - Soderberg | 517 |
| Maui Jim | 321 | X-CEL Optical | 518 |
| Melibrad | 322 | Younger Optics | 521 |
| Nassau Lens Company | 325 | Zeal Optics | 524 |
| Nexus Vision Group | 326 | | |

Index by Recommended Minimum Height

| Min Height | Lens Name | Item # | Min Height | Lens Name | Item # | Min Height | Lens Name | Item # |
|------------|---|--------|------------|---|--------|------------|--------------------------------|--------|
| 10mm | Eagle Ultra Short | 229 | 13mm | synchrony Performance HDV | 52 | 14mm | Endless Office 4 m | 285 |
| 11mm | AO Easy | 9 | | synchrony Ultra HD (13, 15, 17, 19, 21) | 54 | | Endless Steady Progressive | 289 |
| | Autograph II -Fixed & Var. Des | 452 | | synchrony Ultra HDC | 55 | | Endless Steady Progressive | 290 |
| | Autograph III Fixed & VAR. | 455 | | synchrony Ultra HDV | 56 | | Distance Vision | |
| | Autograph Intelligence Fixed & VARI. | 456 | | Universa2 HD | 62 | | Endless Steady Progressive | 291 |
| | Autograph II+ Fixed & VARI. | 457 | | Varilux Ellipse 360° | 170 | | Intermediate Vision | |
| | Blue IQ Variable Progressive | 318 | | ZEISS Choice (13, 15, 17, 19) | 65 | | Endless Steady Progressive | 292 |
| 12mm | Unity Via | 510 | | ZEISS Choice Plus (13, 15, 17, 19, 21) | 66 | | Near Vision | |
| | Unity Via Elite | 511 | | ZEISS Choice Plus V | 67 | | epik Office UltraHD, | 238 |
| | Unity Via Mobile | 512 | | ZEISS Digital Lens | 68 | | Book/Room/Desk | |
| | Unity Via Plus | 515 | | ZEISS DriveSafe | 69 | | epik Standard 14/17 | 239 |
| | Unity Via Wrap | 516 | | ZEISS DriveSafe Individual | 70 | | Essential Steady Progressive | 293 |
| 13mm | Adage | 521 | | ZEISS DriveSafe Individual | 70 | | Essential Steady Progressive | 294 |
| | Autograph III Fixed & VAR. | 455 | | ZEISS Experience HD2 | 75 | | Distance Vision | |
| | Autograph Intelligence Fixed & VARI. | 456 | | ZEISS Experience Short | 76,77 | | Essential Steady Progressive | 295 |
| | Autograph II+ Fixed & VARI. | 457 | | ZEISS Individual | 78 | | Intermediate Vision | |
| | Compact ULTRA HD | 485 | | ZEISS Individual 2 | 79 | | Essential Steady Progressive | 296 |
| | Crossbows Custom U | 469 | | ZEISS Light V | 82 | | Near Vision | |
| | Crossbows Custom V | 470 | | ZEISS Officelens Book | 85 | | Essilor Ideal Fit | 142 |
| | Crossbows Junior | 471 | | ZEISS Officelens Desk | 86 | | Essilor Ideal Short | 143 |
| | DLS Advanced PAL | 215 | | ZEISS Officelens Room | 87 | | Essilor Natural Digital | 146 |
| | DLS PAL | 218 | | ZEISS Precision Plus | 90 | | Expert Elite C™ | 205 |
| | DLS Pro PAL | 219 | | ZEISS Precision Pure (13, 15, 17, 19, 21) | 91 | | Expert Elite™ | 206 |
| | Elan HD Short | 18 | | ZEISS Precision Superb | 92 | | Expert Essential® | 207 |
| | Elan HDV | 19 | | ZEISS SmartLife Individual | 93 | | Expert Extreme C™ | 208 |
| | epik Day 13/15/17/19/21 | 233 | | ZEISS SmartLife Plus | 94 | | Expert Extreme™ | 209 |
| | Essilor Anti-Fatigue | 134 | | ZEISS SmartLife Superb | 96 | | Expert RNA™ | 211 |
| | Essilor Ideal Computer | 140 | 13.5mm | DirecTek Short | 473 | | Expert Tween™ 1.3; 2.0; 4.0 | 214 |
| | Expert DNA™ | 204 | 14mm | Adaptar Short Digital | 129 | | Geo-FORM AW 10 | 367 |
| | Expert RNA™ | 211 | | Advanced HD | 496 | | ID InStyle | 255 |
| | GT2 3D 3DV | 32 | | Amplitude Mini | 246 | | ID LifeStyle 2 Clarity cd | 258 |
| | GT2 3D Short | 33 | | Amplitude Mini BKS | 247 | | ID LifeStyle 2 Harmony cd | 260 |
| | GT2 Short | 34 | | Amplitude Mini iQ | 248 | | ID Lifestyle cd | 261 |
| | Impression FreeSign 2 | 415 | | APEX | 97 | | Impression 2 XS, M, or L | 411 |
| | Intellego 3 | 268 | | Camber Steady Plus | 272 | | Impression Ergo 2 Book | 412 |
| | Intellego 3 14 | 269 | | Progressive | | | Impression Ergo FreeSign 2 | 414 |
| | Intellego 3 16 | 270 | | Camber Steady Plus | 273 | | Impression Hyperop XS | 417 |
| | Intellego 3 18 | 271 | | Progressive Distance Vision | | | Impression Myop XS | 419 |
| | Kodak Precise Short | 476 | | Camber Steady Plus | 274 | | iRx Short | 305 |
| | KODAK Precise Short PB | 477 | | Progressive Intermediate Vision | | | Multigressiv MyView 2 XS, M, L | 421 |
| | Kodak Unique | 479 | | Camber Steady Plus | 275 | | MyView Ergo 2 Book | 422 |
| | KODAK Unique DRO | 480 | | Progressive Near Vision | | | Navigator Short | 484 |
| | KODAK Unique DRO HD | 481 | | Channel 14 Plastic II | 312 | | Nikon Eyes Advanced Short | 149 |
| | Nexyma Reading (40) | 425 | | Channel 14 Poly II | 313 | | Novella Short Corridor | 505 |
| | Persona G4 | 393 | | Channel 14 Variations Poly | 315 | | Perfas Premier II | 436 |
| | Persona Novice | 394 | | Pho | | | Perfas Prominent | 437 |
| | Persona Phd | 395 | | ClassicLife Free XS. M or L | 410 | | Progressiv ClassicLife XS | 427 |
| | Persona Phd Distance | 396 | | CLEARi Absolute-W 12 | 98 | | Progressiv Life 2 XS | 429 |
| | Persona Phd Near | 397 | | Computer | 459 | | Progressiv Purelife XS | 431 |
| | Persona Quattro | 398 | | DLS Anti-Fatigue | 216 | | ProgressivPureLife Free XS,M,L | 432 |
| | SOLA HDV | 487 | | DLS Camber Near | 217 | | PureSite Enhanced | 108 |
| | synchrony Curves HDC | 40 | | Eagle | 222 | | PureSite Premier | 109 |
| | synchrony Easy M | 43 | | Eagle Balance | 224 | | PureSite Ultima | 110 |
| | synchrony Easy S HD | 46 | | Eagle PC | 226 | | Signature HD | 400 |
| | synchrony Performance HD (13, 15, 17, 19) | 51 | | Eagle Precision | 227 | | Smallfit | 156 |
| | | | | Eaglet | 231 | | SmallFit Digital | 157 |
| | | | | Eaglet Balance | 232 | | Spectrum | 464 |
| | | | | Endless Bifocal | 279 | | Summit cd | 263 |
| | | | | Endless Office | 282 | | Summit cd iQ | 264 |
| | | | | Endless Office 1.3 m | 283 | | Supercede II | 443 |
| | | | | Endless Office 2 m | 284 | | Supercede WS | 444 |
| | | | | | | | Supernal | 446 |

| Min Height | Lens Name | Item # | Min Height | Lens Name | Item # | Min Height | Lens Name | Item # |
|------------|--------------------------------------|--------|------------|--|---------|------------|--|--------|
| 14mm | Surmount | 447 | 15mm | Camber Steady Plus | 274 | 15mm | TR8-Active AW 15 | 388 |
| | Surmount Ws | 448 | | Progressive Intermediate Vision | | | Universa HD Office (075, 125, 175) | 61 |
| | synchrony Starter HD | 53 | | Camber Steady Plus | 275 | | ZEISS Choice (13, 15, 17, 19) | 65 |
| | TR1-Far AW 14 | 374 | | Progressive Near Vision | | | ZEISS Precision Pure (13, 15, 17, 19, 21) | 91 |
| | TR2-Basic 14 | 378 | | Constitution Short HD | 221 | 16mm | Acuity 9/11/13 | 355 |
| | TR3-Demand AW 14 | 382 | | Continuum | 16 | | Autograph II Office | 454 |
| | Ultimate HD | 497 | | Definity Short | 114,131 | | Autograph Relax | 458 |
| | Unity PLxtreme | 509 | | Definity 3 | 132 | | Camber Steady Plus | 272 |
| | Unity Via OfficePro 10ft | 513 | | Definity 3 Plus | 133 | | Progressive | |
| | Unity Via OfficePro 5ft | 514 | | Endless Steady Progressive | 289 | | Camber Steady Plus | 273 |
| | Varilux Ipseo IV | 160 | | Endless Steady Progressive Distance Vision | 290 | | Progressive Distance Vision | |
| | Varilux Comfort Enhanced | 163 | | Endless Steady Progressive Intermediate Vision | 291 | | Camber Steady Plus | 274 |
| | Varilux Comfort Short | 164 | | Endless Steady Progressive Intermediate Vision | 292 | | Progressive Intermediate Vision | |
| | Varilux Comfort Short DRx | 165 | | Endless Steady Progressive Near Vision | 292 | | Camber Steady Plus | 275 |
| | Varilux Comfort W3+ | 166 | | epik Variable Active/Active N+D4 | 240 | | Progressive Near Vision | |
| | Varilux Comfort W3+ eyecode | 167 | | epik Variable Device/Device N+D4 | 241 | | Ce-Tru Short Corridor | 309 |
| | Varilux Comfort W3+ Fit | 168 | | epik Variable/Variable N+D4 | 242 | | Ce-Tru Short Corridor | 310 |
| | Varilux Ellipse | 169 | | Essential Steady Progressive | 293 | | Photochr | |
| | Varilux Ellipse / Ellipse 360 | 121 | | Essential Steady Progressive Distance Vision | 294 | | Channel 14 Variations Gray & B | 314 |
| | Varilux Ipseo IV | 171 | | Essential Steady Progressive Intermediate Vision | 295 | | Clarlet Business | 15 |
| | Varilux Ipseo IV eyecode | 172 | | Essential Steady Progressive Near Vision | 296 | | CLEARi DED 14 | 99 |
| | Varilux Physio Enhanced | 176 | | Essilor Computer | 135 | | Eagle Apprentice | 223 |
| | Varilux Physio Enhanced Azio | 177 | | Expert DNA™ | 204 | | Eagle Sport | 228 |
| | Varilux Physio Enhanced | 178 | | Expert Elite C™ | 205 | | Element Short | 461 |
| | eyecode | | | Expert Elite™ | 206 | | Endless Anti-fatigue Single Vision 0.50 D | 276 |
| | Varilux Physio Enhanced Fit | 179 | | Expert Essential® | 207 | | Endless Anti-fatigue Single Vision 0.75 D | 277 |
| | Varilux Physio Enhanced India | 180 | | Expert Extreme C™ | 208 | | Endless Anti-fatigue Single Vision 1.00 D | 278 |
| | Varilux Physio Short | 181 | | Expert Extreme™ | 209 | | Endless Drive Progressive | 280 |
| | Varilux Physio Short 360° | 182 | | Expert RNA™ | 211 | | Endless Pilot Progressive | 286 |
| | Varilux Physio Short DRx | 183 | | First PAL | 462 | | Endless Sport Progressive | 288 |
| | Varilux Physio W3+ | 184 | | Geo-FORM EZ S 11 | 372 | | Endless Steady Progressive | 289 |
| | Varilux Physio W3+ eyecode | 185 | | Gradal Brevis 1.5 | 21 | | Endless Steady Progressive Distance Vision | 290 |
| | Varilux Physio W3+ Fit | 186 | | Gradal Brevis 1.6 | 22 | | Endless Steady Progressive Intermediate Vision | 291 |
| | Varilux S 4D | 187 | | Gradal Shorti | 28 | | Endless Steady Progressive Near Vision | 292 |
| | Varilux S Design Short | 189 | | ID Mystyle | 262 | | Essential Steady Progressive | 293 |
| | Varilux S Fit | 190 | | identity pro | 358 | | Essential Steady Progressive Distance Vision | 294 |
| | WorkSpace | 465 | | Nikon Eyes Customized | 150 | | Essential Steady Progressive Intermediate Vision | 295 |
| | Wrap HD | 498 | | Nikon Online | 335,343 | | Essential Steady Progressive Near Vision | 296 |
| | ZEISS EnergizeMe (14, 16, 18) | 71 | | Nikon W Short | 345 | | Expert Elite C™ | 205 |
| | ZEISS EnergizeMe Digital | 72 | | Ovation ADS Short (Canada) | 153 | | Expert Elite™ | 206 |
| | ZEISS Light D (14, 18) | 80 | | PCWide | 435 | | Expert Essential® | 207 |
| | ZEISS Light H (14, 16, 18) | 81 | | Persona Office | 392 | | Expert Extreme C™ | 208 |
| | ZEISS MyoKids Pro | 83 | | Persona Quattro Sport | 399 | | Expert Extreme™ | 209 |
| | ZEISS MyoKids Pro Individual | 84 | | Presio i Digital 12 | 349 | | Expert RNA™ | 211 |
| | ZEISS Plus 2 Short Sport | 88 | | Pro-Freedom | 196 | | Expert Sport Wrap XPV™ (progressive) | 212 |
| | ZEISS SmartLife Pure (S, M, L) | 95 | | Pro-Freedom Plus | 197 | | EZ View Mini | 493 |
| 15mm | Accolade Freedom | 124 | | Pro-Freedom Sports | 199 | | Geo-FORM 11 | 364 |
| | Adaptar DS Short (Canada) | 128 | | PureSite Easy Fit | 107 | | Geo-FORM AW 12 | 368 |
| | Attitude III Fashion 15 | 449 | | SeeMaxProgressive 12 | 339 | | Gradal Brevity 1.59 | 23 |
| | Autograph II Attitude | 453 | | ShoreView / Shoreview Mini | 467 | | Gradal Brevity 1.67 | 24 |
| | Autograph III Fixed & VAR. | 455 | | Shoreview Mini ES | 468 | | identity home 9/11/13 | 356 |
| | Autograph Intelligence Fixed & VARI. | 456 | | SmallFit / SmallFit DS | 118 | | identity play 9/11/13 | 357 |
| | Autograph II+ Fixed & VARI. | 457 | | Smallfit DS (Canada) | 158 | | | |
| | Balance Digital 12 | 327 | | Succeed WS | 441 | | | |
| | Camber Steady Plus | 272 | | synchrony Access | 38 | | | |
| | Progressive | | | synchrony Access HD (075, 125, 175) | 39 | | | |
| | Camber Steady Plus | 273 | | | | | | |
| | Progressive Distance Vision | | | | | | | |

| <u>Min</u> <u>Height</u> | <u>Lens Name</u> | <u>Item #</u> |
|-----------------------------|---------------------|---------------|
| | synchrony Easy M HD | 44 |
| | synchrony Easy S | 45 |

| <u>Min</u> <u>Height</u> | <u>Lens Name</u> | <u>Item #</u> |
|-----------------------------|------------------------|---------------|
| | identity smart 9/11/13 | 359 |
| | inMotion | 297 |
| | IOT Endless Plus 0.50D | 299 |
| | IOT Endless Plus 0.75D | 300 |
| | IOT Endless Plus 1.00D | 301 |
| | Micro | 363 |
| | Move Digital 13 | 341 |
| | MOVE Short | 330 |

| Min Height | Lens Name | Item # | Min Height | Lens Name | Item # | Min Height | Lens Name | Item # |
|------------|--|--------|------------|---|-------------|------------|--|---------|
| 16mm | Nikon i | 333 | 17mm | Freedom ID | 518,519,520 | 18mm | Autograph II+ Fixed & VARI. | 457 |
| | Nikon i Digital | 334 | | Geo-FORM EZ 13 | 370 | | Camber Steady Plus | 272 |
| | Novel | 504 | | Geo-FORM EZ S 13 | 373 | | Progressive | |
| | Paradigm Short Corridor | 501 | | GT2 | 30 | | Camber Steady Plus | 273 |
| | Polar-Ray Progressive | 324 | | GT2 3D | 31 | | Progressive Distance Vision | |
| | PolySensus | 319 | | HD Trinity 13/17 SF | 13 | | Camber Steady Plus | 274 |
| | Presio Digital i Short | 346 | | HyperPro | 360 | | Progressive Intermediate Vision | |
| | Presio i Digital Short | 351 | | Illumina | 503 | | Camber Steady Plus | 275 |
| | Presio i Short | 352 | | Kodak Precise | 474 | | Progressive Near Vision | |
| | Proceed III Super Short | 439 | | KODAK Precise PB | 475 | | CLEARi DED 16 | 100 |
| | Proprius DS | 326 | | KODAK SoftWear | 478 | | CLEARi OFFICE COMPUTER | 103 |
| | Spectrum | 464 | | Nikon Eyes Advanced | 148 | | CLEARi OFFICE ROOM | 104 |
| | synchrony Work & Office HD | 58 | | Nikon W | 336,344 | | Continual Focus Lens (CFL) | 499 |
| | synchrony Work & Read HD | 59 | | Ovation | 116,151 | | Definity | 113,130 |
| | TR1-Far AW 16 | 375 | | Ovation ADS | 117 | | Eagle Driver | 225 |
| | TR2-Basic 16 | 379 | | Ovation ADS (Canada) | 152 | | Eagle Workplace | 230 |
| | TR3-Demand AW 16 | 383 | | Ovation Digital | 154 | | Endless Anti-fatigue Single Vision 0.50 D | 276 |
| | ZEISS Business | 64 | | Overture | 495 | | Endless Anti-fatigue Single Vision 0.75 D | 277 |
| | ZEISS EnergizeMe (14, 16, 18) | 71 | | Presio i Digital 14 | 350 | | Endless Anti-fatigue Single Vision 1.00 D | 278 |
| | ZEISS Experience | 73,74 | | Pro-Freedom Solace | 198 | | Endless Drive Progressive | 280 |
| | ZEISS Light H (14, 16, 18) | 81 | | SeeMaxProgressive 14 | 340 | | Endless Office | 282 |
| | ZEISS SmartLife Pure (S, M, L) | 95 | | SOLAMAX | 36 | | Endless Office 1.3 m | 283 |
| 16.5mm | DirecTek | 472 | | Succeed | 440 | | Endless Office 2 m | 284 |
| 17mm | Accolade | 123 | | Synchrony | 37 | | Endless Office 4 m | 285 |
| | AF2 | 433 | | synchrony Easy View | 47 | | Endless Pilot Progressive | 286 |
| | AugenSol HD Trinity 13/17 | 12 | | synchrony Easy View HD | 48 | | Endless Sport Progressive | 288 |
| | Balance Digital 14 | 328 | | synchrony Work & Go | 57 | | Endless Steady Progressive | 289 |
| | Camber Steady Plus | 272 | | HD | | | Endless Steady Progressive Distance Vision | 290 |
| | Progressive | | | TR8-Active AW 17 | 389 | | Endless Steady Progressive Intermediate Vision | 291 |
| | Camber Steady Plus | 273 | | Varilux Comfort | 161 | | Endless Steady Progressive Near Vision | 292 |
| | Progressive Distance Vision | | | Varilux Comfort Drx | 162 | | Essilor Ideal Driving | 141 |
| | Camber Steady Plus | 274 | | Varilux Physio | 173 | | Essilor Ideal Sport | 144 |
| | Progressive Intermediate Vision | | | Varilux Physio 360° | 174 | | Essilor Natural | 145 |
| | Camber Steady Plus | 275 | | Varilux Physio DRx | 175 | | Essilor Natural / Natural DS | 115 |
| | Progressive Near Vision | | | Varilux S Design | 188 | | Executive/ ShoreView ES | 466 |
| | CLEARi OFFICE BOOK | 102 | | Varilux X | 193 | | Expert Elite C™ | 205 |
| | Constitution HD | 220 | | Varilux X 4D | 194 | | Expert Elite™ | 206 |
| | Elan HD | 17 | | Varilux X Fit | 195 | | Expert Essential® | 207 |
| | Endless Steady Progressive | 289 | | Xplore | 306 | | Expert Extreme C™ | 208 |
| | Endless Steady Progressive Distance Vision | 290 | | ZEISS Choice (13, 15, 17, 19) | 65 | | Expert Extreme™ | 209 |
| | Endless Steady Progressive Intermediate Vision | 291 | | ZEISS Precision Pure (13, 15, 17, 19, 21) | 91 | | Expert Relief™ 50 and 75 | 210 |
| | Endless Steady Progressive Near Vision | 292 | 18mm | Adaptar | 125 | | Expert RNA™ | 211 |
| | EOS | 302 | | Adaptar Digital | 126 | | Expert Sport Wrap XPV™ (progressive) | 212 |
| | EOS Wrap | 303 | | Adaptar DS | 112 | | Expert Tween™ 1.3; 2.0; 4.0 | 214 |
| | Essential Steady Progressive | 293 | | Adaptar DS (Canada) | 127 | | Futureise | 362 |
| | Essential Steady Progressive Distance Vision | 294 | | AO b'Active | 1 | | Geo-FORM 13 | 365 |
| | Essential Steady Progressive Intermediate Vision | 295 | | AO Easy | 2 | | Geo-FORM AW 14 | 369 |
| | Essential Steady Progressive Near Vision | 296 | | AO Easy HD | 10 | | Golf | 463 |
| | Essilor Ideal | 136 | | AO Force 55 | 3 | | Gradal Individual | 26 |
| | Essilor Ideal Advanced | 137 | | AO Pro 15 | 4 | | Gradal Top | 29 |
| | Essilor Ideal Advanced Fit | 138 | | AO Pro 16 | 5 | | | |
| | Essilor Ideal Advanced Wrap | 139 | | Attitude III Fashion 18 | 450 | | | |
| | Expert DNA™ | 204 | | Attitude III Sport | 451 | | | |
| | Expert Elite C™ | 205 | | Autograph II Attitude | 453 | | | |
| | Expert Elite™ | 206 | | Autograph III Fixed & VAR. | 455 | | | |
| | Expert Essential® | 207 | | Autograph Intelligence | 456 | | | |
| | Expert Extreme C™ | 208 | | Fixed & VARI. | | | | |
| | Expert Extreme™ | 209 | | | | | | |


| Min Height | Lens Name | Item # |
|-----------------------|------------------|---------------|
| | Expert RNA™ | 211 |

| Min Height | Lens Name | Item # |
|-----------------------|----------------------------|---------------|
| | Hoyalux GP | 252 |
| | Hoyalux GPW | 253 |
| | Hoyalux Tact (EP40 and 60) | 254 |
| | ID Lifestyle | 256 |
| | iD LifeStyle 2 Clarity | 257 |

| Min Height | Lens Name | Item # | Min Height | Lens Name | Item # | Min Height | Lens Name | Item # |
|------------|------------------------------|--------|------------|---|---------|------------|---|---------|
| 18mm | ID LifeStyle 2 Harmony | 259 | 18mm | TruVision Technica | 8 | 20mm | TR1-Far AW 20 | 377 |
| | Image | 522 | | Variations | 317 | | TR2-Basic 20 | 381 |
| | Image | 523 | | Varilux Comfort / Comfort | 120 | | TR3-Demand AW 20 | 385 |
| | Impression Ergo 2 PC or Room | 413 | | DSx | | | X-Pro Discovery | 200 |
| | Impression Hyperop | 416 | | Varilux Sport | 122,191 | | X-Pro Discovery Plus | 201 |
| | Impression Myop | 418 | | Varilux Stylistic | 192 | 21mm | CLEARi DED 19 | 101 |
| | Impression Sport 2 | 420 | | VIP | 63 | | Gradal RD | 27 |
| | inMotion | 297 | | VIP Gold | 489 | | Super No-Line | 159 |
| | IOT Endless Plus 0.50D | 299 | | Visuality | 490 | | ZEISS Precision Pure (13, 15, 17, 19, 21) | 91 |
| | IOT Endless Plus 0.75D | 300 | | X-Pro Discovery Xtra | 202 | 22mm | Augen HD Trinity Spacia SF | 11 |
| | IOT Endless Plus 1.00D | 301 | | X-Pro Maxima Plus | 203 | | Ce-Tru Normal Corridor | 307 |
| | iRx Pro | 304 | | XL | 491 | | Ce-Tru Polarized | 308 |
| | Melibrad Progressive | 322 | | XL Gold | 492 | | Progressive | |
| | MOVE | 329 | | Zeal Digital Progressive | 524 | | Ce-Tru SunSensor | 311 |
| | Move Digital 15 | 342 | | ZEISS EnergizeMe (14, 16, 18) | 71 | | Gradal HS (All) | 25 |
| | Mvp Platinum Plastic II | 316 | | ZEISS Light D (14, 18) | 80 | | Polar-Ray Progressive | 323 |
| | MyView Ergo 2 PC or Room | 423 | | ZEISS Light H (14, 16, 18) | 81 | | Punktal Gradal HS | 35 |
| | Natural DS (Canada) | 147 | | ZEISS Plus 2 Sport | 89 | | TruVision | 6 |
| | Navigator FBS | 482 | | ZEISS SmartLife Pure (S, M, L) | 95 | | TruVision Omni | 7 |
| | Nikon Go | 331 | 19mm | Amplitude | 243 | | Umbramatic SR Gradal HS | 60 |
| | Nikon Go Digital | 332 | | Amplitude BKS | 244 | Several | Acclaim OEM PAL #1 and #2** | 517 |
| | Outlook | 506 | | Amplitude iQ | 245 | | Array | 249 |
| | Ovation DS (Canada) | 155 | | DC mini | 434 | | Array 2 | 250 |
| | Percepta | 486 | | Element | 460 | | Array Wrap | 251 |
| | Presio i | 347 | | Expert DNA™ | 204 | | COZE ADL ADVANCED | 401 |
| | Presio i Digital | 348 | | Expert Elite C™ | 205 | | COZE CASATA | 402 |
| | Proceed II Short | 438 | | Expert Elite™ | 206 | | COZE HDW | 403 |
| | Progressiv ClassicLife | 426 | | Expert Essential® | 207 | | COZE SOFT | 404 |
| | Progressiv Life 2 | 428 | | Expert Extreme C™ | 208 | | COZE WRAP | 405 |
| | Progressiv Purelife | 430 | | Expert Extreme™ | 209 | | EasyLux | 105 |
| | Promult | 320 | | Geo-FORM EZ 15 | 371 | | Expert Elite™ | 206 |
| | Resolution Response | 361 | | Nalco Progressive | 325 | | Expert Essential® | 207 |
| | SOLAOne HD | 488 | | Spectrum | 464 | | Expert Extreme™ | 209 |
| | Stealth 15 | 502 | | TR8-Active AW 19 | 390 | | Expert RNA™ | 211 |
| | Summit ecp | 265 | | ZEISS Choice (13, 15, 17, 19) | 65 | | Maui Passport Progressive | 321 |
| | Summit ecp iQ | 266 | | ZEISS Precision Pure (13, 15, 17, 19, 21) | 91 | | Persona | 391 |
| | synchrony Easy Adapt | 41 | 20mm | Expert Elite C™ | 205 | | Presio Power 12/13/14 | 337,353 |
| | synchrony Easy Adapt HD | 42 | | Expert Elite™ | 206 | | Privo Advance | 106 |
| | synchrony Easy Wear | 49 | | Expert Essential® | 207 | | SeeMax Power 12/13/14 | 338,354 |
| | synchrony Easy Wear HD | 50 | | Expert Extreme C™ | 208 | | Supercede | 442 |
| | TACT 40 BKS and TACT 60 BKS | 267 | | Expert Extreme™ | 209 | | UNITY PLx | 507 |
| | TR1-Far AW 18 | 376 | | EZ View Std | 494 | | UNITY PLxtra | 508 |
| | TR2-Basic 18 | 380 | | Geo-FORM 15 | 366 | | Vista | 406 |
| | TR3-Demand AW 18 | 384 | | Gradal 3 | 20 | | VISTA CP | 407 |
| | TR4-Highway AW | 386 | | Navigator Precision | 483 | | VISTA WS | 408 |
| | TR5-Zone 13 | 387 | | Nexyma Computer (80) | 424 | | XP HD | 409 |
| | | | | Paradigm Progressive | 500 | | | |

AO b'Active

1



This lens was discontinued in 2010



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

AO Easy

2



This lens was discontinued in 2017



no symbol



Materials:
Plastic (CR39 and 1.50)
Polycarbonate



Filters:
Photochromic
Polarized

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

AO Force 55

3



This lens was discontinued in 2009



Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

AO Pro 15

4



This lens was discontinued in 2009




Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

AO Pro 16

5



This lens was discontinued in 2009




Materials:
Plastic High Index (1.60)

PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

TruVision

6



This lens was discontinued in 2009


M

Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Clear
Available in: US and Canada

TruVision Omni

7



This lens was discontinued in 2009


M

Materials:
Plastic (CR39 and 1.50)
Glass (1.523)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Clear; Photochromic;
Available in: US and Canada

TruVision Technica

8



This lens was discontinued in 2009

M

Materials:
Plastic (CR39 and 1.50)

PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

American Optical | AO Easy

9



This lens was discontinued in 2017

M

7

Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
11mm
Available as: Clear; Photochromic;
Available in: US and Canada

American Optical | AO Easy HD

10



This lens was discontinued in 2017

M

H

T

P

F


M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Augen Optics | Augen HD Trinity Spacia SF

11



Materials:
Trivex

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Clear
Available in: US and Canada

Augen Optics | AugenSol HD Trinity 13/17

12




Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic;
Available in: US and Canada

Augen Optics | HD Trinity 13/17 SF

13



no symbol

no symbol

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic;
Available in: US and Canada

Augen Optics | HD Trinity 8/12 SF

14




Materials:
Plastic (CR39 and 1.50)
Trivex

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
12
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | Clarlet Business

15




This lens was discontinued in 2010

Materials:
Plastic (CR39 and 1.50)

Near Variable Focus
PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
16mm
Available as: Clear
Available in: Canada Only

Carl Zeiss Vision | Continuum

16



This lens was discontinued in 2023

M
CP

Materials:
Polycarbonate

Near Variable Focus
PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: US and Canada

Carl Zeiss Vision | Elan HD

17



M
H
T
P
F
M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Carl Zeiss Vision | Elan HD Short

18



M
H
T
P
F
M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Carl Zeiss Vision | Elan HDV

19



M
H
T
P
F
M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Carl Zeiss Vision | Gradal 3

20



This lens was discontinued in 2009


M

Materials:
Plastic (CR39 and 1.50)

PAL Design on Front side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
20mm
Available as: Clear
Available in: Canada Only

Carl Zeiss Vision | Gradal Brevis 1.5

21



This lens was discontinued in 2010


M
50

Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: Canada Only

Carl Zeiss Vision | Gradal Brevis 1.6

22



This lens was discontinued in 2010

M
60

Materials:
Plastic High Index (1.60)

Standard Progressive
PAL Design on Front side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: Canada Only

Carl Zeiss Vision | Gradal Brevity 1.59

23



This lens was discontinued in 2009

M

Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 3mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | Gradal Brevity 1.67

24



This lens was discontinued in 2009

M

Materials:
Plastic High Index (1.66 - 1.67)

PAL Design on Front side
Fitting cross location: 3mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | Gradal HS (All)

25



This lens was discontinued in 2005


M

Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Clear
Available in: US and Canada

Carl Zeiss Vision | Gradal Individual

26



This lens was discontinued in 2010

M

60

66

Materials:

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US and Canada

Carl Zeiss Vision | Gradal RD

27



This lens was discontinued in 2016

M

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Front side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

21mm

Available as: Clear

Available in: US and Canada

Carl Zeiss Vision | Gradal Shorti

28



This lens was discontinued in 2010

M

60

Materials:

Plastic High Index (1.60)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

15mm

Available as: Clear

Available in: US and Canada

Carl Zeiss Vision | Gradal Top

29



This lens was discontinued in 2013

M

50

58

60

66

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | GT2

30



This lens was discontinued in 2013

M

50

59

60

67

60

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic Ultra High Index (> 1.67)

Glass High Index (> 1.60)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | GT2 3D

31



This lens was discontinued in 2016

M


50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | GT2 3D 3DV

32



This lens was discontinued in 2016

M


50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | GT2 3D Short

33



This lens was discontinued in 2016

M

50
59
60
67

Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | GT2 Short

34



This lens was discontinued in 2016

M


50
59
60
67

Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | Punktal Gradal HS

35



This lens was discontinued in 2005


M

Materials:
Glass High Index (> 1.60)

PAL Design on Front side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Clear
Available in: US and Canada

Carl Zeiss Vision | SOLAMAX

36



This lens was discontinued in 2023

M


H
P

Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | Synchrony

37



This lens was discontinued in 2023

M

H
P

Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | synchrony Access

38



This lens was discontinued in 2023

M


AC
ACP

Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Near Variable Focus
PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: US and Canada

Carl Zeiss Vision | synchrony Access HD (075, 125, 175)

39



This lens was discontinued in 2023

M


H
T
P
F
M
J

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Curves HDC

40



This lens was discontinued in 2022

M

H

T

P

F

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | synchrony Easy Adapt

41



This lens was discontinued in 2023

M

H

P

F

M

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | synchrony Easy Adapt HD

42



This lens was discontinued in 2023

M

H

T

P

F

M

J

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | synchrony Easy M

43



This lens was discontinued in 2023

M

C

P

60

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic;

Available in: US and Canada

Carl Zeiss Vision | synchrony Easy M HD

44



This lens was discontinued in 2023

M
H
T
P
F
M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 15mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | synchrony Easy S

45



This lens was discontinued in 2023

M
no symbol
P

Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 15mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | synchrony Easy S HD

46



This lens was discontinued in 2023

M
H
T
P
F
M
J

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)


Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Easy View

47



This lens was discontinued in 2023


M
C
P
6
F


Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.60)
Filters:
Photochromic

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | synchrony Easy View HD

48



This lens was discontinued in 2023

M

H

T

P

F

M

J

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:


17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | synchrony Easy Wear

49



This lens was discontinued in 2023

M

H

P

M

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | synchrony Easy Wear HD

50



This lens was discontinued in 2023

M

H

T

P

F

M

J

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | synchrony Performance HD (13, 15, 17, 19)

51



This lens was discontinued in 2023

M

H

T

P

F

M

J

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | synchrony Performance HDV

52




| | |
|----------|--|
| M | Materials: Plastic (CR39 and 1.50) |
| H | Trivex |
| T | Polycarbonate |
| P | Plastic High Index (1.60) |
| F | Plastic High Index (1.66 - 1.67) |
| M | Plastic High Index (1.66 - 1.67) |
| J | Plastic Ultra High Index (> 1.67) |

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Starter HD

53




This lens was discontinued in 2022

| | |
|----------|--|
| M | Materials: Plastic (CR39 and 1.50) |
| H | Trivex |
| T | Polycarbonate |
| P | Plastic High Index (1.60) |
| F | Plastic High Index (1.66 - 1.67) |
| M | Plastic High Index (1.66 - 1.67) |
| J | Plastic Ultra High Index (> 1.67) |

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Ultra HD (13, 15, 17, 19, 21)

54




| | |
|----------|--|
| M | Materials: Plastic (CR39 and 1.50) |
| H | Trivex |
| T | Polycarbonate |
| P | Plastic High Index (1.60) |
| F | Plastic High Index (1.66 - 1.67) |
| M | Plastic High Index (1.66 - 1.67) |
| M | Plastic High Index (1.66 - 1.67) |
| J | Plastic Ultra High Index (> 1.67) |

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Ultra HDC

55




| | |
|----------|--|
| M | Materials: Plastic (CR39 and 1.50) |
| H | Trivex |
| T | Polycarbonate |
| P | Plastic High Index (1.60) |
| F | Plastic High Index (1.66 - 1.67) |
| M | Plastic High Index (1.66 - 1.67) |
| J | Plastic Ultra High Index (> 1.67) |

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Ultra HDV

56



This lens was discontinued in 2022

M

H

T

P

F

M

J

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | synchrony Work & Go HD

57



This lens was discontinued in 2023

M

H

T

P

F

M

J

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | synchrony Work & ice HD

58

This lens was discontinued in 2023

M

H

T

P

F

M

J

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | synchrony Work & Read HD

59



This lens was discontinued in 2023

M

H

T

P

F

M

J

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | Umbramatic SR Gradal HS

60



This lens was discontinued in 2005

M

Materials:
Glass (1.523)

PAL Design on Front side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | Universa HD ice (075, 125, 175)

61

M

H

T

P

F


M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: Canada Only

Carl Zeiss Vision | Universa2 HD

62



M

H

T

P

F

M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Carl Zeiss Vision | VIP

63



This lens was discontinued in 2023

M

S

Materials:
Glass (1.523)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | ZEISS Business

64



This lens was discontinued in 2019

M

Materials:
Plastic (CR39 and 1.50)

Near Variable Focus
PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
16mm
Available as: Clear
Available in: US and Canada

Carl Zeiss Vision | ZEISS Choice (13, 15, 17, 19)

65



M

50

53

59

60

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

15mm

17mm


19mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Carl Zeiss Vision | ZEISS Choice Plus (13, 15, 17, 19, 21)

66



This lens was discontinued in 2016

M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS Choice Plus V

67



This lens was discontinued in 2016

M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS Digital Lens

68



This lens has been replaced by ZEISS SmartLife Digital

M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS DriveSafe

69



M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS DriveSafe Individual

70



M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS EnergizeMe (14, 16, 18)

71



This lens was discontinued in 2021

M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

14mm

16mm

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS EnergizeMe Digital

72



This lens was discontinued in 2021

M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS Experience

73



Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 3mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US Only

Carl Zeiss Vision | ZEISS Experience

74



Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 3mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US Only

Carl Zeiss Vision | ZEISS Experience HD2

75



59
67

Materials:
Polycarbonate
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS Experience Short

76



Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic;
Available in: US Only

Carl Zeiss Vision | ZEISS Experience Short

77



Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic;
Available in: US Only

Carl Zeiss Vision | ZEISS Individual

78



This lens was discontinued in 2016

M


50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS Individual 2

79



This lens has been replaced by ZEISS SmartLife Individual

M

50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS Light D (14, 18)

80



This lens has been replaced by ZEISS Light Dx (14, 18)

M

50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 14mm
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS Light H (14, 16, 18)

81



This lens has been replaced by ZEISS Light Hx (14, 16, 18)

M


50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 14mm
16mm
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS Light V

82



This lens has been replaced by ZEISS Light Vx

M

50
53
59
60
67
74

Materials:


Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS MyoKids Pro

83



M

50
60
67

Materials:

Plastic (CR39 and 1.50)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic;
Available in: Canada Only

Carl Zeiss Vision | ZEISS MyoKids Pro Individual

84



M

50
60
67

Materials:

Plastic (CR39 and 1.50)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic;
Available in: Canada Only

Carl Zeiss Vision | ZEISS icelens Book

85

M

50
53
59
60
67
74

Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear
Available in: US and Canada

Carl Zeiss Vision | ZEISS icelens Desk

86

M

50

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear

Available in: US and Canada

53

Trivex

59

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Carl Zeiss Vision | ZEISS icelens Room

87

M

50

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear

Available in: US and Canada

53

Trivex

59

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Carl Zeiss Vision | ZEISS Plus 2 Short Sport

88



This lens was discontinued in 2019

M

50

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

53

Trivex

59

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

Carl Zeiss Vision | ZEISS Plus 2 Sport

89



This lens was discontinued in 2019

M

50

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

53

Trivex

59

Polycarbonate

60


Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

Carl Zeiss Vision | ZEISS Precision Plus

90



This lens has been replaced by ZEISS SmartLife Plus

M


50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS Precision Pure (13, 15, 17, 19, 21)

91



This lens has been replaced by ZEISS SmartLife Pure (S, M, L)

M


50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 13mm
15mm
17mm
19mm
21mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS Precision Superb

92



This lens has been replaced by ZEISS SmartLife Superb

M

50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS SmartLife Individual

93



This lens has been replaced by ZEISS SmartLife Individual

M


50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS SmartLife Plus

94



M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS SmartLife Pure (S, M, L)

95



M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

14mm

16mm

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS SmartLife Superb

96



M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Classic Optical Laboratories, Inc. | APEX

97



M

P

T

C

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

CLEARi | CLEARi Absolute-W 12

98



M


50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

CLEARi | CLEARi DED 14

99



This lens was discontinued in

M

50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 16mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

CLEARi | CLEARi DED 16

100



M

50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

CLEARi | CLEARi DED 19

101



M

50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 21mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

CLEARi | CLEARi OFFICE BOOK

102



| M | Materials: |
|----|-----------------------------------|
| 50 | Plastic (CR39 and 1.50) |
| 59 | Polycarbonate |
| 60 | Plastic High Index (1.60) |
| 67 | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Custom Progressive Design
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
17mm
Available as: Clear
Available in: US and Canada

CLEARi | CLEARi OFFICE COMPUTER

103



| M | Materials: |
|----|-----------------------------------|
| 50 | Plastic (CR39 and 1.50) |
| 59 | Polycarbonate |
| 60 | Plastic High Index (1.60) |
| 67 | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

CLEARi | CLEARi OFFICE ROOM

104



| M | Materials: |
|----|-----------------------------------|
| 50 | Plastic (CR39 and 1.50) |
| 59 | Polycarbonate |
| 60 | Plastic High Index (1.60) |
| 67 | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

Dehlawi Optical Industries | EasyLux

105



| M | Materials: |
|----|-----------------------------------|
| 50 | Plastic (CR39 and 1.50) |
| 53 | Plastic Mid-Index (1.52 - 1.58) |
| 56 | Plastic Mid-Index (1.52 - 1.58) |
| 58 | Polycarbonate |
| 60 | Plastic High Index (1.60) |
| 67 | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
Several
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Dehlawi Optical Industries | Privo Advance

106



M

50

Materials:

Plastic (CR39 and 1.50)

56

Plastic Mid-Index (1.52 - 1.58)

53

Trivex

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


Several

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Diversified Ophthalmics, Inc. | PureSite Easy Fit

107



M

no symbol

Materials:

Plastic (CR39 and 1.50)

no symbol

Plastic Mid-Index (1.52 - 1.58)

no symbol

Trivex

no symbol

Polycarbonate

no symbol

Plastic High Index (1.60)

no symbol

Plastic High Index (1.66 - 1.67)

no symbol

Plastic Ultra High Index (> 1.67)

Near Variable Focus

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

15mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Diversified Ophthalmics, Inc. | PureSite Enhanced

108



M

no symbol

Materials:

Plastic (CR39 and 1.50)

no symbol

Plastic Mid-Index (1.52 - 1.58)

no symbol

Trivex

no symbol

Polycarbonate

no symbol

Plastic High Index (1.60)

no symbol

Plastic High Index (1.66 - 1.67)

no symbol

Plastic Ultra High Index (> 1.67)

Near Variable Focus

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Diversified Ophthalmics, Inc. | PureSite Premier

109



M

no symbol

no symbol

no symbol

no symbol

no symbol

no symbol

no symbol

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Near Variable Focus

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Diversified Ophthalmics, Inc. | PureSite Ultima

110



M

no symbol

no symbol

no symbol

no symbol

no symbol

no symbol

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Near Variable Focus

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor Canada | Adaptar

111



M

Materials:

Plastic High Index (1.60)

Fitting cross location:

Rec. minimum fitting height:

Available as: Clear

Available in:

This lens was discontinued in 2010

Essilor Canada | Adaptar DS

112



M

III

III P

III 6

III 67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic;

Available in: Canada Only

Essilor Canada | Definity

113



M

no symbol

P

6

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor Canada | Definity Short

114



M

no symbol

P

6

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


15mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor Canada | Essilor Natural / Natural DS

115



M

no symbol

P

6

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic;

Available in: US and Canada

Essilor Canada | Ovation

116



M

no symbol

P

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Essilor Canada | Ovation ADS

117



M

no symbol

P

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Essilor Canada | SmallFit / SmallFit DS

118



M

no symbol

P

6

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


15mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor Canada | Super No-Line

119



M

Materials:

Plastic (CR39 and 1.50)

Fitting cross location:

Rec. minimum fitting height:


Available as: Clear

Available in:

This lens was discontinued in 2010

Essilor Canada | Varilux Comfort / Comfort DSx

120



M

no symbol

P

6

π

no symbol

8

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Glass High Index (> 1.60)

Glass Ultra High Index (> 1.70)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Essilor Canada | Varilux Ellipse / Ellipse 360

121



M

no symbol

P

6

π

74

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic;

Available in: US and Canada

Essilor Canada | Varilux Sport

122




M

Materials:
Polycarbonate

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear Polarized
Available in: US and Canada

Essilor of America, Inc. | Accolade

123



M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

*
P
6
67
74

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America, Inc. | Accolade Freedom

124



M

no symbol
*
P
6
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America, Inc. | Adaptar

125



M

no symbol
P

Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Essilor of America, Inc. | Adaptar Digital

126



M


no symbol
*
P
67

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America, Inc. | Adaptar DS (Canada)

127



M

no symbol

P

6

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Essilor of America, Inc. | Adaptar DS Short (Canada)

128



M

no symbol

P

6

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


15mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Essilor of America, Inc. | Adaptar Short Digital

129



M

no symbol

P

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America, Inc. | Definity

130



M

no symbol

P

6

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America, Inc. | Definity Short

131




| | |
|------------------|-----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| * | Trivex |
| P | Polycarbonate |
| 6 | Plastic High Index (1.60) |
| 67 | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America, Inc. | Definity 3

132




| | |
|------------------|-----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| * | Trivex |
| P | Polycarbonate |
| 67 | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America, Inc. | Definity 3 Plus

133




| | |
|------------------|-----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| * | Trivex |
| P | Polycarbonate |
| 67 | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America, Inc. | Essilor Anti-Fatigue

134




| | |
|------------------|----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| P | Polycarbonate |
| 67 | Plastic High Index (1.66 - 1.67) |

Standard Progressive
PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
13mm
Available as: Clear
Available in: US and Canada

Essilor of America, Inc. | Essilor Computer

135



M
P

Materials:
Polycarbonate

Near Variable Focus
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: US Only

Essilor of America, Inc. | Essilor Ideal

136



M

no symbol



P

6


67

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America, Inc. | Essilor Ideal Advanced

137



M

no symbol



P

6


67

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America, Inc. | Essilor Ideal Advanced Fit

138



M

no symbol



P

60

67


74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America, Inc. | Essilor Ideal Advanced Wrap

139



M

no symbol

P

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America, Inc. | Essilor Ideal Computer

140



M

P

6

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Near Variable Focus

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America, Inc. | Essilor Ideal Driving

141



M

no symbol

P

6

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America, Inc. | Essilor Ideal Fit

142



M

no symbol

P

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America, Inc. | Essilor Ideal Short

143




| | |
|------------------|----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| * | Trivex |
| P | Polycarbonate |
| 6 | Plastic High Index (1.60) |
| 67 | Plastic High Index (1.66 - 1.67) |

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America, Inc. | Essilor Ideal Sport

144




| | |
|------------------|----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| * | Trivex |
| P | Polycarbonate |
| 6 | Plastic High Index (1.60) |
| 67 | Plastic High Index (1.66 - 1.67) |

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America, Inc. | Essilor Natural

145



| | |
|------------------|---------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| P | Polycarbonate |
| 6 | Plastic High Index (1.60) |

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Essilor of America, Inc. | Essilor Natural Digital

146



| | |
|------------------|----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| * | Trivex |
| P | Polycarbonate |
| 6 | Plastic High Index (1.60) |
| 67 | Plastic High Index (1.66 - 1.67) |

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America, Inc. | Natural DS (Canada)

147



| | |
|------------------|----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| P | Polycarbonate |
| 6 | Plastic High Index (1.60) |
| 67 | Plastic High Index (1.66 - 1.67) |

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Essilor of America, Inc. | Nikon Eyes Advanced

148




M
P

Materials:
Polycarbonate

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic;
Available in: US Only

Essilor of America, Inc. | Nikon Eyes Advanced Short

149




M
P

Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US Only

Essilor of America, Inc. | Nikon Eyes Customized

150



M
67

Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic;
Available in: US Only

Essilor of America, Inc. | Ovation

151



M
no symbol
P
67

Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America, Inc. | Ovation ADS (Canada)

152



M
no symbol
P
67

Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Essilor of America, Inc. | Ovation ADS Short (Canada)

153



M

no symbol
67

Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 15mm
Available as: Clear; Photochromic;
Available in: Canada Only

Essilor of America, Inc. | Ovation Digital

154



M

no symbol

P
6
67

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America, Inc. | Ovation DS (Canada)

155



M

no symbol
P
6
67

Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Essilor of America, Inc. | Smallfit

156



M

no symbol
P
6
67

Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America, Inc. | SmallFit Digital

157



M

no symbol

P
6
67

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America, Inc. | Smallfit DS (Canada)

158



| | |
|------------------|----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| P | Polycarbonate |
| 6 | Plastic High Index (1.66 - 1.67) |
| 67 | Plastic High Index (1.66 - 1.67) |

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Essilor of America, Inc. | Super No-Line

159



| | |
|------------------|-------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
21mm
Available as: Clear
Available in: US Only

Essilor of America, Inc. | Varilux Ipseo IV

160



| | |
|------------------|-----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| P | Polycarbonate |
| Π | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US Only

Essilor of America, Inc. | Varilux Comfort

161




| | |
|------------------|----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| P | Polycarbonate |
| 6 | Plastic High Index (1.60) |
| Π | Plastic High Index (1.66 - 1.67) |

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America, Inc. | Varilux Comfort Drx

162




| | |
|------------------|----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| * | Trivex |
| P | Polycarbonate |
| 6 | Plastic High Index (1.60) |
| Π | Plastic High Index (1.66 - 1.67) |

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America, Inc. | Varilux Comfort Enhanced

163



M

no symbol

P

6

π

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America, Inc. | Varilux Comfort Short

164



M

no symbol

P

6

π

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America, Inc. | Varilux Comfort Short DRx

165



M

no symbol

P

6

π

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America, Inc. | Varilux Comfort W3+

166



M

P

6

π

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America, Inc. | Varilux Comfort W3+ eyecode

167



M

Materials:

Plastic (CR39 and 1.50)
Trivex

P

Polycarbonate

6

Plastic High Index (1.60)

π

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America, Inc. | Varilux Comfort W3+ Fit

168



M

Materials:

Plastic (CR39 and 1.50)
Trivex

P

Polycarbonate

6

Plastic High Index (1.60)

π

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America, Inc. | Varilux Ellipse

169



M

Materials:

no symbol

Plastic (CR39 and 1.50)

P

Polycarbonate

6

Plastic High Index (1.60)

π

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America, Inc. | Varilux Ellipse 360°

170



M

Materials:

no symbol

Plastic (CR39 and 1.50)

P

Polycarbonate

6

Plastic High Index (1.60)

π

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America, Inc. | Varilux Ipseo IV

171




| | |
|------------------|-----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| P | Polycarbonate |
| π | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US and Canada

Essilor of America, Inc. | Varilux Ipseo IV eyecode

172




| | |
|------------------|-----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| P | Polycarbonate |
| π | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America, Inc. | Varilux Physio

173




| | |
|------------------|-----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| * | Trivex |
| P | Polycarbonate |
| 6 | Plastic High Index (1.60) |
| π | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America, Inc. | Varilux Physio 360°

174




| | |
|------------------|-----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| P | Polycarbonate |
| 6 | Plastic High Index (1.60) |
| π | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America, Inc. | Varilux Physio DRx

175




| | |
|------------------|-----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| P | Polycarbonate |
| 6 | Plastic High Index (1.60) |
| Π | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America, Inc. | Varilux Physio Enhanced

176




| | |
|------------------|-----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| * | Trivex |
| P | Polycarbonate |
| 6 | Plastic High Index (1.60) |
| Π | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America, Inc. | Varilux Physio Enhanced Azio

177




| | |
|------------------|-----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| * | Trivex |
| P | Polycarbonate |
| 6 | Plastic High Index (1.60) |
| Π | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America, Inc. | Varilux Physio Enhanced eyecode

178




| | |
|------------------|-----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| * | Trivex |
| P | Polycarbonate |
| 6 | Plastic High Index (1.60) |
| Π | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America, Inc. | Varilux Physio Enhanced Fit

179



M

no symbol

*

P

6

Π

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America, Inc. | Varilux Physio Enhanced India

180



M

no symbol

*

P

6

Π

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America, Inc. | Varilux Physio Short

181



M

no symbol

*

P

6

Π

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic;

Available in: US Only

Essilor of America, Inc. | Varilux Physio Short 360°

182



M

P

Π

Materials:

Polycarbonate

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic;

Available in: US and Canada

Essilor of America, Inc. | Varilux Physio Short DRx

183



M

no symbol

P

6

π

74

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America, Inc. | Varilux Physio W3+

184



M

P

6

π

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America, Inc. | Varilux Physio W3+ eyecode

185



M

P

6

π

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America, Inc. | Varilux Physio W3+ Fit

186



M

P

6

π

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America, Inc. | Varilux S 4D

187



M

Materials:

Plastic (CR39 and 1.50)

Trivex

*

P

Polycarbonate

π

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America, Inc. | Varilux S Design

188



M

Materials:

Plastic (CR39 and 1.50)

Trivex

*

P

Polycarbonate

π

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America, Inc. | Varilux S Design Short

189



M

Materials:

Plastic (CR39 and 1.50)

Trivex

*

P

Polycarbonate

π

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America, Inc. | Varilux S Fit

190



M

Materials:

Plastic (CR39 and 1.50)

Trivex

*

P

Polycarbonate

π

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America, Inc. | Varilux Sport

191



M
P

Materials:
Polycarbonate

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Polarized
Available in: US and Canada

Essilor of America, Inc. | Varilux Stylistic

192



M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

*

P

π

74

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America, Inc. | Varilux X

193



M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

*

P

π

74

Custom Progressive Design
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: ; Photochromic; Polarized
Available in: US and Canada

Essilor of America, Inc. | Varilux X 4D

194



M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

*

P

π

74

Custom Progressive Design
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: ; Photochromic; Polarized
Available in: US and Canada

Essilor of America, Inc. | Varilux X Fit

195



M

Materials:

Plastic (CR39 and 1.50)
Trivex

*

P

Polycarbonate

π

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


17mm

Available as: ; Photochromic; Polarized

Available in: US and Canada

Excelite, Inc. | Pro-Freedom

196



M

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

15mm

Available as: Clear

Available in: US and Canada

Excelite, Inc. | Pro-Freedom Plus

197



M

Materials:

Plastic High Index (1.60)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

15mm

Available as: Clear

Available in: US and Canada

Excelite, Inc. | Pro-Freedom Solace

198



M

1

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Excelite, Inc. | Pro-Freedom Sports

199



M

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


15mm

Available as: Clear

Available in: US Only

Excelite, Inc. | X-Pro Discovery

200




M
G
V
M

Materials:
Plastic (CR39 and 1.50)
Trivex
Plastic High Index (1.60)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
20mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Excelite, Inc. | X-Pro Discovery Plus

201



M
C
H

Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
20mm
Available as: Clear; Photochromic;
Available in: US and Canada

Excelite, Inc. | X-Pro Discovery Xtra

202




M
V
H

Materials:
Plastic (CR39 and 1.50)
Trivex
Plastic High Index (1.60)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Excelite, Inc. | X-Pro Maxima Plus


203



M

Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)

Near Variable Focus
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

**M****B50****Materials:**

Plastic (CR39 and 1.50)

P

Plastic (CR39 and 1.50)

TRN

Plastic (CR39 and 1.50)

PRY

Plastic (CR39 and 1.50)

TPR

Plastic (CR39 and 1.50)

TPT

Trivex

B53

Trivex

H53

Trivex

T53

Trivex

PTX

Trivex

PRT

Trivex

PLY

Polycarbonate

TPY

Polycarbonate

PLP

Polycarbonate

TPP

Polycarbonate

BLY

Polycarbonate

ZPY

Polycarbonate

B60

Plastic High Index (1.60)

HTR

Plastic High Index (1.60)

H60

Plastic High Index (1.60)

T60

Plastic High Index (1.60)

P60

Plastic High Index (1.60)

T67

Plastic High Index (1.66 - 1.67)

P67

Plastic High Index (1.66 - 1.67)

B67

Plastic High Index (1.66 - 1.67)

H67

Plastic High Index (1.66 - 1.67)

Custom Progressive Design**PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

13mm


15mm

17mm

19mm

P Digitally balanced design for an economically conscious patient with 4 fitting heights. Also available with Blue Blocking filter.

Available as: Clear; Photochromic; Polarized**Available in:** US and Canada



| | |
|------------|-----------------------------------|
| M | Materials: |
| P | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| PRY | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| T53 | Trivex |
| TPP | Polycarbonate |
| PLY | Polycarbonate |
| TPY | Polycarbonate |
| PLP | Polycarbonate |
| HTR | Plastic High Index (1.60) |
| H60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| H67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |
| T74 | Plastic Ultra High Index (> 1.67) |

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm

18mm


19mm

20mm

P Advanced two-sided digitally well-balanced design that is customized and optimized using Position of Wear values (actual or standard)

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

P

TRN

PRY

TPR

B50

TPT

H53

B53

T53

PTX

PRT

PLY

TPY

PLP

TPP

ZPY

BLY

HTR

H60

T60

P60

B60

B67

T67

P67

H67

H67

B74

H70

T70

H74

H74

T74

Materials:

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Trivex

Trivex

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm

18mm

19mm

20mm

Several

P Digitally Personalized and Optimized with Position of Wear (actual or average) for Everyday Use. Also available with Blue Blocking filter.

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

P

TRN

PRY

TPR

B50

TPT

H53

B53

T53

PTX

PRT

PLY

TPY

PLP

TPP

ZPY

BLY

HTR

H60

T60

P60

B60

B67

T67

P67

H67

H67

B74

H70

T70

H74

H74

T74

Materials:

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Trivex

Trivex

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm

18mm

19mm


20mm

Several

P Digitally Balanced Design for Everyday Use. Also available with Blue Blocking filter.

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



| | |
|------------|-----------------------------------|
| M | Materials: |
| P | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| PRY | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| T53 | Trivex |
| TPP | Polycarbonate |
| PLY | Polycarbonate |
| TPY | Polycarbonate |
| PLP | Polycarbonate |
| HTR | Plastic High Index (1.60) |
| H60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| H67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |
| T74 | Plastic Ultra High Index (> 1.67) |

Custom Progressive Design**PAL Design on Front and Back side**

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm

18mm


19mm

20mm

P Advanced two-sided digitally well-balanced design that is customized and optimized using Position of Wear values (actual or standard)

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

P

TRN

PRY

TPR

B50

TPT

H53

B53

T53

PTX

PRT

PLY

TPY

PLP

TPP

ZPY

BLY

HTR

H60

T60

P60

B60

B67

T67

P67

H67

B74

H70

T70

H74

T74

Materials:

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Trivex

Trivex

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm

18mm

19mm


20mm

Several

P Design Highlighting Distance Vision for More Active Patients. Individually compensated and optimized using Position of Wear Measurements (actual or average). Also available with Blue Blocking filter.

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

P

TRN

PRY

TPR

B50

TPT

H53

B53

T53

PTX

PRT

PLY

TPY

PLP

TPP

ZPY

BLY

HTR

H60

T60

P60

B60

B67

T67

P67

H67

H67

B74

H70

T70

H74

H74

T74

Materials:

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Trivex

Trivex

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Near Variable Focus

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

P Designs are +0.50 and +0.75 adds.

Relieves visual fatigue symptoms for wearers ages 18 to 45. Also available with Blue Blocking filter.

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



| | |
|------------|----------------------------------|
| M | Materials: |
| B50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| TPT | Trivex |
| B53 | Trivex |
| H53 | Trivex |
| T53 | Trivex |
| PTX | Trivex |
| PRT | Trivex |
| PLY | Polycarbonate |
| TPY | Polycarbonate |
| PLP | Polycarbonate |
| TPP | Polycarbonate |
| BLY | Polycarbonate |
| ZPY | Polycarbonate |
| B60 | Plastic High Index (1.60) |
| HTR | Plastic High Index (1.60) |
| H60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| B67 | Plastic High Index (1.66 - 1.67) |
| H67 | Plastic High Index (1.66 - 1.67) |

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

13mm

14mm

15mm

16mm

17mm

18mm

Several

P Digitally customized and optimized for any frame and fine-tuned compensation with Position of Wear values (standard or actual). Also available with Blue Blocking filter.

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

H53

Materials:

Trivex

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm

18mm

T53

Trivex

PRT

Trivex

TPT

Trivex

ZPY

Polycarbonate

PLY

Polycarbonate

TPY

Polycarbonate

PLP

Polycarbonate

TPP

Polycarbonate

T67

Plastic High Index (1.66 - 1.67)

P67

Plastic High Index (1.66 - 1.67)

P

Progressive specifically designed for Wrap Frames. Individually compensated and optimized using Position of Wear values (actual or average).

Available as: Clear; Photochromic; Polarized

Available in: US Only



M

H53

Materials:

Trivex

PAL Design on Back side

Fitting cross location: None

Rec. minimum fitting height:

T53

Trivex

PRT

Trivex

PRT

Trivex

TPT

Trivex

TPP

Polycarbonate

ZPY

Polycarbonate

PLY

Polycarbonate

TPY

Polycarbonate

PLP

Polycarbonate

T67

Plastic High Index (1.66 - 1.67)

P67


Plastic High Index (1.66 - 1.67)

P

SV F.H. within 5 mm of O.C. Single Vision specifically designed for Wrap Frames. Individually compensated and optimized using Position of Wear values (actual or average).

Available as: Clear; Photochromic; Polarized

Available in: US Only



M

P

TRN

PRY

TPR

B50

TPT

H53

B53

T53

PTX

PRT

PLY

TPY

PLP

TPP

ZPY

BLY

HTR

H60

T60

P60

B60

B67

T67

P67

H67

H67

B74

H70

H70

T70

H74

H74

T74

Materials:

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Trivex

Trivex

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Near Variable Focus

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

14mm

18mm


P Digitally design for reducing eye fatigue during extended computer/task specific working conditions. Also available with Blue Blocking filter.

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Eye Kraft Optical, Inc. | DLS Advanced PAL

215



This lens was discontinued in 2020




Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Eye Kraft Optical, Inc. | DLS Anti-Fatigue

216



1.50
1.53
1.58
1.60
1.66
1.74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only
Manufacturer Tech Specs: [Click Here](#)

Eye Kraft Optical, Inc. | DLS Camber Near

217



1.50
1.53
1.58
1.60
1.66
1.74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only
Manufacturer Tech Specs: [Click Here](#)

Eye Kraft Optical, Inc. | DLS PAL

218



This lens was discontinued in 2020



Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Eye Kraft Optical, Inc. | DLS Pro PAL

219



This lens was discontinued in 2020




Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

FEA Industries, Inc. | Constitution HD

220




| | |
|------------------|----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| I | Plastic Mid-Index (1.52 - 1.58) |
| P | Polycarbonate |
| L | Plastic High Index (1.66 - 1.67) |

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

FEA Industries, Inc. | Constitution Short HD

221



| | |
|------------------|----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| I | Plastic Mid-Index (1.52 - 1.58) |
| P | Polycarbonate |
| L | Plastic High Index (1.66 - 1.67) |

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

FEA Industries, Inc. | Eagle

222



| | |
|------------------|-----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| I | Plastic Mid-Index (1.52 - 1.58) |
| Δ | Trivex |
| P | Polycarbonate |
| 6 | Plastic High Index (1.60) |
| L | Plastic High Index (1.66 - 1.67) |
| 7 | Plastic Ultra High Index (> 1.67) |
| no symbol | Glass (1.523) |
| 6 | Glass Mid-Index (> 1.53) |
| 7 | Glass High Index (> 1.60) |

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



| | |
|------------------|-----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| I | Plastic Mid-Index (1.52 - 1.58) |
| Δ | Trivex |
| P | Polycarbonate |
| 6 | Plastic High Index (1.60) |
| ⊥ | Plastic High Index (1.66 - 1.67) |
| 7 | Plastic Ultra High Index (> 1.67) |
| no symbol | Glass (1.523) |
| 6 | Glass High Index (> 1.60) |
| 7 | Glass Ultra High Index (> 1.70) |

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
 16mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



| | |
|------------------|-----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| I | Plastic Mid-Index (1.52 - 1.58) |
| Δ | Trivex |
| P | Polycarbonate |
| 6 | Plastic High Index (1.60) |
| ⊥ | Plastic High Index (1.66 - 1.67) |
| 7 | Plastic Ultra High Index (> 1.67) |
| no symbol | Glass (1.523) |
| 6 | Glass High Index (> 1.60) |
| 7 | Glass Ultra High Index (> 1.70) |

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M

Materials:

no symbol

Plastic (CR39 and 1.50)

I

Plastic Mid-Index (1.52 - 1.58)

Δ

Trivex

P

Polycarbonate

6

Plastic High Index (1.60)

⊥

Plastic High Index (1.66 - 1.67)

7

Plastic Ultra High Index (> 1.67)

no symbol

Glass (1.523)

6

Glass High Index (> 1.60)

7

Glass Ultra High Index (> 1.70)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

Materials:

no symbol

Plastic (CR39 and 1.50)

I

Plastic Mid-Index (1.52 - 1.58)

Δ

Trivex

P

Polycarbonate

6

Plastic High Index (1.60)

⊥

Plastic Ultra High Index (> 1.67)

7

Plastic Ultra High Index (> 1.67)

no symbol

Glass (1.523)

6

Glass High Index (> 1.60)

7

Glass Ultra High Index (> 1.70)

Near Variable Focus

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



| | |
|------------------|-----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| I | Plastic Mid-Index (1.52 - 1.58) |
| Δ | Trivex |
| P | Polycarbonate |
| 6 | Plastic High Index (1.60) |
| ⊥ | Plastic High Index (1.66 - 1.67) |
| 7 | Plastic Ultra High Index (> 1.67) |
| no symbol | Glass (1.523) |
| 6 | Glass High Index (> 1.60) |
| 7 | Glass Ultra High Index (> 1.70) |

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



| | |
|------------------|-----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| I | Plastic Mid-Index (1.52 - 1.58) |
| Δ | Trivex |
| P | Polycarbonate |
| 6 | Plastic High Index (1.60) |
| ⊥ | Plastic High Index (1.66 - 1.67) |
| 7 | Plastic Ultra High Index (> 1.67) |
| no symbol | Glass (1.523) |
| 6 | Glass High Index (> 1.60) |
| 7 | Glass Ultra High Index (> 1.70) |

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 16mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada




| | |
|------------------|-----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| I | Plastic Mid-Index (1.52 - 1.58) |
| Δ | Trivex |
| P | Polycarbonate |
| 6 | Plastic High Index (1.60) |
| ⊥ | Plastic High Index (1.66 - 1.67) |
| 7 | Plastic Ultra High Index (> 1.67) |
| no symbol | Glass (1.523) |
| 6 | Glass Mid-Index (> 1.53) |
| 7 | Glass High Index (> 1.60) |

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
 10mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



| | |
|------------------|-----------------------------------|
| M | Materials: |
| no symbol | Plastic (CR39 and 1.50) |
| I | Plastic Mid-Index (1.52 - 1.58) |
| Δ | Trivex |
| P | Polycarbonate |
| 6 | Plastic High Index (1.60) |
| ⊥ | Plastic High Index (1.66 - 1.67) |
| 7 | Plastic Ultra High Index (> 1.67) |
| no symbol | Glass (1.523) |
| 6 | Glass Mid-Index (> 1.53) |
| 7 | Glass High Index (> 1.60) |

Near Variable Focus
PAL Design on Back side
Fitting cross location: 8mm above 180 line
Rec. minimum fitting height:
 18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M

Materials:

no symbol

Plastic (CR39 and 1.50)

I

Plastic Mid-Index (1.52 - 1.58)

Δ

Trivex

P

Polycarbonate

6

Plastic High Index (1.60)

⊥

Plastic High Index (1.66 - 1.67)

7

Plastic Ultra High Index (> 1.67)

no symbol

Glass (1.523)

6

Glass High Index (> 1.60)

7

Glass Ultra High Index (> 1.70)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

Materials:

no symbol

Plastic (CR39 and 1.50)

I

Plastic Mid-Index (1.52 - 1.58)

Δ

Trivex

P

Polycarbonate

6

Plastic High Index (1.60)

⊥

Plastic High Index (1.66 - 1.67)

7

Plastic High Index (1.66 - 1.67)

no symbol

Glass (1.523)

6

Glass High Index (> 1.60)

7

Glass Ultra High Index (> 1.70)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

13mm




Available as: Clear; Photochromic; Polarized

Available in: US Only

GSRx | epik DRV 110/110 N+D4

234



Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front side

Fitting cross location: On 180 line

Rec. minimum fitting height:


Available as: Clear; Photochromic; Polarized

Available in: US Only

N+D4 variant will have "+" instead of diamond

GSRx | epik DRV 50/50 N+D4

235



Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front side

Fitting cross location: On 180 line

Rec. minimum fitting height:


Available as: Clear; Photochromic; Polarized

Available in: US Only

N+D4 variant will have "+" instead of diamond

GSRx | epik DRV 80/80 N+D4

236



Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front side

Fitting cross location: On 180 line

Rec. minimum fitting height:

Available as: Clear; Photochromic; Polarized

Available in: US Only

N+D4 variant will have "+" instead of diamond

GSRx | epik iBifocal

237



Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)

Custom Progressive Design

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

Available as: Clear; Photochromic; Polarized

Available in: US Only

GSRx | epik ice UltraHD, Book/Room/Desk

238



Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm




Available as: Clear; Photochromic;

Available in: US Only

Distance Symbols: **OR** : Room, **OD** : Desk, **OB** : Book

GSRx | epik Standard 14/17

239



Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm




Available as: Clear; Photochromic; Polarized

Available in: US Only

GSRx | epik Variable Active/Active N+D4

240



Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

15mm




Available as: Clear; Photochromic; Polarized

Available in: US Only

N+D4 variant will have "+" instead of diamond

GSRx | epik Variable Device/Device N+D4

241



Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

15mm




Available as: Clear; Photochromic; Polarized

Available in: US Only

N+D4 variant will have "+" instead of diamond


GSRx | epik Variable/Variable N+D4

242




M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 15mm 
Available as: Clear; Photochromic; Polarized
Available in: US Only
N+D4 variant will have "+" instead of diamond

Hoya Vision Care | Amplitude

243



This lens has been replaced by Amplitude BKS.

M

1
X
P
3
5

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 19mm
Available as: Clear; Photochromic;
Available in: US Only

Hoya Vision Care | Amplitude BKS

244



M

1
X
P
3
5
7

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 19mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Hoya Vision Care | Amplitude iQ

245



This lens has been replaced by Amplitude BKS.

M

1
X
P
3
5

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 19mm
Available as: Clear; Photochromic;
Available in: US Only

Hoya Vision Care | Amplitude Mini

246



This lens has been replaced by Amplitude Mini BKS.

M

1

X

P

3

5

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic;

Available in: US Only

Hoya Vision Care | Amplitude Mini BKS

247



M

1

X

P

3

5

7

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Hoya Vision Care | Amplitude Mini iQ

248



This lens has been replaced by Amplitude Mini BKS.

M

1

X

P

3

5

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic;

Available in: US Only

Hoya Vision Care | Array

249



M

1

X

P

3

5

7

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Hoya Vision Care | Array 2

250



M

1

X

P

3

5

4

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Glass Ultra High Index (> 1.70)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


Several *

Available as:

Available in: US Only

Hoya Vision Care | Array Wrap

251



M

1

X

P

3

5

7

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Hoya Vision Care | Hoyalux GP

252



This lens has been replaced by Hoya GP Wide.

M

1

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US Only

Hoya Vision Care | Hoyalux GPW

253



This lens has been replaced by Hoya GP Wide.

M

1

X

3

4

Materials:

Plastic (CR39 and 1.50)

Trivex

Plastic High Index (1.60)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear

Available in: US Only

Hoya Vision Care | Hoyalux Tact (EP40 and 60)

254



This lens has been replaced by Tact 40/60 BKS.


M
1
3

Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)

Near Variable Focus
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US Only

Hoya Vision Care | ID InStyle

255



This lens has been replaced by Amplitude HD3.


M
X
3
5
4

Materials:
Trivex
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US Only

Hoya Vision Care | ID Lifestyle

256



This lens has been replaced by iD LifeStyle 3.


M
1
X
P
3
5

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Hoya Vision Care | iD LifeStyle 2 Clarity

257



This product was discontinued on March 12, 2023.


M
1
X
P
3
5
7

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Hoya Vision Care | ID LifeStyle 2 Clarity cd

258



M

1

X

P

3

5

7

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Hoya Vision Care | ID LifeStyle 2 Harmony

259



M

1

X

P

3

5

7

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Hoya Vision Care | ID LifeStyle 2 Harmony cd

260



M

1

X

P

3

5

7

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Hoya Vision Care | ID Lifestyle cd

261



This lens has been replaced by Amplitude Mini HD3.

M

1

X

P

3

5

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Hoya Vision Care | ID Mystyle

262



This lens has been replaced by iD MyStyle 2.

M

1

X

3

5

Materials:

Plastic (CR39 and 1.50)

Trivex

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


15mm

Available as: Clear; Photochromic;

Available in: US and Canada

Hoya Vision Care | Summit cd

263



This lens has been replaced by Summit cd BKS.

M

1

X

P

3

5

4

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic;

Available in: US Only

Hoya Vision Care | Summit cd iQ

264



This lens has been replaced by Summit cd BKS.

M

1

X

P

3

5

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic;

Available in: US Only

Hoya Vision Care | Summit ecp

265



This lens has been replaced by Summit ecp BKS.

M

1

X

P

3

5

4

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Hoya Vision Care | Summit ecp iQ

266



This lens has been replaced by Summit ecp BKS.

M

1

X

P

3

5

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Hoya Vision Care | TACT 40 BKS and TACT 60 BKS

267



M

1

X

P

3

5

7

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


18mm

Available as: Clear; Photochromic;

Available in: US and Canada

Interstate Optical | Intellego 3

268



M

Materials:

PAL Design on Front side

Fitting cross location: On 180 line

Rec. minimum fitting height:


13mm

Available as:

Available in: US and Canada

Interstate Optical | Intellego 3 14

269



M

Materials:

PAL Design on Front side

Fitting cross location: On 180 line

Rec. minimum fitting height:


13mm

Available as:

Available in: US and Canada

Interstate Optical | Intellego 3 16

270



M

Materials:

PAL Design on Front side

Fitting cross location: On 180 line

Rec. minimum fitting height:


13mm

Available as:

Available in: US and Canada

Interstate Optical | Intellego 3 18

271




Materials:

PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
13mm
Available as:
Available in: US and Canada

IOT | Camber Steady Plus Progressive

272




Materials:

Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
15mm
16mm
17mm
18mm
Available as:
Available in: US and Canada

IOT | Camber Steady Plus Progressive | Distance Vision

273




Materials:

Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
15mm
16mm
17mm
18mm
Available as:
Available in: US and Canada

IOT | Camber Steady Plus Progressive | Intermediate Vision

274




Materials:

Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
15mm
16mm
17mm
18mm
Available as:
Available in: US and Canada

IOT | Camber Steady Plus Progressive | Near Vision

275



Materials:

Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
15mm
16mm
17mm
18mm
Available as:
Available in: US and Canada

IOT | Endless Anti-fatigue Single Vision | 0.50 D

276



Materials:

Fitting cross location: On 180 line

Rec. minimum fitting height:

16mm

18mm

Available as:

Available in: US and Canada

IOT | Endless Anti-fatigue Single Vision | 0.75 D

277



Materials:

Fitting cross location: On 180 line

Rec. minimum fitting height:

16mm

18mm

Available as:

Available in: US and Canada

IOT | Endless Anti-fatigue Single Vision | 1.00 D

278



Materials:

Fitting cross location: On 180 line

Rec. minimum fitting height:

16mm

18mm

Available as:

Available in: US and Canada

IOT | Endless Bifocal

279



Materials:

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as:

Available in: US and Canada

IOT | Endless Drive Progressive

280



Materials:

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm

18mm

Available as:

Available in: US and Canada

IOT | Endless Drive Single Vision

281



Materials:

Fitting cross location: On 180 line

Rec. minimum fitting height:

Available as:

Available in: US and Canada

IOT | Endless ice

282



Materials:

Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
14mm
18mm
Available as:
Available in: US and Canada

IOT | Endless ice | 1.3 m

283



Materials:

Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
14mm
18mm
Available as:
Available in: US and Canada

IOT | Endless ice | 2 m

284



Materials:

Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
14mm
18mm
Available as:
Available in: US and Canada

IOT | Endless ice | 4 m

285



Materials:

Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
14mm
18mm
Available as:
Available in: US and Canada

IOT | Endless Pilot Progressive

286



Materials:

Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
16mm
18mm
Available as:
Available in: US and Canada

IOT | Endless Single Vision

287



Materials:

Fitting cross location: On 180 line
Rec. minimum fitting height:
Available as:
Available in: US and Canada

IOT | Endless Sport Progressive

288



Materials:

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm


18mm

Available as:

Available in: US and Canada

IOT | Endless Steady Progressive

289



Materials:

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm

18mm

Available as:

Available in: US and Canada

IOT | Endless Steady Progressive | Distance Vision

290



Materials:

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm

18mm

Available as:

Available in: US and Canada

IOT | Endless Steady Progressive | Intermediate Vision

291



Materials:

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm

18mm

Available as:

Available in: US and Canada

IOT | Endless Steady Progressive | Near Vision

292



Materials:

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm


18mm

Available as:

Available in: US and Canada

IOT | Essential Steady Progressive

293



Materials:

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm


18mm

Available as:

Available in: US and Canada

IOT | Essential Steady Progressive | Distance Vision

294



Materials:

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm


18mm

Available as:

Available in: US and Canada

IOT | Essential Steady Progressive | Intermediate Vision

295



Materials:

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm

18mm

Available as:

Available in: US and Canada

IOT | Essential Steady Progressive | Near Vision

296



Materials:

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm

18mm

Available as:

Available in: US and Canada

IOT | inMotion

297



Materials:

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm


18mm

Available as:

Available in: US and Canada

IOT | IOT Endless

298




Materials:

Fitting cross location: On 180 line
Rec. minimum fitting height:
Available as:
Available in: US and Canada

IOT | IOT Endless Plus 0.50D

299




Materials:

Fitting cross location: On 180 line
Rec. minimum fitting height:
16mm
18mm
Available as:
Available in: US and Canada

IOT | IOT Endless Plus 0.75D

300




Materials:

Fitting cross location: On 180 line
Rec. minimum fitting height:
16mm
18mm
Available as:
Available in: US and Canada

IOT | IOT Endless Plus 1.00D

301




Materials:

Fitting cross location: On 180 line
Rec. minimum fitting height:
16mm
18mm
Available as:
Available in: US and Canada

KBco, Inc. | EOS

302




Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear Polarized
Available in: US and Canada

KBco, Inc. | EOS Wrap

303




Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear Polarized
Available in: US and Canada

KBco, Inc. | iRx Pro

304




Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic;
Available in: US and Canada

KBco, Inc. | iRx Short

305




Materials:
Plastic Mid-Index (1.52 - 1.58)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear Polarized
Available in: US and Canada

KBco, Inc. | Xplore

306



Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Filters:
Polarized

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Polarized
Available in: US and Canada

L.B.I. | Ce-Tru Normal Corridor

307



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 22mm
Available as: Clear
Available in: US and Canada

L.B.I. | Ce-Tru Polarized Progressive

308




Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 22mm
Available as: Polarized
Available in: US Only

L.B.I. | Ce-Tru Short Corridor

309




Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear
Available in: US and Canada

L.B.I. | Ce-Tru Short Corridor Photochr

310



Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US and Canada

L.B.I. | Ce-Tru SunSensor

311




Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Clear; Photochromic;
Available in: US and Canada

Landon Lens | Channel 14 Plastic II

312




Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear
Available in: US and Canada

Landon Lens | Channel 14 Poly II

313




Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US and Canada

Landon Lens | Channel 14 Variations Gray & B

314



Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 3mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US and Canada

Landon Lens | Channel 14 Variations Poly Pho

315




Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
14mm
Available as: ; Photochromic;
Available in: US and Canada

Landon Lens | Mvp Platinum Plastic II

316



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

Landon Lens | Variations

317



Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: ; Photochromic;
Available in: US and Canada

Lenscrafters | Blue IQ Variable Progressive

318




Materials:

Near Variable Focus
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
11mm
Available as:
Available in: US Only

MacLens Optical | PolySensus

319




Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US and Canada

MacLens Optical | Promult

320



Materials:
Plastic (CR39 and 1.50)
Glass (1.523)
Glass Ultra High Index (>
1.70)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Maui Jim | Maui Passport Progressive

321




Materials:
Polycarbonate
Plastic High Index (1.60)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
Several
Available as: Polarized
Available in: US and Canada

Melibrad | Melibrad Progressive

322




Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Polarized
Available in: US and Canada

Melibrad | Polar-Ray Progressive

323



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
22mm
Available as: ; Photochromic;
Available in: US and Canada

Melibrad | Polar-Ray Progressive

324



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Polarized
Available in: US and Canada

Nassau Lens Company | Nalco Progressive

325



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
19mm
Available as: Clear; Photochromic;
Available in: US Only

Nexus Vision Group | Proprius DS

326



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear
Available in: US Only

Nikon Optical Canada | Balance Digital 12

327



Materials:
Plastic (CR39 and 1.50)

Near Variable Focus
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic;
Available in: Canada Only

Nikon Optical Canada | Balance Digital 14

328



Materials:
Plastic (CR39 and 1.50)

Near Variable Focus
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic;
Available in: Canada Only

Nikon Optical Canada | MOVE

329




Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: Canada Only

Nikon Optical Canada | MOVE Short

330



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: Canada Only

Nikon Optical Canada | Nikon Go

331



Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: Canada Only

Nikon Optical Canada | Nikon Go Digital

332



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: Canada Only

Nikon Optical Canada | Nikon i

333



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear
Available in: Canada Only

Nikon Optical Canada | Nikon i Digital

334



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear
Available in: Canada Only

Nikon Optical Canada | Nikon Online

335



Materials:
Plastic (CR39 and 1.50)

Near Variable Focus
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: US and Canada

Nikon Optical Canada | Nikon W

336



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear
Available in: US and Canada

Nikon Optical Canada | Presio Power 12/13/14

337




Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
Several
Available as: Clear; Photochromic;
Available in: US and Canada

Nikon Optical Canada | SeeMax Power 12/13/14

338



Materials:
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
Several
Available as: Clear; Photochromic;
Available in: US and Canada

Nikon Optical Canada | SeeMaxProgressive 12

339




Materials:
Plastic High Index (1.60)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic;
Available in: Canada Only

Nikon Optical Canada | SeeMaxProgressive 14

340




Materials:
Plastic High Index (1.60)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic;
Available in: Canada Only

Nikon Optical USA | Move Digital 13

341




nm
NM
nm
NM

Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Nikon Optical USA | Move Digital 15

342



nm
NM
nm
NM

Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Nikon Optical USA | Nikon Online

343



NK
nc
NK

Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Near Variable Focus
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: US and Canada

Nikon Optical USA | Nikon W

344



M

PC

NC

NC

N5

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear

Available in: US and Canada

Nikon Optical USA | Nikon W Short

345



M

PC

NC

NC

N5

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:


15mm

Available as: Clear; Photochromic;

Available in: US Only

Nikon Optical USA | Presio Digital i Short

346



M

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic;

Available in: US Only

Nikon Optical USA | Presio i

347



M

PC

NC

NC

N5

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US Only

Nikon Optical USA | Presio i Digital

348



M

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic;

Available in: US Only

Nikon Optical USA | Presio i Digital 12

349



M

NB

NB

NB

NB

N5B

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:


15mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Nikon Optical USA | Presio i Digital 14

350



M

NB

NB

NB

NB

N5B

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Nikon Optical USA | Presio i Digital Short

351



M

Materials:

Plastic High Index (1.60)

Standard Progressive

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Nikon Optical USA | Presio i Short

352



M

PC

NC

NC

N5

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic;

Available in: US Only

Nikon Optical USA | Presio Power 12/13/14

353



M

N1

N3

N4

N5

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic;

Available in: US and Canada

Nikon Optical USA | SeeMax Power 12/13/14

354



M

N3

N4

N5

Materials:

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:


Several

Available as: Clear; Photochromic;

Available in: US and Canada

PFO Global | Acuity 9/11/13

355



M



Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

PFO Global | identity home 9/11/13

356



M



Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

PFO Global | identity play 9/11/13

357



M



Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

PFO Global | identity pro

358



M



Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Near Variable Focus

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

15mm

Available as: Clear

Available in: US and Canada

PFO Global | identity smart 9/11/13

359



M



Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

PFO Optima LLC | HyperPro

360



M



Materials:

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


17mm

Available as: Clear

Available in: US and Canada

PFO Optima LLC | Resolution Response

361



Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 5mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Polycore Optical | Futureise

362



Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada


Polycore Optical | Micro

363



Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US and Canada



M

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLP | Polycarbonate |
| PLY | Polycarbonate |
| TPP | Polycarbonate |
| TPY | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| H67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLP | Polycarbonate |
| PLY | Polycarbonate |
| TPP | Polycarbonate |
| TPY | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| H67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLP | Polycarbonate |
| TPP | Polycarbonate |
| TPY | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| H67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

20mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLP | Polycarbonate |
| PLY | Polycarbonate |
| TPP | Polycarbonate |
| TPY | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| H67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLP | Polycarbonate |
| PLY | Polycarbonate |
| TPP | Polycarbonate |
| TPY | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| H67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLP | Polycarbonate |
| PLY | Polycarbonate |
| TPP | Polycarbonate |
| TPY | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| H67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

Materials:

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLP | Polycarbonate |
| PLY | Polycarbonate |
| TPP | Polycarbonate |
| TPY | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| H67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLP | Polycarbonate |
| PLY | Polycarbonate |
| TPP | Polycarbonate |
| TPY | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| H67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

19mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLP | Polycarbonate |
| PLY | Polycarbonate |
| TPP | Polycarbonate |
| TPY | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| H67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

15mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLP | Polycarbonate |
| PLY | Polycarbonate |
| TPP | Polycarbonate |
| TPY | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| H67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:

Standard Progressive

PAL Design on Back side


Fitting cross location: On 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLP | Polycarbonate |
| PLY | Polycarbonate |
| TPP | Polycarbonate |
| TPY | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| H67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLP | Polycarbonate |
| PLY | Polycarbonate |
| TPP | Polycarbonate |
| TPY | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| H67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada




M

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLP | Polycarbonate |
| PLY | Polycarbonate |
| TPP | Polycarbonate |
| TPY | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| H67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:**Standard Progressive****PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

18mm

Available as: Clear; Photochromic; Polarized**Available in:** US and Canada



M

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| T53 | Trivex |
| PRT | Trivex |
| PLP | Polycarbonate |
| PLY | Polycarbonate |
| TPP | Polycarbonate |
| TPY | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| H67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

20mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada


**M**

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLP | Polycarbonate |
| PLY | Polycarbonate |
| TPP | Polycarbonate |
| TPY | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| H67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:**Standard Progressive****PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

14mm

Available as: Clear; Photochromic; Polarized**Available in:** US and Canada



M

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLY | Polycarbonate |
| TPY | Polycarbonate |
| PLP | Polycarbonate |
| TPP | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| H67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLY | Polycarbonate |
| TPY | Polycarbonate |
| PLP | Polycarbonate |
| TPP | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| H67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLY | Polycarbonate |
| TPY | Polycarbonate |
| PLP | Polycarbonate |
| TPP | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| H67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

20mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| T53 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| PLY | Polycarbonate |
| TPY | Polycarbonate |
| PLP | Polycarbonate |
| TPP | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| H67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada


**M**

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLY | Polycarbonate |
| TPY | Polycarbonate |
| PLP | Polycarbonate |
| TPP | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| H67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:**Standard Progressive****PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

16mm

Available as: Clear; Photochromic; Polarized**Available in:** US and Canada


**M**

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLY | Polycarbonate |
| TPY | Polycarbonate |
| PLP | Polycarbonate |
| TPP | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| H67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:**Standard Progressive****PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

18mm

Available as: Clear; Photochromic; Polarized**Available in:** US and Canada

**M****PRY****Materials:**

Plastic (CR39 and 1.50)

TPR

Plastic (CR39 and 1.50)

F50

Plastic (CR39 and 1.50)

P

Plastic (CR39 and 1.50)

TRN

Plastic (CR39 and 1.50)

H53

Trivex

PRT

Trivex

T53

Trivex

PLY

Polycarbonate

TPY

Polycarbonate

PLP

Polycarbonate

TPP

Polycarbonate

H60

Plastic High Index (1.60)

T60

Plastic High Index (1.60)

P60

Plastic High Index (1.60)

T67

Plastic High Index (1.66 - 1.67)

P67

Plastic High Index (1.66 - 1.67)

H67

Plastic High Index (1.66 - 1.67)


H74

Plastic Ultra High Index (> 1.67)

Standard Progressive**PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

20mm

Available as: Clear; Photochromic; Polarized**Available in:** US and Canada



M

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLY | Polycarbonate |
| TPY | Polycarbonate |
| PLP | Polycarbonate |
| TPP | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| H67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLY | Polycarbonate |
| TPY | Polycarbonate |
| PLP | Polycarbonate |
| TPP | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| H67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:

Near Variable Focus

PAL Design on Back side


Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLY | Polycarbonate |
| TPY | Polycarbonate |
| PLP | Polycarbonate |
| TPP | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| H67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

15mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLY | Polycarbonate |
| TPY | Polycarbonate |
| PLP | Polycarbonate |
| TPP | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| H67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:

Standard Progressive

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

| | |
|------------|-----------------------------------|
| PRY | Plastic (CR39 and 1.50) |
| TPR | Plastic (CR39 and 1.50) |
| F50 | Plastic (CR39 and 1.50) |
| P | Plastic (CR39 and 1.50) |
| TRN | Plastic (CR39 and 1.50) |
| H53 | Trivex |
| PRT | Trivex |
| T53 | Trivex |
| PLY | Polycarbonate |
| TPY | Polycarbonate |
| PLP | Polycarbonate |
| TPP | Polycarbonate |
| H60 | Plastic High Index (1.60) |
| T60 | Plastic High Index (1.60) |
| P60 | Plastic High Index (1.60) |
| T67 | Plastic High Index (1.66 - 1.67) |
| P67 | Plastic High Index (1.66 - 1.67) |
| H67 | Plastic High Index (1.66 - 1.67) |
| H74 | Plastic Ultra High Index (> 1.67) |

Materials:

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

19mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M

| | |
|-----------|-----------------------------------|
| 50 | Plastic (CR39 and 1.50) |
| 56 | Plastic Mid-Index (1.52 - 1.58) |
| 53 | Trivex |
| 58 | Polycarbonate |
| 60 | Plastic High Index (1.60) |
| 67 | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Materials:

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Riverside Opticalab Ltd. | Persona ice

392



M

50

Materials:

Plastic (CR39 and 1.50)

56

Plastic Mid-Index (1.52 - 1.58)

53

Trivex

58

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Near Variable Focus

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:


15mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Riverside Opticalab Ltd. | Persona G4

393



M

50

Materials:

Plastic (CR39 and 1.50)

56

Plastic Mid-Index (1.52 - 1.58)

53

Trivex

58

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Riverside Opticalab Ltd. | Persona Novice

394



M

50

Materials:

Plastic (CR39 and 1.50)

56

Plastic Mid-Index (1.52 - 1.58)

53

Trivex

58

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic;

Available in: Canada Only

Riverside Opticalab Ltd. | Persona Phd

395



M

50

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

56

Plastic Mid-Index (1.52 - 1.58)

53

Trivex

58

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Riverside Opticalab Ltd. | Persona Phd Distance

396



M

50

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

56

Plastic Mid-Index (1.52 - 1.58)

53

Trivex

58

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Riverside Opticalab Ltd. | Persona Phd Near

397



M

50

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

56

Plastic Mid-Index (1.52 - 1.58)

53

Trivex

58

Polycarbonate

60

Plastic High Index (1.60)

67


Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Riverside Opticalab Ltd. | Persona Quattro

398



M

50

Materials:

Plastic (CR39 and 1.50)

56

Plastic Mid-Index (1.52 - 1.58)

53

Trivex

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Riverside Opticalab Ltd. | Persona Quattro Sport

399



M

50

Materials:

Plastic (CR39 and 1.50)

56

Plastic Mid-Index (1.52 - 1.58)

53

Trivex

58

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

15mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Riverside Opticalab Ltd. | Signature HD

400



M

50

Materials:

Plastic (CR39 and 1.50)

56

Plastic Mid-Index (1.52 - 1.58)

53

Trivex

58

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Robertson Optical Laboratories, Inc. | COZE ADL ADVANCED 401



M

50

54

58

16

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Robertson Optical Laboratories, Inc. | COZE CASATA 402



M

50

54

58

16

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line


Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Robertson Optical Laboratories, Inc. | COZE HDW 403



M

50

54

58

16

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Robertson Optical Laboratories, Inc. | COZE SOFT 404



M

50

54

58

16

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Robertson Optical Laboratories, Inc. | COZE WRAP

405



M

50

54

58

16

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Robertson Optical Laboratories, Inc. | Vista

406



M

50

54

58

16

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:


Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Robertson Optical Laboratories, Inc. | VISTA CP

407



M

50

54

58

16

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Robertson Optical Laboratories, Inc. | VISTA WS

408



M

50

54

58

16

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Robertson Optical Laboratories, Inc. | XP HD

409



M

50

Materials:

Plastic (CR39 and 1.50)

54

Trivex

58

Polycarbonate

16

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Rodenstock Canada | ClassicLife Free XS. M or L

410



M

50

Materials:

Plastic (CR39 and 1.50)

54

Plastic Mid-Index (1.52 - 1.58)

60

Plastic High Index (1.60)

67

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic;

Available in: US and Canada

Rodenstock Canada | Impression 2 XS, M, or L

411



M

5

Materials:

Plastic (CR39 and 1.50)

54

Plastic Mid-Index (1.52 - 1.58)

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

60

Glass High Index (> 1.60)

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic;

Available in: US and Canada

Rodenstock Canada | Impression Ergo 2 Book

412



M

60

Materials:

Plastic High Index (1.60)

Near Variable Focus

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

14mm

Available as: Clear

Available in: US and Canada

Rodenstock Canada | Impression Ergo 2 PC or Room

413



M
60

Materials:
Plastic High Index (1.60)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

Rodenstock Canada | Impression Ergo FreeSign 2

414




M
60

Materials:
Plastic High Index (1.60)

Near Variable Focus
PAL Design on Front and Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear
Available in: US and Canada

Rodenstock Canada | Impression FreeSign 2

415




M
60
67
74

Materials:
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Impression Hyperop

416




M
7

Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Impression Hyperop XS

417




M
7

Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Impression Myop

418



M
7

Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Impression Myop XS

419



M
7

Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Impression Sport 2

420



M
54
6

Materials:
Plastic Mid-Index (1.52 - 1.58)
Plastic High Index (1.60)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Multigressiv MyView 2 XS, M, L

421



M
50
54
60
67
74

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Rodenstock Canada | MyView Ergo 2 Book

422



M
50
60

Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear
Available in: US and Canada

Rodenstock Canada | MyView Ergo 2 PC or Room

423



M

50

60

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Near Variable Focus

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US and Canada

Rodenstock Canada | Nexyma Computer (80)

424



M

5

Materials:

Plastic (CR39 and 1.50)

Near Variable Focus

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

20mm

Available as: Clear

Available in: US and Canada

Rodenstock Canada | Nexyma Reading (40)

425



M

5

Materials:

Plastic (CR39 and 1.50)

Near Variable Focus

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear

Available in: US and Canada

Rodenstock Canada | Progressiv ClassicLife

426



M

5

6

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US and Canada

Rodenstock Canada | Progressiv ClassicLife XS

427



M

5

6

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear

Available in: US and Canada

Rodenstock Canada | Progressiv Life 2

428



M

Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

Rodenstock Canada | Progressiv Life 2 XS

429




M
P

Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear
Available in: US and Canada

Rodenstock Canada | Progressiv Purelife

430



M

5

Materials:
Plastic (CR39 and 1.50)

5

Plastic Mid-Index (1.52 - 1.58)

6

Plastic High Index (1.60)

7

Plastic High Index (1.66 - 1.67)

6

Glass High Index (> 1.60)


8

Glass Ultra High Index (> 1.70)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Progressiv Purelife XS

431



M

5

Materials:
Plastic (CR39 and 1.50)

5

Plastic Mid-Index (1.52 - 1.58)

6

Plastic High Index (1.60)

7

Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | ProgressivPureLife Free XS,M,L

432



M

50

54

1.53

60

67

Materials:

- Plastic (CR39 and 1.50)
- Plastic Mid-Index (1.52 - 1.58)
- Trivex
- Plastic High Index (1.60)
- Plastic High Index (1.66 - 1.67)

Standard Progressive

- PAL Design on Back side**
- Fitting cross location:** 4mm above 180 line
- Rec. minimum fitting height:** 14mm
- Available as:** Clear; Photochromic; Polarized
- Available in:** US and Canada

Seiko Optical Products | AF2

433



M

A

C

S

Materials:

- Plastic (CR39 and 1.50)
- Plastic High Index (1.60)
- Plastic High Index (1.66 - 1.67)

Standard Progressive

- PAL Design on Front and Back side**
- Fitting cross location:** 3mm above 180 line
- Rec. minimum fitting height:** 17mm
- Available as:** Clear
- Available in:** US and Canada

Seiko Optical Products | DC mini

434



M

Materials:

- Polycarbonate

Standard Progressive

- PAL Design on Front and Back side**
- Fitting cross location:** 2mm above 180 line
- Rec. minimum fitting height:** 19mm
- Available as:** Clear
- Available in:** US Only

Seiko Optical Products | PCWide

435



M



Materials:

- Plastic (CR39 and 1.50)
- Trivex
- Polycarbonate
- Plastic High Index (1.60)
- Plastic High Index (1.66 - 1.67)
- Plastic Ultra High Index (> 1.67)

Near Variable Focus

- PAL Design on Back side**
- Fitting cross location:** On 180 line
- Rec. minimum fitting height:** 15mm
- Available as:** Clear; Photochromic;
- Available in:** US Only

Seiko Optical Products | Perfas Premier II

436



M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Seiko Optical Products | Perfas Prominent

437



M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Seiko Optical Products | Proceed II Short

438



M

Materials:

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic;

Available in: US Only

Seiko Optical Products | Proceed III Super Short

439



M

Materials:

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic;

Available in: US Only

Seiko Optical Products | Succeed

440



M

Materials:

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

17mm

Available as: Clear

Available in: US and Canada

Seiko Optical Products | Succeed WS

441




M

Materials:
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: US and Canada

Seiko Optical Products | Supercede

442



M

Materials:
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
Several
Available as: Clear
Available in: US and Canada

Seiko Optical Products | Supercede II

443



M

50

Materials:
Plastic (CR39 and 1.50)

53

Trivex

59

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)

74

Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Seiko Optical Products | Supercede WS

444



M

Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US and Canada

Seiko Optical Products | Superior

445



M

50

Materials:
Plastic (CR39 and 1.50)

53

Trivex

59

Polycarbonate

60

Plastic High Index (1.60)

67

Plastic High Index (1.66 - 1.67)


74

Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
12
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Seiko Optical Products | Supernal

446



M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Seiko Optical Products | Surmount

447



M

50

59

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Seiko Optical Products | Surmount Ws

448



M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side


Fitting cross location: On 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only



M

| | |
|------------|---------------------------------|
| 15 | Plastic (CR39 and 1.50) |
| TR | Plastic (CR39 and 1.50) |
| X5 | Plastic (CR39 and 1.50) |
| PZ | Plastic (CR39 and 1.50) |
| 56 | Plastic Mid-Index (1.52 - 1.58) |
| | Trivex |
| TX | Trivex |
| TTX | Trivex |
| XX | Trivex |
| VX | Trivex |

| | |
|-------------|----------------------------------|
| PC | Polycarbonate |
| PT | Polycarbonate |
| PX | Polycarbonate |
| PV | Polycarbonate |
| PD | Polycarbonate |
| 16 | Plastic High Index (1.60) |
| T6 | Plastic High Index (1.60) |
| X6 | Plastic High Index (1.60) |
| PZ6 | Plastic High Index (1.60) |
| 67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| X67 | Plastic High Index (1.66 - 1.67) |
| PZ67 | Plastic High Index (1.66 - 1.67) |

Custom Progressive Design
 PAL Design on Back side
 Fitting cross location: 4mm above 180 line
 Rec. minimum fitting height:
 15mm
 Available as:
 Available in: US Only



M

Materials:

| |
|----------------------------------|
| Plastic (CR39 and 1.50) |
| Plastic Mid-Index (1.52 - 1.58) |
| Trivex |
| Polycarbonate |
| Plastic High Index (1.60) |
| Plastic High Index (1.66 - 1.67) |

Custom Progressive Design
 PAL Design on Back side
 Fitting cross location: 4mm above 180 line
 Rec. minimum fitting height:
 18mm
 Available as: Clear; Photochromic; Polarized
 Available in: US Only

Shamir Insight Inc. | Attitude III Sport

451



M

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Autograph II -Fixed & Var. Des

452




M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 11mm
Available as: Clear
Available in: US Only

Shamir Insight Inc. | Autograph II Attitude

453



M

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 15mm
18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Autograph II ice

454




M

Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.60)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 16mm
Available as: Clear
Available in: US Only

Shamir Insight Inc. | Autograph III Fixed & VAR.

455



M

PZ
X5
15
TR
56
TX
PC
16
74

Materials:

Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
11mm
13mm
15mm
18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Autograph Intelligence Fixed & VARI.

456



M

Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
11mm
13mm
15mm
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Shamir Insight Inc. | Autograph II+ Fixed & VARI.

457



M

Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
11mm
13mm
15mm
18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Autograph Relax

458



M

Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

PAL Design on Back side

Fitting cross location: On 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Computer

459



Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate
Plastic High Index (1.60)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Element

460




Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
19mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Element Short

461



Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | First PAL

462



Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Golf

463



Materials:
Trivex
Polycarbonate
Plastic High Index (1.60)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Spectrum

464



M

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
16mm
19mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | WorkSpace

465



M

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate
Plastic High Index (1.60)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shore Lens Company | Executive/ ShoreView ES

466



M

S

π

S

F



Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.60)

Filters:
Photochromic

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Shore Lens Company | ShoreView / Shoreview Mini

467



M

TTX

TTX

TV

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic;
Available in: US and Canada

Shore Lens Company | Shoreview Mini ES

468



M

S

S

S

S

F



Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Filters:

Photochromic

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


15mm

Available as: Clear; Photochromic;

Available in: US Only

Signet Armorlite, Inc. | Crossbows Custom U

469



M

I

Δ

P

◇

⊥

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | Crossbows Custom V

470



M

I

Δ

P

◇

⊥

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | Crossbows Junior

471



M

I

P

⊥

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Polycarbonate

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | DirecTek

472



M

no symbol

I

Δ

P

⊥

7

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Trivex

Polycarbonate

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


16.5mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | DirecTek Short

473



M

no symbol

I

Δ

P

⊥

7

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Trivex

Polycarbonate

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


13.5mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | Kodak Precise

474



M

P

⊥

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | KODAK Precise PB

475



M

I

Δ

P

◇

⊥

7

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | Kodak Precise Short

476



M

no symbol

P

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic;

Available in: US and Canada

Signet Armorlite, Inc. | KODAK Precise Short PB

477



M

I

Δ

P

◇

⊥

7

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | KODAK SoftWear

478



M

M

I

P

⊥

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Polycarbonate

Plastic High Index (1.66 - 1.67)

Near Variable Focus

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:


17mm

Available as: Clear

Available in: US and Canada

Signet Armorlite, Inc. | Kodak Unique

479



M

no symbol

I

Δ

P

6

⊥

7

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | KODAK Unique DRO

480



M

Materials:

Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

I

Δ

P

◇

L

7

Polycarbonate


Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Signet Armorlite, Inc. | KODAK Unique DRO HD

481



M

Materials:

Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

I

Δ

P

◇

L

7

Polycarbonate


Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Signet Armorlite, Inc. | Navigator FBS

482



M

Materials:

Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

I

Δ

P

L

7


Polycarbonate

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Signet Armorlite, Inc. | Navigator Precision

483



M

no symbol

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:


20mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | Navigator Short

484



M
O

Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US and Canada

SOLA Optical | Compact ULTRA HD

485



This lens was discontinued in 2016

M
H
T
P
F
M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

SOLA Optical | Percepta

486



This lens was discontinued in 2010


M
H
S
P
6

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Polycarbonate
Plastic High Index (1.60)
Glass High Index (> 1.60)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

SOLA Optical | SOLA HDV

487



This lens was discontinued in 2016

M
H
T
P
F
M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

SOLA Optical | SOLAOne HD

488



This lens was discontinued in 2016

M
H
T
P
F
M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

SOLA Optical | VIP Gold

489



This lens was discontinued in 2012

M

Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

SOLA Optical | Visuality

490



This lens was discontinued in 2009

M
H
S
P

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Polycarbonate

PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

SOLA Optical | XL

491



This lens was discontinued in 2010

M

Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Glass (1.523)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

SOLA Optical | XL Gold

492



This lens was discontinued in 2010

M

Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

SOMO Optical | EZ View Mini

493




M

Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear
Available in: US and Canada

SOMO Optical | EZ View Std

494



M

Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
20mm
Available as: Clear
Available in: US and Canada

Sutherlin Optical, Inc. | Overture

495



M



P

6

67

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

US Optical | Advanced HD

496



M

15

TR

TX

PC

16

67


74

Materials:
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

US Optical | Ultimate HD

497



M


15
TR
TX
PC
16
74

Materials:
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

US Optical | Wrap HD

498



M


15
TR
TX
PC
16
74

Materials:
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Vision Dynamics Lab/Optical Dynamics | Continual Focus Lens (CFL)

499




M

Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Vision Dynamics Lab/Optical Dynamics | Paradigm Progressive 500



M

Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 20mm
Available as: Clear; Photochromic;
Available in: US and Canada

Vision Dynamics Lab/Optical Dynamics | Paradigm Short Corridor



M

Materials:
Plastic Mid-Index (1.52 - 1.58)

501

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US and Canada

Vision Warehouse | Stealth 15



M

Materials:
Trivex

502

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

Vision-Ease Lens, Inc. | Illumina



This lens was discontinued in 2016

M

Materials:
Plastic (CR39 and 1.50)
Polycarbonate

503

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Vision-Ease Lens, Inc. | Novel



M

Materials:
Polycarbonate

504

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Vision-Ease Lens, Inc. | Novella Short Corridor




M

Materials:
Plastic (CR39 and 1.50)
Polycarbonate

505

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as:
Available in: US and Canada



- 15**
- TR**
- PZ**
- X5**
- Dw**
- TX**
- TTX**
- XX**
- PC**
- PPZ**
- PX**
- PD**
- 16**
- T6**
- PZ6**
- X6**
- 67**
- T67**
- PZ67**
- X67**
- 74**

Materials:
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Trivex
Trivex
Trivex
Trivex
Polycarbonate
Polycarbonate
Polycarbonate
Polycarbonate
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
Several
Available as: Clear; Photochromic; Polarized
Available in: US Only



| M | Materials: |
|-------------|-----------------------------------|
| 15 | Plastic (CR39 and 1.50) |
| TR | Plastic (CR39 and 1.50) |
| PZ | Plastic (CR39 and 1.50) |
| X5 | Plastic (CR39 and 1.50) |
| Dw | Plastic (CR39 and 1.50) |
| TX | Trivex |
| TTX | Trivex |
| XX | Trivex |
| | Trivex |
| PC | Polycarbonate |
| PPZ | Polycarbonate |
| PX | Polycarbonate |
| PD | Polycarbonate |
| | Polycarbonate |
| 16 | Plastic High Index (1.60) |
| T6 | Plastic High Index (1.60) |
| PZ6 | Plastic High Index (1.60) |
| X6 | Plastic High Index (1.60) |
| 67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| PZ67 | Plastic High Index (1.66 - 1.67) |
| X67 | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Standard Progressive**PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

Several

Available as: Clear; Photochromic; Polarized**Available in:** US Only



| | M | Materials: |
|-------------|----------|-----------------------------------|
| 15 | | Plastic (CR39 and 1.50) |
| TR | | Plastic (CR39 and 1.50) |
| PZ | | Plastic (CR39 and 1.50) |
| X5 | | Plastic (CR39 and 1.50) |
| Dw | | Plastic (CR39 and 1.50) |
| TX | | Trivex |
| TTX | | Trivex |
| XX | | Trivex |
| | | Trivex |
| PC | | Polycarbonate |
| PPZ | | Polycarbonate |
| PX | | Polycarbonate |
| PD | | Polycarbonate |
| | | Polycarbonate |
| 16 | | Plastic High Index (1.60) |
| T6 | | Plastic High Index (1.60) |
| PZ6 | | Plastic High Index (1.60) |
| X6 | | Plastic High Index (1.60) |
| 67 | | Plastic High Index (1.66 - 1.67) |
| T67 | | Plastic High Index (1.66 - 1.67) |
| PZ67 | | Plastic High Index (1.66 - 1.67) |
| X67 | | Plastic High Index (1.66 - 1.67) |
| 74 | | Plastic Ultra High Index (> 1.67) |

Custom Progressive Design

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only



| M | Materials: |
|-------------|-----------------------------------|
| 15 | Plastic (CR39 and 1.50) |
| TR | Plastic (CR39 and 1.50) |
| PZ | Plastic (CR39 and 1.50) |
| X5 | Plastic (CR39 and 1.50) |
| Dw | Plastic (CR39 and 1.50) |
| TX | Trivex |
| TTX | Trivex |
| XX | Trivex |
| | Trivex |
| PC | Polycarbonate |
| PPZ | Polycarbonate |
| PX | Polycarbonate |
| PD | Polycarbonate |
| | Polycarbonate |
| 16 | Plastic High Index (1.60) |
| T6 | Plastic High Index (1.60) |
| PZ6 | Plastic High Index (1.60) |
| X6 | Plastic High Index (1.60) |
| 67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| PZ67 | Plastic High Index (1.66 - 1.67) |
| X67 | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Custom Progressive Design**PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

12mm

Available as: Clear; Photochromic; Polarized**Available in:** US Only



| | |
|-------------|-----------------------------------|
| M | Materials: |
| 15 | Plastic (CR39 and 1.50) |
| TR | Plastic (CR39 and 1.50) |
| PZ | Plastic (CR39 and 1.50) |
| X5 | Plastic (CR39 and 1.50) |
| Dw | Plastic (CR39 and 1.50) |
| TX | Trivex |
| TTX | Trivex |
| XX | Trivex |
| | Trivex |
| PC | Polycarbonate |
| PPZ | Polycarbonate |
| PX | Polycarbonate |
| | |
| PD | Polycarbonate |
| | Polycarbonate |
| 16 | Plastic High Index (1.60) |
| T6 | Plastic High Index (1.60) |
| PZ6 | Plastic High Index (1.60) |
| X6 | Plastic High Index (1.60) |
| 67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| PZ67 | Plastic High Index (1.66 - 1.67) |
| X67 | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
 12mm
Available as: Clear; Photochromic; Polarized
Available in: US Only



M

| | |
|-------------|-----------------------------------|
| 15 | Plastic (CR39 and 1.50) |
| TR | Plastic (CR39 and 1.50) |
| PZ | Plastic (CR39 and 1.50) |
| X5 | Plastic (CR39 and 1.50) |
| Dw | Plastic (CR39 and 1.50) |
| TX | Trivex |
| TTX | Trivex |
| XX | Trivex |
| | Trivex |
| PC | Polycarbonate |
| PPZ | Polycarbonate |
| PX | Polycarbonate |
| PD | Polycarbonate |
| | Polycarbonate |
| 16 | Plastic High Index (1.60) |
| T6 | Plastic High Index (1.60) |
| PZ6 | Plastic High Index (1.60) |
| X6 | Plastic High Index (1.60) |
| 67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| PZ67 | Plastic High Index (1.66 - 1.67) |
| X67 | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Materials:

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

12mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

M

| | |
|-------------|-----------------------------------|
| 15 | Plastic (CR39 and 1.50) |
| TR | Plastic (CR39 and 1.50) |
| PZ | Plastic (CR39 and 1.50) |
| X5 | Plastic (CR39 and 1.50) |
| Dw | Plastic (CR39 and 1.50) |
| TX | Trivex |
| TTX | Trivex |
| XX | Trivex |
| | Trivex |
| PC | Polycarbonate |
| PPZ | Polycarbonate |
| PX | Polycarbonate |
| PD | Polycarbonate |
| | Polycarbonate |
| 16 | Plastic High Index (1.60) |
| T6 | Plastic High Index (1.60) |
| PZ6 | Plastic High Index (1.60) |
| X6 | Plastic High Index (1.60) |
| 67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| PZ67 | Plastic High Index (1.66 - 1.67) |
| X67 | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Materials:

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Near Variable Focus**PAL Design on Back side****Fitting cross location:** 2mm above 180 line**Rec. minimum fitting height:**

14mm

Available as: Clear; Photochromic; Polarized**Available in:** US Only

M

| | |
|-------------|-----------------------------------|
| 15 | Plastic (CR39 and 1.50) |
| TR | Plastic (CR39 and 1.50) |
| PZ | Plastic (CR39 and 1.50) |
| X5 | Plastic (CR39 and 1.50) |
| Dw | Plastic (CR39 and 1.50) |
| TX | Trivex |
| TTX | Trivex |
| XX | Trivex |
| | Trivex |
| PC | Polycarbonate |
| PPZ | Polycarbonate |
| PX | Polycarbonate |
| PD | Polycarbonate |
| | Polycarbonate |
| 16 | Plastic High Index (1.60) |
| T6 | Plastic High Index (1.60) |
| PZ6 | Plastic High Index (1.60) |
| X6 | Plastic High Index (1.60) |
| 67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| PZ67 | Plastic High Index (1.66 - 1.67) |
| X67 | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Materials:

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Near Variable Focus**PAL Design on Back side****Fitting cross location:** 2mm above 180 line**Rec. minimum fitting height:**

14mm

Available as: Clear; Photochromic; Polarized**Available in:** US Only



| | M | Materials: |
|-------------|----------|-----------------------------------|
| 15 | | Plastic (CR39 and 1.50) |
| TR | | Plastic (CR39 and 1.50) |
| PZ | | Plastic (CR39 and 1.50) |
| X5 | | Plastic (CR39 and 1.50) |
| Dw | | Plastic (CR39 and 1.50) |
| TX | | Trivex |
| TTX | | Trivex |
| XX | | Trivex |
| | | Trivex |
| PC | | Polycarbonate |
| PPZ | | Polycarbonate |
| PX | | Polycarbonate |
| PD | | Polycarbonate |
| | | Polycarbonate |
| 16 | | Plastic High Index (1.60) |
| T6 | | Plastic High Index (1.60) |
| PZ6 | | Plastic High Index (1.60) |
| X6 | | Plastic High Index (1.60) |
| 67 | | Plastic High Index (1.66 - 1.67) |
| T67 | | Plastic High Index (1.66 - 1.67) |
| PZ67 | | Plastic High Index (1.66 - 1.67) |
| X67 | | Plastic High Index (1.66 - 1.67) |
| 74 | | Plastic Ultra High Index (> 1.67) |

Custom Progressive Design

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

12mm

Available as: Clear; Photochromic; Polarized

Available in: US Only



M

| | |
|-------------|-----------------------------------|
| 15 | Plastic (CR39 and 1.50) |
| TR | Plastic (CR39 and 1.50) |
| PZ | Plastic (CR39 and 1.50) |
| X5 | Plastic (CR39 and 1.50) |
| Dw | Plastic (CR39 and 1.50) |
| TX | Trivex |
| TTX | Trivex |
| XX | Trivex |
| | Trivex |
| PC | Polycarbonate |
| PPZ | Polycarbonate |
| PX | Polycarbonate |
| PD | Polycarbonate |
| | Polycarbonate |
| 16 | Plastic High Index (1.60) |
| T6 | Plastic High Index (1.60) |
| PZ6 | Plastic High Index (1.60) |
| X6 | Plastic High Index (1.60) |
| 67 | Plastic High Index (1.66 - 1.67) |
| T67 | Plastic High Index (1.66 - 1.67) |
| PZ67 | Plastic High Index (1.66 - 1.67) |
| X67 | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Custom Progressive Design

PAL Design on Back side


Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

12mm

Available as: Clear; Photochromic; Polarized

Available in: US Only



M

| | |
|------------------|-----------------------------------|
| no symbol | Plastic (CR39 and 1.50) |
| TX | Trivex |
| P | Polycarbonate |
| 6 | Plastic High Index (1.60) |
| 67 | Plastic High Index (1.66 - 1.67) |
| 74 | Plastic Ultra High Index (> 1.67) |

Near Variable Focus

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

X-CEL Optical | Freedom ID

518




M

Materials:
Trivex
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

X-CEL Optical | Freedom ID

519



M

Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

X-CEL Optical | Freedom ID

520




M

Materials:
Glass (1.523)
Glass High Index (> 1.60)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Younger Optics | Adage

521



M

Materials:
Trivex
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Younger Optics | Image

522



M

HI

Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Younger Optics | Image

523




Materials:
Trivex

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Zeal Optics | Zeal Digital Progressive

524



Materials:
Polycarbonate

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Polarized
Available in: US and Canada